



SLOVENSKI STANDARD
SIST EN 300 392-3-5 V1.4.1:2010
01-oktober-2010

Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsystemske vmesniku (ISI) - 5. poddel: Dodatna omrežna funkcija: upravljanje mobilnosti (ANF-ISIMM)

Terrestrial Trunked Radio (TETRA) - Voice plus Data (V+D) - Part 3: Interworking at the Inter-System Interface (ISI) - Sub-part 5: Additional Network Feature for Mobility Management (ANF-ISIMM)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 392-3-5 V1.4.1:2010](https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010)
<https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010>

Ta slovenski standard je istoveten z: EN 300 392-3-5 Version 1.4.1

ICS:

| | | |
|-----------|---------------------------------|-----------------------------------|
| 33.070.10 | Prizemni snopovni radio (TETRA) | Terrestrial Trunked Radio (TETRA) |
|-----------|---------------------------------|-----------------------------------|

SIST EN 300 392-3-5 V1.4.1:2010 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 392-3-5 V1.4.1:2010

<https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010>

ETSI EN 300 392-3-5 V1.4.1 (2010-06)

European Standard (Telecommunications series)

**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 5: Additional Network Feature
for Mobility Management (ANF-ISIMM)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 392-3-5 V1.4.1:2010](https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010)

<https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010>



Reference

REN/TETRA-03194

Keywords

air interface, interworking, management, mobility,
radio, TETRA, V+D**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88iTeh **STANDARD PREVIEW**
(standards.iteh.ai)

SIST EN 300 392-3-5 V1.4.1:2010

<https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010>
Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp**Copyright Notification**

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

| | |
|--------------------------------------------------------------------------------------|----|
| Intellectual Property Rights | 15 |
| Foreword..... | 15 |
| Introduction | 16 |
| 1 Scope | 17 |
| 2 References | 17 |
| 2.1 Normative references | 18 |
| 2.2 Informative references..... | 19 |
| 3 Definitions and abbreviations..... | 19 |
| 3.1 Definitions | 19 |
| 3.2 Abbreviations | 21 |
| 4 Overview | 22 |
| 4.1 General | 22 |
| 4.2 Applicability..... | 22 |
| 4.2.1 Entities | 22 |
| 4.2.2 Services..... | 22 |
| 4.3 Testability..... | 23 |
| 4.4 Provision/withdrawal..... | 23 |
| 4.5 Activation/deactivation | 23 |
| 4.6 Charging..... | 23 |
| 5 The generic ANF-ISIMM stage 1 service model..... | 24 |
| 5.1 ANF-ISIMM - the service provider..... | 24 |
| 5.2 SwMI MMs - the ANF-ISIMM service users..... | 24 |
| 5.3 Stage 1 description conventions | 25 |
| 6 Migration service description - stage 1..... | 26 |
| 6.1 Pre-requisite requirements for the migration service..... | 26 |
| 6.2 Service definition | 26 |
| 6.3 Service description | 26 |
| 6.4 Service architecture | 27 |
| 6.5 Normal procedures | 28 |
| 6.5.1 Invocation | 28 |
| 6.5.1.1 Invocation criteria | 28 |
| 6.5.1.2 Invocation of ANF-ISIMM..... | 28 |
| 6.5.2 Operation | 30 |
| 6.5.2.1 Migration with pre-defined migration profile(s)..... | 31 |
| 6.5.2.1.1 Support for call restoration..... | 31 |
| 6.5.2.1.2 Final migration approval | 31 |
| 6.5.2.2 Migration with migration profile exchange..... | 32 |
| 6.5.2.2.1 Basic migration profile exchange | 33 |
| 6.5.2.2.2 SS-migration profile(s) exchange..... | 43 |
| 6.5.2.2.3 Support for call restoration..... | 45 |
| 6.5.2.2.4 Final migration approval | 45 |
| 6.5.2.2.5 SS-migration profile exchange after final migration approval | 45 |
| 6.6 Exceptional procedures | 46 |
| 6.6.1 Detected by the visited SwMI MM..... | 47 |
| 6.6.2 Detected by the individual subscriber home SwMI MM | 48 |
| 6.7 Interactions | 48 |
| 6.7.1 Interactions with the authentication service..... | 48 |
| 6.7.2 Interactions with the group attachment and the group detachment services | 48 |
| 6.8 Dynamic description..... | 49 |
| 7 Restricted migration service description - stage 1..... | 51 |
| 7.1 Pre-requisite requirements for the restricted migration service..... | 51 |

| | | |
|----------|--------------------------------------------------------------------------------|----|
| 7.2 | Service definition | 51 |
| 7.3 | Service description | 52 |
| 7.4 | Service architecture | 53 |
| 7.5 | Normal procedures | 53 |
| 7.5.1 | Invocation | 53 |
| 7.5.1.1 | Invocation criteria | 53 |
| 7.5.1.2 | Invocation of ANF-ISIMM | 54 |
| 7.5.2 | Operation | 56 |
| 7.5.2.1 | Operation when the visited SwMI MM invokes restricted migration | 57 |
| 7.5.2.2 | Invocation of RSI | 58 |
| 7.5.2.3 | Support for emergency call restoration | 58 |
| 7.5.2.4 | Receipt of restricted migration approval | 58 |
| 7.6 | Exceptional procedures | 58 |
| 7.6.1 | Detected by the visited SwMI MM | 59 |
| 7.6.2 | Detected by the individual subscriber home SwMI MM | 60 |
| 7.7 | Interactions | 60 |
| 7.7.1 | Interactions with the authentication service | 60 |
| 7.7.2 | Interactions with the group attachment and the group detachment services | 60 |
| 7.8 | Dynamic description | 60 |
| 8 | Removal of Subscriber Information (RSI) service description - stage 1 | 61 |
| 8.1 | Service definition | 61 |
| 8.2 | Service description | 62 |
| 8.3 | Service architecture | 62 |
| 8.4 | Normal procedures | 63 |
| 8.4.1 | Invocation | 63 |
| 8.4.1.1 | Invocation criteria | 63 |
| 8.4.1.2 | Invocation of ANF-ISIMM | 63 |
| 8.4.2 | Operation | 64 |
| 8.5 | Exceptional procedures | 65 |
| 8.6 | Interaction with authentication | 66 |
| 8.7 | Dynamic description | 67 |
| 9 | De-registration service description - stage 1 | 68 |
| 9.1 | Service definition | 68 |
| 9.2 | Service description | 68 |
| 9.3 | Service architecture | 68 |
| 9.4 | Normal procedures | 69 |
| 9.4.1 | Invocation | 69 |
| 9.4.1.1 | Invocation criteria | 69 |
| 9.4.1.2 | Invocation of ANF-ISIMM | 69 |
| 9.4.2 | Operation | 70 |
| 9.5 | Exceptional procedures | 70 |
| 9.5.1 | Detected by the visited SwMI MM | 71 |
| 9.5.2 | Detected by the individual subscriber home SwMI MM | 71 |
| 9.6 | Dynamic description | 72 |
| 10 | Profile update service description - stage 1 | 73 |
| 10.1 | Service definition | 73 |
| 10.2 | Service description | 74 |
| 10.3 | Service architecture | 74 |
| 10.4 | Normal procedures | 74 |
| 10.4.1 | Invocation | 74 |
| 10.4.1.1 | Invocation criteria | 74 |
| 10.4.1.2 | Invocation of ANF-ISIMM | 75 |
| 10.4.2 | Operation | 85 |
| 10.5 | Exceptional operation | 95 |
| 10.6 | Dynamic description | 95 |
| 11 | SS-profile update service description - stage 1 | 96 |
| 11.1 | Service definition | 96 |
| 11.2 | Service description | 96 |
| 11.3 | Service architecture | 97 |

| | | |
|------------|-----------------------------------------------------------------------------------|-----|
| 11.4 | Normal procedures | 97 |
| 11.4.1 | Invocation | 97 |
| 11.4.1.1 | Invocation criteria | 97 |
| 11.4.1.2 | Invocation of ANF-ISIMM | 98 |
| 11.4.2 | Operation | 98 |
| 11.4.2.1 | Creation of temporary SS-migration profiles | 98 |
| 11.4.2.2 | Informing home SwMI MM about the temporary SS-migration profiles | 99 |
| 11.5 | Exceptional operation..... | 100 |
| 11.6 | Dynamic description..... | 101 |
| 12 | Authentication service description - stage 1..... | 102 |
| 12.1 | Pre-requisite requirements for the authentication service..... | 102 |
| 12.2 | Service definition | 102 |
| 12.3 | Service description | 102 |
| 12.4 | Service architecture | 103 |
| 12.5 | Normal procedures | 103 |
| 12.5.1 | Invocation | 103 |
| 12.5.1.1 | Invocation criteria | 103 |
| 12.5.1.2 | Invocation of ANF-ISIMM | 104 |
| 12.5.2 | Operation | 104 |
| 12.5.2.1 | Exchange of authentication parameters..... | 104 |
| 12.5.2.2 | Sending of authentication result..... | 105 |
| 12.6 | Exceptional procedures | 106 |
| 12.6.1 | Detected by the visited SwMI MM..... | 107 |
| 12.6.2 | Detected by the home SwMI MM | 107 |
| 12.7 | Interaction with migration and restricted migration..... | 107 |
| 12.7.1 | Normal operation..... | 107 |
| 12.7.2 | Exceptional procedures..... | 108 |
| 12.8 | Dynamic description..... | 108 |
| 13 | Over The Air Re-keying (OTAR) service description - stage 1..... | 110 |
| 13.1 | Pre-requisite requirements..... | 110 |
| 13.2 | Service definition | 110 |
| 13.3 | Service description | 110 |
| 13.4 | Service architecture | 111 |
| 13.5 | Normal procedures | 111 |
| 13.5.1 | Invocation | 111 |
| 13.5.1.1 | Invocation criteria | 111 |
| 13.5.1.2 | Invocation of ANF-ISIMM | 112 |
| 13.5.1.2.1 | Case 1)..... | 112 |
| 13.5.1.2.2 | Case 2)..... | 112 |
| 13.5.1.2.3 | Case 3)..... | 112 |
| 13.5.1.2.4 | Case 4)..... | 113 |
| 13.5.2 | Operation | 113 |
| 13.5.2.1 | Case 1) | 113 |
| 13.5.2.2 | Case 2) | 114 |
| 13.5.2.3 | Case 3) | 115 |
| 13.5.2.4 | Case 4) | 115 |
| 13.6 | Exceptional procedures | 116 |
| 13.6.1 | Detected by the visited SwMI MM..... | 117 |
| 13.6.2 | Detected by the home SwMI MM | 117 |
| 13.7 | Dynamic description..... | 118 |
| 14 | Individual subscriber Database Recovery (IDR) service description - stage 1 | 120 |
| 14.1 | Service definition | 120 |
| 14.2 | Service description | 121 |
| 14.3 | Service architecture | 121 |
| 14.4 | Normal procedures | 122 |
| 14.4.1 | Invocation | 122 |
| 14.4.1.1 | Invocation criteria | 122 |
| 14.4.1.2 | Invocation of ANF-ISIMM | 122 |
| 14.4.2 | Operation | 124 |
| 14.4.2.1 | The visited SwMI MM receives the HMM recovery indication | 124 |

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 392-3-5 V1.4.1:2010

[https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-](https://standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-14a071f61029/sist-en-300-392-3-5-v1-4-1-2010)

14a071f61029/sist-en-300-392-3-5-v1-4-1-2010

| | | |
|------------|-------------------------------------------------------------------------------------------|-----|
| 14.4.2.1A | The home SwMI MM receives the VMM recovery indication | 124 |
| 14.4.2.2 | The virtual migration or restricted migration | 125 |
| 14.4.2.3 | The virtual RSI | 126 |
| 14.4.2.4 | The iteration | 126 |
| 14.4.2.5 | The completion of the IDR | 126 |
| 14.4.2.5.1 | VMM recovery | 126 |
| 14.4.2.5.2 | HMM recovery | 127 |
| 14.5 | Exceptional procedures | 127 |
| 14.6 | Dynamic description | 128 |
| 15 | Group attachment service description - stage 1 | 131 |
| 15.1 | Service definition | 131 |
| 15.2 | Service description | 131 |
| 15.3 | Service architecture | 132 |
| 15.4 | Normal procedures | 132 |
| 15.4.1 | Invocation | 132 |
| 15.4.1.1 | Invocation criteria | 132 |
| 15.4.1.2 | Invocation of ANF-ISIMM | 133 |
| 15.4.1.2.1 | Case 1) | 133 |
| 15.4.1.2.2 | Cases 2) to 4) | 135 |
| 15.4.1.2.3 | Case 5) | 136 |
| 15.4.1.2.4 | Case 6) | 141 |
| 15.4.2 | Operation | 142 |
| 15.4.2.1 | Case 1) | 142 |
| 15.4.2.1.1 | Group attachment with pre-defined migration profile(s) | 142 |
| 15.4.2.1.2 | Group attachment with migration profile exchange | 145 |
| 15.4.2.1.3 | SS-migration profile(s) exchange | 151 |
| 15.4.2.2 | Cases 2) to 4) | 153 |
| 15.4.2.2.1 | Updates to G-HDB | 153 |
| 15.4.2.2.2 | Sending of group attachment approval | 154 |
| 15.4.2.2.3 | Receipt of group attachment approval | 154 |
| 15.4.2.3 | Case 5) | 155 |
| 15.4.2.3.1 | Group home SwMI MM initiated group attachment with pre-defined migration profile(s) | 155 |
| 15.4.2.3.2 | Group home SwMI MM initiated group attachment with migration profile exchange | 157 |
| 15.5 | Exceptional procedures | 159 |
| 15.5.1 | Detected by the visited SwMI MM | 161 |
| 15.5.2 | Detected by the group home SwMI MM | 162 |
| 15.6 | Interactions | 162 |
| 15.7 | Dynamic description | 163 |
| 16 | Group detachment service description (stage 1) | 166 |
| 16.1 | Service definition | 166 |
| 16.2 | Service description | 167 |
| 16.3 | Service architecture | 168 |
| 16.4 | Normal procedures | 168 |
| 16.4.1 | Invocation | 168 |
| 16.4.1.1 | Void | 169 |
| 16.4.1.2 | Invocation of ANF-ISIMM | 169 |
| 16.4.1.2.1 | Cases 1) to 3) | 169 |
| 16.4.1.2.2 | Cases 4) and 5) | 170 |
| 16.4.2 | Operation | 170 |
| 16.4.2.1 | Cases 1) to 3) | 170 |
| 16.4.2.2 | Cases 4) and 5) | 171 |
| 16.5 | Exceptional procedures | 172 |
| 16.6 | Interactions | 174 |
| 16.7 | Dynamic description | 175 |
| 17 | Group Database Recovery (GDR) service description - stage 1 | 176 |
| 17.1 | Service definition | 176 |
| 17.2 | Service description | 176 |
| 17.3 | Service architecture | 177 |
| 17.4 | Normal procedures | 178 |
| 17.4.1 | Invocation | 178 |

| | | |
|------------|-----------------------------------------------------------------------------------------------------------------------------------|-----|
| 17.4.1.1 | Invocation criteria | 178 |
| 17.4.1.2 | Invocation of ANF-ISIMM | 178 |
| 17.4.2 | Operation | 180 |
| 17.4.2.1 | Verification of age information..... | 180 |
| 17.4.2.2 | The visited SwMI MM receives the G-HDR indication..... | 180 |
| 17.4.2.3 | The group home SwMI MM receives the G-VDR indication | 181 |
| 17.4.2.4 | The virtual group attachment and detachment | 181 |
| 17.4.2.5 | The iteration | 182 |
| 17.4.2.6 | The completion of the GDR | 182 |
| 17.4.2.6.1 | G-HDR | 182 |
| 17.4.2.6.2 | G-VDR | 183 |
| 17.5 | Exceptional procedures | 183 |
| 17.6 | Dynamic description..... | 185 |
| 18 | Group linking/unlinking service description - stage 1 | 187 |
| 18.1 | Service definition | 187 |
| 18.2 | Service description | 188 |
| 18.3 | Service architecture | 189 |
| 18.4 | Normal procedures | 189 |
| 18.4.1 | Invocation | 189 |
| 18.4.1.1 | Invocation criteria | 189 |
| 18.4.1.2 | Invocation of ANF-ISIMM | 189 |
| 18.4.1.2.1 | Case 1) - group linking service..... | 189 |
| 18.4.1.2.2 | Case 2) - group unlinking service..... | 190 |
| 18.4.1.2.3 | Case 3) - remote group unlinking service..... | 191 |
| 18.4.2 | Operation | 191 |
| 18.4.2.1 | Case 1) - group linking service | 191 |
| 18.4.2.1.1 | First phase of group linking service..... | 191 |
| 18.4.2.1.2 | Second phase of group linking service..... | 192 |
| 18.4.2.2 | Case 2) - group unlinking service | 194 |
| 18.4.2.3 | Case 3) - remote group unlinking service | 195 |
| 18.5 | Exceptional procedures | 195 |
| 18.5.1 | Case 1) - group linking service | 195 |
| 18.5.2 | Case 2) - group unlinking service | 196 |
| 18.5.3 | Case 3) - remote group unlinking service | 197 |
| 18.6 | Interactions | 198 |
| 18.7 | Dynamic description..... | 198 |
| 19 | ANF-ISIMM stage 2 specification | 201 |
| 19.1 | General | 201 |
| 19.2 | Functional model..... | 201 |
| 19.3 | Information flow diagrams | 202 |
| 20 | Migration - stage 2 information flow sequences | 203 |
| 20.1 | Normal operation..... | 203 |
| 20.1.1 | Migration with pre-defined profile(s) | 203 |
| 20.1.2 | Migration with basic migration profile exchange | 204 |
| 20.1.3 | Migration with basic migration and SS-migration profiles exchange..... | 205 |
| 20.1.3.1 | SS-migration profiles exchanged before final migration approval..... | 205 |
| 20.1.3.2 | SS-migration profiles exchanged after final migration approval | 207 |
| 20.2 | Exceptional operation..... | 209 |
| 20.2.1 | Migration rejection request upon receipt of the Migration_ind | 209 |
| 20.2.2 | Migration rejection request upon receipt of Profile update_conf and SS-profile update_conf..... | 210 |
| 20.3 | FE actions for subscriber migration | 211 |
| 20.3.1 | FE actions of FE1 | 211 |
| 20.3.2 | FE actions of FE3 | 212 |
| 21 | Restricted migration - stage 2 information flow sequences | 213 |
| 21.1 | Normal operation..... | 213 |
| 21.1.1 | Restricted migration requested by visited SwMI MM..... | 213 |
| 21.1.2 | Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the visited SwMI MM | 213 |

| | | |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 21.1.3 | Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the visited SwMI MM | 213 |
| 21.2 | Exceptional operation..... | 214 |
| 21.3 | FE actions for restricted migration | 214 |
| 21.3.1 | FE actions of FE1 | 214 |
| 21.3.2 | FE actions of FE3 | 214 |
| 22 | Removal of Subscriber Information - stage 2 information flow sequences | 215 |
| 22.1 | Normal operation..... | 215 |
| 22.2 | Exceptional operation..... | 216 |
| 22.3 | FE actions for subscriber migration | 216 |
| 22.3.1 | FE actions of FE1 | 216 |
| 22.3.2 | FE actions of FE4 | 217 |
| 23 | De-registration - stage 2 information flow sequences | 217 |
| 23.1 | Normal operation..... | 217 |
| 23.1.1 | Visited SwMI MM initiated de-registration..... | 217 |
| 23.1.2 | Individual subscriber home SwMI MM initiated de-registration..... | 218 |
| 23.2 | Exceptional operation..... | 219 |
| 23.2.1 | Visited SwMI MM initiated de-registration rejected | 219 |
| 23.2.2 | Individual subscriber home SwMI MM initiated de-registration rejected | 220 |
| 23.3 | FE actions..... | 220 |
| 23.3.1 | FE actions of FE1 | 220 |
| 23.3.2 | FE actions of FE3 | 221 |
| 24 | Profile update - stage 2 information flow sequences..... | 222 |
| 24.1 | Normal operation..... | 222 |
| 24.2 | Profile update rejection | 223 |
| 24.3 | FE actions for Profile update | 223 |
| 24.3.1 | FE actions of FE1 | 223 |
| 24.3.2 | FE actions of FE3 | 223 |
| 25 | SS-profile update - stage 2 information flow sequences | 224 |
| 25.1 | Normal operation..... | 224 |
| 25.2 | SS-profile update rejection | 225 |
| 25.3 | FE actions for SS-profile update | 225 |
| 25.3.1 | FE actions of FE1 | 225 |
| 25.3.2 | FE actions of FE3 | 225 |
| 26 | Authentication - stage 2 information flow sequences | 226 |
| 26.1 | Normal operation..... | 226 |
| 26.1.1 | Authentication..... | 226 |
| 26.1.2 | Successful subsequent authentication | 227 |
| 26.2 | Authentication invoked in conjunction with migration | 228 |
| 26.3 | Exceptional operation..... | 230 |
| 26.3.1 | Authentication rejection in the visited SwMI | 230 |
| 26.4 | FE actions for authentication..... | 231 |
| 26.4.1 | FE actions of FE1 | 231 |
| 26.4.2 | FE actions of FE3 | 232 |
| 27 | Over The Air Re-keying (OTAR) - stage 2 information flow sequences..... | 232 |
| 27.1 | Normal operation..... | 232 |
| 27.1.1 | OTAR SCK generation service..... | 232 |
| 27.1.2 | Visited SwMI MM initiated OTAR SCK delivery service | 234 |
| 27.1.3 | Home SwMI MM initiated OTAR SCK delivery service..... | 235 |
| 27.1.4 | OTAR SCK generation service, subsequent use of parameters | 236 |
| 27.2 | Exceptional operation..... | 237 |
| 27.2.1 | Failed OTAR SCK generation service..... | 237 |
| 27.2.2 | Failed visited SwMI MM initiated OTAR SCK delivery | 238 |
| 27.2.3 | Failed home SwMI MM initiated OTAR SCK delivery | 239 |
| 27.2.4 | Failed subsequent use of OTAR SCK generation parameters | 240 |
| 27.3 | FE actions for OTAR | 240 |
| 27.3.1 | FE actions of FE1 | 240 |
| 27.3.2 | FE actions of FE3 | 241 |

| | | |
|--------|-----------------------------------------------------------------------------------------------------------------------------|-----|
| 28 | Individual subscriber database recovery - stage 2 information flow sequences..... | 242 |
| 28.1 | Normal operation..... | 242 |
| 28.1.1 | HMM recovery | 242 |
| 28.1.2 | VMM recovery | 245 |
| 28.2 | Exceptional operation..... | 248 |
| 28.2.1 | Rejection of HMM recovery..... | 248 |
| 28.2.2 | Rejection of VMM recovery..... | 249 |
| 28.3 | FE actions..... | 249 |
| 28.3.1 | FE actions of FE1 | 249 |
| 28.3.2 | FE actions of FE3 | 250 |
| 28.3.3 | FE actions of FE4 | 250 |
| 29 | Group attachment - stage 2 information flow sequences | 250 |
| 29.1 | Normal operation..... | 250 |
| 29.1.1 | Visited SwMI MM initiated group attachment without migration profile exchange | 250 |
| 29.1.2 | Visited SwMI MM initiated first group attachment with migration profile exchange..... | 252 |
| 29.1.3 | Group home SwMI MM initiated group attachment without migration profile exchange..... | 254 |
| 29.1.4 | Group home SwMI MM initiated group attachment with migration profile exchange..... | 255 |
| 29.2 | Exceptional operation..... | 257 |
| 29.2.1 | Rejection of visited SwMI MM initiated group attachment without migration profile exchange | 257 |
| 29.2.2 | Rejection of group home SwMI MM initiated group attachment with migration profile exchange..... | 258 |
| 29.2.3 | Rejection of group home SwMI MM initiated group attachment without migration profile exchange.... | 259 |
| 29.2.4 | Rejection of group home SwMI MM initiated group attachment with migration profile exchange, rejected by subscriber | 260 |
| 29.3 | FE actions..... | 261 |
| 29.3.1 | FE actions of FE2 | 261 |
| 29.3.2 | FE actions of FE3 | 262 |
| 30 | Normal operation for group detachment - stage 2 information flow sequences..... | 263 |
| 30.1 | Normal operation..... | 263 |
| 30.1.1 | Visited SwMI MM initiated group detachment | 263 |
| 30.1.2 | Group home SwMI MM initiated group detachment | 264 |
| 30.2 | Exceptional operation..... | 265 |
| 30.2.1 | Rejection of visited SwMI MM initiated group detachment..... | 265 |
| 30.2.2 | Rejection of group home SwMI MM initiated group detachment rejection | 266 |
| 30.3 | FE actions..... | 266 |
| 30.3.1 | FE actions of FE2 | 266 |
| 30.3.2 | FE actions of FE3 | 267 |
| 31 | Group database recovery - stage 2 information flow sequences | 267 |
| 31.1 | Normal operation..... | 267 |
| 31.1.1 | G-HDR..... | 267 |
| 31.1.2 | G-VDR..... | 271 |
| 31.2 | Exceptional operation..... | 274 |
| 31.2.1 | Rejection of G-HDR | 274 |
| 31.2.2 | Rejection of G-VDR | 275 |
| 31.3 | FE actions..... | 275 |
| 31.3.1 | FE actions of FE2 | 275 |
| 31.3.2 | FE actions of FE3 | 276 |
| 32 | Group linking/unlinking - stage 2 information flow scenarios..... | 276 |
| 32.1 | Normal operation..... | 276 |
| 32.1.1 | Group linking..... | 276 |
| 32.1.2 | Group unlinking..... | 276 |
| 32.1.3 | Remote group unlinking | 277 |
| 32.2 | Exceptional operation - group linking rejected by participating SwMI | 277 |
| 32.3 | FE actions..... | 277 |
| 32.3.1 | FE actions of FE5 | 277 |
| 32.3.2 | FE actions of FE6 | 277 |
| 33 | Definition of stage 2 information flows | 277 |
| 33.1 | AUTHENTICATION DEMAND | 277 |
| 33.2 | AUTHENTICATION RESPONSE..... | 278 |

| | | |
|-----------|--------------------------------------------------------------|-----|
| 33.3 | AUTHENTICATION RESULT | 278 |
| 33.4 | AUTH REJECT | 278 |
| 33.5 | DE-REGISTRATION | 279 |
| 33.6 | DE-REG REJECT | 279 |
| 33.7 | GROUP ATTACHMENT | 279 |
| 33.8 | GROUP ATT REJECT | 280 |
| 33.9 | GROUP DETACHMENT | 280 |
| 33.10 | GROUP DET REJECT | 280 |
| 33.11 | HMM RECOVERY | 281 |
| 33.12 | HMM RECOVERY COMPLETED | 281 |
| 33.13 | HMM RECOVERY REJECT | 281 |
| 33.14 | LINKING | 282 |
| 33.15 | LINKING COMMAND | 282 |
| 33.16 | LINKING REJECT | 282 |
| 33.17 | MIGRATION | 282 |
| 33.18 | MIGRATION REJECT | 283 |
| 33.19 | OTAR-KEY DEMAND | 283 |
| 33.20 | OTAR-KEY PROVIDE | 283 |
| 33.21 | OTAR-KEY REJECT | 284 |
| 33.22 | OTAR-KEY RESULT | 284 |
| 33.23 | OTAR-PARAM DEMAND | 284 |
| 33.24 | OTAR-PARAM PROVIDE | 284 |
| 33.25 | OTAR-PARAM REJECT | 285 |
| 33.26 | OTAR-PARAM RESULT | 285 |
| 33.27 | PROFILE REJECT | 285 |
| 33.28 | PROFILE UPDATE | 286 |
| 33.29 | REMOTE UNLINKING | 286 |
| 33.30 | REMOVE REJECT | 286 |
| 33.31 | REMOVE SUBS | 287 |
| 33.32 | SS-PROFILE REJECT | 287 |
| 33.33 | SS-PROFILE UPDATE | 288 |
| 33.34 | UNLINKING | 288 |
| 33.35 | UNLINKING REJECT | 288 |
| 33.36 | VMM RECOVERY | 288 |
| 33.37 | VMM RECOVERY COMPLETED | 289 |
| 33.38 | VMM RECOVERY REJECT | 289 |
| 33.39 | Profiles | 289 |
| 33.39.1 | Basic migration profiles | 289 |
| 33.39.1.1 | Group basic migration profile (original and temporary) | 289 |
| 33.39.1.2 | Individual basic migration profile | 291 |
| 33.39.2 | SS-migration profile (original and temporary) | 292 |
| 33.39.3 | Relation between subscribers and group | 292 |
| 34 | ANF-ISIMM encoding requirements - stage 3 | 293 |
| 34.1 | ANF-ISIMM PDU description tables | 293 |
| 34.1.1 | AUTHENTICATION DEMAND | 294 |
| 34.1.2 | AUTHENTICATION RESPONSE | 294 |
| 34.1.3 | AUTHENTICATION RESULT | 295 |
| 34.1.4 | AUTH REJECT | 295 |
| 34.1.5 | DE-REGISTRATION | 296 |
| 34.1.6 | DE-REGISTRATION RESPONSE | 296 |
| 34.1.7 | DE-REG REJECT | 296 |
| 34.1.8 | GROUP ATTACHMENT | 297 |
| 34.1.9 | GROUP ATTACHMENT RESPONSE | 298 |
| 34.1.10 | GROUP ATT REJECT | 298 |
| 34.1.11 | GROUP DETACHMENT | 299 |
| 34.1.12 | GROUP DETACHMENT RESPONSE | 299 |
| 34.1.13 | GROUP DET REJECT | 300 |
| 34.1.14 | HMM RECOVERY | 300 |
| 34.1.15 | HMM RECOVERY COMPLETED | 301 |
| 34.1.16 | HMM RECOVERY REJECT | 301 |
| 34.1.17 | HMM RECOVERY RESPONSE | 301 |

IteH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 392-3-5 V1.4.1:2010

standards.iteh.ai/catalog/standards/sist/a2b73278-1a8d-4a6f-b780-

14a071f61029/sist-en-300-392-3-5-v1-4-1-2010

| | | |
|----------|-----------------------------------------------------|-----|
| 34.1.18 | LINKING..... | 302 |
| 34.1.19 | LINKING COMMAND | 302 |
| 34.1.20 | LINKING COMMAND RESPONSE..... | 302 |
| 34.1.21 | LINKING REJECT..... | 302 |
| 34.1.22 | LINKING RESPONSE..... | 302 |
| 34.1.23 | MIGRATION | 303 |
| 34.1.24 | MIGRATION REJECT | 303 |
| 34.1.25 | MIGRATION REJECT RESPONSE | 304 |
| 34.1.26 | MIGRATION RESPONSE..... | 304 |
| 34.1.27 | OTAR-KEY DEMAND | 305 |
| 34.1.28 | OTAR-KEY PROVIDE..... | 305 |
| 34.1.29 | OTAR-KEY REJECT..... | 306 |
| 34.1.30 | OTAR-KEY RESULT | 306 |
| 34.1.31 | OTAR-PARAM DEMAND | 306 |
| 34.1.32 | OTAR-PARAM PROVIDE..... | 307 |
| 34.1.33 | OTAR-PARAM REJECT..... | 307 |
| 34.1.34 | OTAR-PARAM RESULT | 308 |
| 34.1.35 | PROFILE REJECT | 308 |
| 34.1.36 | PROFILE UPDATE | 309 |
| 34.1.37 | PROFILE UPDATE RESPONSE..... | 309 |
| 34.1.38 | REMOTE UNLINKING..... | 310 |
| 34.1.39 | REMOVE REJECT | 310 |
| 34.1.40 | REMOVE SUBS | 310 |
| 34.1.41 | REMOVE SUBS RESPONSE..... | 311 |
| 34.1.42 | SS-PROFILE REJECT | 311 |
| 34.1.43 | SS-PROFILE UPDATE..... | 312 |
| 34.1.44 | SS-PROFILE UPDATE RESPONSE..... | 312 |
| 34.1.45 | UNLINKING..... | 313 |
| 34.1.46 | UNLINKING REJECT | 313 |
| 34.1.47 | UNLINKING RESPONSE..... | 313 |
| 34.1.48 | VMM RECOVERY | 313 |
| 34.1.49 | VMM RECOVERY COMPLETED..... | 313 |
| 34.1.50 | VMM RECOVERY REJECT..... | 314 |
| 34.1.51 | VMM RECOVERY RESPONSE..... | 314 |
| 34.2 | PDU information element encoding..... | 314 |
| 34.2.1 | Advanced link..... | 314 |
| 34.2.2 | Age stamp | 315 |
| 34.2.3 | AI security class (participating SwMI)..... | 315 |
| 34.2.4 | AI security class (requested)..... | 315 |
| 34.2.5 | AI encryption state list..... | 316 |
| 34.2.6 | ANF-ISIMM invoke id | 317 |
| 34.2.7 | Authentication invocation..... | 317 |
| 34.2.8 | Authentication rejection cause..... | 317 |
| 34.2.9 | Authentication service | 318 |
| 34.2.10 | Authentication type..... | 318 |
| 34.2.11 | Basic migration profile info | 318 |
| 34.2.12 | Call restoration support..... | 319 |
| 34.2.13 | Call time-out set-up phase timer (T301)..... | 319 |
| 34.2.14 | Call time-out timer (T310)..... | 320 |
| 34.2.15 | Circuit mode protected (high) data service | 320 |
| 34.2.16 | Circuit mode protected (low) data service | 321 |
| 34.2.17 | Circuit mode unprotected speech + data service..... | 321 |
| 34.2.18 | CONS..... | 321 |
| 34.2.19 | Default SS-information..... | 322 |
| 34.2.20 | De-registration rejection cause | 322 |
| 34.2.21 | De-registration type | 322 |
| 34.2.22 | Duplex service | 323 |
| 34.2.23 | End-to-end encryption service | 323 |
| 34.2.24 | First/Subsequent Group attachment..... | 324 |
| 34.2.25 | Following conditional element(s) present..... | 324 |
| 34.2.25a | Forced removal | 324 |
| 34.2.26 | Group attachment/detachment | 324 |

| | | |
|---------|-------------------------------------------------------------------|-----|
| 34.2.27 | Group attachment rejection cause | 325 |
| 34.2.28 | Group basic migration profile (original and temporary) | 325 |
| 34.2.29 | Group detachment rejection cause | 326 |
| 34.2.30 | Group information | 326 |
| 34.2.31 | Group information in subscriber profile | 327 |
| 34.2.32 | Group priority | 327 |
| 34.2.33 | GSSI | 327 |
| 34.2.34 | Home/Visited SwMI MM initiated | 327 |
| 34.2.35 | Independent of authentication service | 328 |
| 34.2.36 | Individual basic migration profile (original and temporary) | 329 |
| 34.2.37 | Interleaving depth | 330 |
| 34.2.38 | IP service | 331 |
| 34.2.39 | ISSI | 331 |
| 34.2.40 | ISI profile type 3 element identifier | 331 |
| 34.2.41 | Last group detachment | 332 |
| 34.2.42 | Linking rejection cause | 332 |
| 34.2.43 | Maximum number of timeslots | 332 |
| 34.2.44 | Migration rejection cause | 333 |
| 34.2.45 | Migration type | 333 |
| 34.2.46 | MNI | 333 |
| 34.2.47 | MNIs of SSI and of visited SwMI MM following | 333 |
| 34.2.48 | Not supported SS | 334 |
| 34.2.49 | Number of following elements | 334 |
| 34.2.50 | Number of not supported SSs | 334 |
| 34.2.51 | Number of SS-information | 334 |
| 34.2.52 | Original/Subsequent use of param | 334 |
| 34.2.53 | OTAR SCK delivery service | 335 |
| 34.2.54 | OTAR SCK generation service | 335 |
| 34.2.55 | OTAR SCK key rejection cause | 336 |
| 34.2.56 | OTAR SCK param rejection cause | 336 |
| 34.2.57 | Other linked group | 336 |
| 34.2.58 | PDU type | 337 |
| 34.2.59 | Pre-defined profile set reference(s) | 338 |
| 34.2.60 | Profile exchange support | 338 |
| 34.2.61 | Profile rejection cause | 339 |
| 34.2.62 | Profile type | 339 |
| 34.2.63 | Point-to-multipoint acknowledged service | 339 |
| 34.2.64 | Point-to-multipoint broadcast service | 340 |
| 34.2.65 | Point-to-multipoint service | 340 |
| 34.2.66 | Point-to-point service | 341 |
| 34.2.67 | Profile status | 341 |
| 34.2.68 | Proprietary | 341 |
| 34.2.69 | Recovery | 342 |
| 34.2.70 | Recovery rejection cause | 342 |
| 34.2.71 | Recovery type | 342 |
| 34.2.72 | Restricted migration support | 342 |
| 34.2.73 | RSI rejection cause | 343 |
| 34.2.74 | SCLNS | 343 |
| 34.2.75 | SDS profile | 343 |
| 34.2.76 | Speech service | 344 |
| 34.2.77 | SS-information | 344 |
| 34.2.78 | SS-information response | 344 |
| 34.2.79 | SS-migration profile (original) | 345 |
| 34.2.80 | SS-migration profile response (temporary) | 345 |
| 34.2.81 | SS-profile response status | 345 |
| 34.2.82 | SS-profile update indicator | 346 |
| 34.2.83 | SS-response status | 346 |
| 34.2.84 | SS-status | 346 |
| 34.2.85 | SS-type | 346 |
| 34.2.86 | Subscriber information | 347 |
| 34.2.87 | Subscriber information in group profile | 347 |
| 34.2.88 | Subscriber status | 347 |

| | | |
|-----------|-----------------------------------------------------------|-----|
| 34.2.89 | Type 3 element identifier | 347 |
| 34.2.90 | Unlinking rejection cause | 348 |
| 34.2.91 | Validity time | 348 |
| 34.2.92 | Validity time type | 348 |
| 35 | ANF-ISIMM procedures - stage 3..... | 348 |
| 35.1 | General | 348 |
| 35.2 | Generic procedures..... | 348 |
| 35.2.1 | Invoking SwMI..... | 349 |
| 35.2.2 | Receiving SwMI | 349 |
| 35.2.3 | Clearing of ISI GFP transport connection..... | 349 |
| 35.2.4 | Convert primitive to PDU..... | 349 |
| 35.2.5 | Convert PDU to primitive..... | 349 |
| 35.2.6 | Correspondence between ANF-ISIMM primitives and PDUs..... | 350 |
| 35.3 | SDL descriptions | 351 |
| 35.4 | Migration..... | 351 |
| 35.4.1 | Visited SwMI ANF-ISIMM..... | 351 |
| 35.4.2 | Individual subscriber home SwMI ANF-ISIMM..... | 354 |
| 35.5 | Restricted migration | 358 |
| 35.5.1 | Visited SwMI ANF-ISIMM..... | 358 |
| 35.5.2 | Individual subscriber home SwMI ANF-ISIMM..... | 359 |
| 35.6 | Removal of Subscriber Information | 360 |
| 35.6.1 | Individual subscriber home SwMI ANF-ISIMM..... | 360 |
| 35.6.2 | Previous visited SwMI ANF-ISIMM..... | 361 |
| 35.7 | De-registration..... | 362 |
| 35.7.1 | Visited SwMI ANF-ISIMM..... | 362 |
| 35.7.2 | Individual subscriber home SwMI ANF-ISIMM..... | 363 |
| 35.8 | Profile update | 364 |
| 35.8.1 | Home SwMI ANF-ISIMM | 364 |
| 35.8.2 | Visited SwMI ANF-ISIMM..... | 365 |
| 35.9 | SS-profile update..... | 366 |
| 35.9.1 | Home SwMI ANF-ISIMM | 366 |
| 35.9.2 | Visited SwMI ANF-ISIMM..... | 367 |
| 35.10 | Authentication | 367 |
| 35.10.1 | Visited SwMI ANF-ISIMM..... | 367 |
| 35.10.2 | Individual subscriber home SwMI ANF-ISIMM..... | 369 |
| 35.11 | Over the air re-keying..... | 371 |
| 35.11.1 | OTAR SCK generation..... | 371 |
| 35.11.1.1 | Visited SwMI ANF-ISIMM | 371 |
| 35.11.1.2 | Home SwMI ANF-ISIMM..... | 372 |
| 35.11.2 | OTAR SCK delivery..... | 374 |
| 35.11.2.1 | Visited SwMI ANF-ISIMM | 374 |
| 35.11.2.2 | Home SwMI ANF-ISIMM..... | 375 |
| 35.12 | Individual subscriber database recovery..... | 377 |
| 35.12.1 | HMM recovery | 377 |
| 35.12.1.1 | Visited SwMI ANF-ISIMM | 377 |
| 35.12.1.2 | Individual subscriber home SwMI ANF-ISIMM..... | 380 |
| 35.12.1.3 | Previous visited SwMI ANF-ISIMM | 383 |
| 35.12.2 | VMM recovery | 383 |
| 35.12.2.1 | Visited SwMI ANF-ISIMM | 383 |
| 35.12.2.2 | Individual subscriber home SwMI ANF-ISIMM..... | 386 |
| 35.12.2.3 | Previous visited SwMI ANF-ISIMM | 388 |
| 35.13 | Group attachment | 388 |
| 35.13.1 | Visited SwMI ANF-ISIMM..... | 388 |
| 35.13.2 | Group Home SwMI ANF-ISIMM | 393 |
| 35.14 | Group detachment | 397 |
| 35.14.1 | Visited SwMI ANF-ISIMM..... | 397 |
| 35.14.2 | Group home SwMI ANF-ISIMM | 399 |
| 35.15 | Group database recovery | 400 |
| 35.15.1 | Visited SwMI ANF-ISIMM..... | 400 |
| 35.15.2 | Group home SwMI ANF-ISIMM | 403 |
| 35.16 | Group linking/unlinking | 406 |