



INTERNATIONAL STANDARD ISO 4389:1997
TECHNICAL CORRIGENDUM 1

Published 1998-09-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Tobacco — Determination of organochlorine pesticide residues — Gas chromatographic method

TECHNICAL CORRIGENDUM 1

Tabac — Dosage des résidus de pesticides organochlorés — Méthode par chromatographie en phase gazeuse

RECTIFICATIF TECHNIQUE 1

iTeh STANDARD PREVIEW

Technical Corrigendum 1 to International Standard ISO 4389:1997 was prepared by Technical Committee ISO/TC 126, *Tobacco and tobacco products*.


[ISO 4389:1997/Cor 1:1998
https://standards.iteh.ai/catalog/standards/sist/2e8bb6fe-cbbe-48f0-a620-4d8afefb9308/iso-4389-1997-cor-1-1998](https://standards.iteh.ai/catalog/standards/sist/2e8bb6fe-cbbe-48f0-a620-4d8afefb9308/iso-4389-1997-cor-1-1998)

Page 9

Replace the first page of annex A with the following page. The labelling of peaks 15 to 18 in figure A.1 was incorrect.

Annex A (informative)

Examples of chromatograms



Key

1	α-HCH	o,p'-DDE
2	HCB	α-Endosulfan
3	β-HCH	Dieldrin
4	γ-HCH	p,p'-DDE
5	δ-HCH	o,p'-DDD
6	Heptachlor	p,p'-DDD
7	Aldrin	o,p'-DDT
8	Heptachlor epoxide	p,p'-DDT
9	trans	Mirex

Figure A.1 — Chromatogram of standard calibration solution containing 0,05 µg/ml of each pesticide