



SLOVENSKI STANDARD
SIST EN 301 489-1 V1.9.2:2011
01-november-2011

Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) - Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 1. del: Splošne tehnične zahteve

Electromagnetic compatibility and Radio spectrum Matters (ERM) - ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 1: Common technical requirements

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 489-1 V1.9.2:2011](https://standards.iteh.ai/catalog/standards/sist/14c514ad-92ec-4daf-a247-6c4aa152345b/sist-en-301-489-1-v1-9-2-2011)
<https://standards.iteh.ai/catalog/standards/sist/14c514ad-92ec-4daf-a247-6c4aa152345b/sist-en-301-489-1-v1-9-2-2011>

Ta slovenski standard je istoveten z: EN 301 489-1 Version 1.9.2

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 489-1 V1.9.2:2011 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 489-1 V1.9.2:2011

<https://standards.iteh.ai/catalog/standards/sist/14c514ad-92ec-4daf-a247-6c4aa152345b/sist-en-301-489-1-v1-9-2-2011>

ETSI EN 301 489-1 V1.9.2 (2011-09)



Harmonized European Standard

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 1: Common technical requirements**

SIST EN 301 489-1 V1.9.2:2011
<https://standards.globalspec.com/std/64444444/etsi/EN-301-489-1-v1-9-2-2011>
6c4aa152345b/sist-en-301-489-1-v1-9-2-2011

Reference

REN/ERM-EMC-268-1

Keywords

EMC, radio, regulation**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 489-1 V1.9.2:2011<https://standards.iteh.ai/catalog/standards/sist/14c514ad-92ec-4daf-a247-6c4aa15234-ERM-EMC-268-1-v1-9-2-2011>
Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	9
2 References	10
2.1 Normative references	10
2.2 Informative references.....	11
3 Definitions and abbreviations.....	11
3.1 Definitions.....	11
3.2 Abbreviations	14
4 Test conditions	14
4.1 General	14
4.2 Arrangements for test signals	14
4.2.1 Arrangements for test signals at the input of transmitters.....	15
4.2.2 Arrangements for test signals at the output of transmitters.....	15
4.2.3 Arrangements for test signals at the input of receivers	15
4.2.4 Arrangements for test signals at the output of receivers	15
4.2.5 Arrangements for testing transmitter and receiver together (as a system)	16
4.3 RF exclusion band of radio communications equipment.....	16
4.4 Narrow band responses of receivers or receivers which are part of transceivers	16
4.5 Normal test modulation.....	17
5 Performance assessment.....	17
5.1 General	17
5.2 Equipment which can provide a continuous communication link	18
5.3 Equipment which does not provide a continuous communication link	18
5.4 Ancillary equipment.....	18
5.5 Equipment classification	18
6 Performance criteria	19
6.1 Performance criteria for continuous phenomena applied to transmitters and receivers	19
6.2 Performance criteria for transient phenomena applied to transmitters and receivers	20
6.3 Performance criteria for equipment which does not provide a continuous communication link.....	20
6.4 Performance criteria for ancillary equipment tested on a stand alone basis	20
7 Applicability overview tables.....	20
7.1 EMC emission	21
7.2 Immunity	21
8 Methods of measurement and limits for EMC emissions	22
8.1 Test configuration.....	22
8.2 Enclosure of ancillary equipment measured on a stand alone basis	22
8.2.1 Definition.....	23
8.2.2 Test method	23
8.2.3 Limits.....	23
8.3 DC power input/output ports	23
8.3.1 Definition.....	23
8.3.2 Test method	23
8.3.3 Limits.....	24
8.4 AC mains power input/output ports	24
8.4.1 Definition.....	24
8.4.2 Test method	24
8.4.3 Limits.....	25
8.5 Harmonic current emissions (AC mains input port).....	25
8.6 Voltage fluctuations and flicker (AC mains input port)	25
8.7 Telecommunication ports	25

8.7.1	Definition.....	25
8.7.2	Test method	25
8.7.3	Limits.....	25
9	Test methods and levels for immunity tests	26
9.1	Test configuration.....	26
9.2	Radio frequency electromagnetic field (80 MHz to 1 000 MHz and 1 400 MHz to 2 700 MHz).....	26
9.2.1	Definition.....	26
9.2.2	Test method	26
9.2.3	Performance criteria.....	27
9.3	Electrostatic discharge.....	27
9.3.1	Definition.....	27
9.3.2	Test method	27
9.3.3	Performance criteria.....	27
9.4	Fast transients, common mode	28
9.4.1	Definition.....	28
9.4.2	Test method	28
9.4.3	Performance criteria.....	28
9.5	Radio frequency, common mode.....	28
9.5.1	Definition.....	29
9.5.2	Test method	29
9.5.3	Performance criteria.....	29
9.6	Transients and surges in the vehicular environment.....	29
9.6.1	Definition.....	29
9.6.2	Test method	29
9.6.2.1	Test requirements for 12V and 24V DC powered equipment.....	30
9.6.3	Performance criteria.....	30
9.7	Voltage dips and interruptions.....	30
9.7.1	Definition.....	30
9.7.2	Test method	30
9.7.3	Performance criteria.....	30
9.8	Surges.....	31
9.8.1	Definition.....	31
9.8.2	Test method	31
9.8.2.1	Test method for telecommunication ports directly connected to outdoor cables	31
9.8.2.2	Test method for telecommunication ports connected to indoor cables	32
9.8.2.3	Test method for mains ports.....	32
9.8.3	Performance criteria.....	32
Annex A (normative):	The HS Requirements and conformance Test specifications Table (HS-RTT).....	33
Annex B (normative):	Technical requirements for after market equipment (ESAs), which are not related to immunity related functions of the vehicle, necessary to demonstrate conformance to the motor vehicle EMC Directive 2004/104/EC	36
B.1	General	36
B.2	Technical requirements for radio equipment.....	36
B.2.1	Broadband electromagnetic interference (emissions) generated by the ESA	36
B.2.2	Narrow-band electromagnetic interference (emissions) generated by the ESA	36
B.2.2.1	Narrow-band spurious emissions of RF transmitters	37
B.2.2.2	Narrow-band spurious emissions of transceivers in stand by mode and receivers	37
B.2.2.3	Narrow-band spurious emissions of ancillary equipment	37
B.2.3	Immunity of the ESA to transient disturbances conducted along the supply lines.....	37
B.2.4	Conducted disturbances (emissions) caused by the ESA	37
Annex C (normative):	Application of harmonized EMC standards to multi-radio, multi-standard-radio, and combined radio, non-radio equipment	39
C.1	Where all products can operate independently of each other.....	39
C.1.1	Emissions	39

C.1.2	Immunity	40
C.2	Where one or more of the individual products cannot operate independently	40
C.2.1	Products physically incorporated within another product	40
C.2.2	Products connected to, but not physically incorporated within, another product	41
C.3	Where none of the component parts operate independently.....	41
C.3.1	Emissions	41
C.3.2	Immunity	41
C.4	Application of harmonized EMC standards to multi-radio and multi-standard-radio equipment.....	42
C.4.1	Multi-radio equipment capable of independent transmission.....	42
C.4.2	Multi-radio equipment and multi-standard-radio equipment not capable of independent transmission.....	42
C.4.3	Multi-radio equipment comprising of numerous identical radio transmitters	42
Annex D (informative):	The EN title in the official languages	43
Annex E (informative):	Bibliography.....	44
History		45

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 489-1 V1.9.2:2011](https://standards.iteh.ai/catalog/standards/sist/14c514ad-92ec-4daf-a247-6c4aa152345b/sist-en-301-489-1-v1-9-2-2011)

<https://standards.iteh.ai/catalog/standards/sist/14c514ad-92ec-4daf-a247-6c4aa152345b/sist-en-301-489-1-v1-9-2-2011>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.3] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Council Directive on the approximation of the laws of the Member States relating to electromagnetic compatibility ("the EMC Directive") (2004/108/EC [i.2] as amended) and Directive 1999/5/EC [i.1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The requirements relevant to the EMC Directive [i.3] and the R&TTE Directive [i.1] are summarised in annex A.

The present document is based upon the Generic Standards EN 61000-6-3 [i.4] and EN 61000-6-1 [i.5] and other standards, where appropriate, to meet the essential requirements of Council Directives 2004/108/EC [i.2], 1999/5/EC [i.1] and the motor vehicle EMC Directive 2004/104/EC [i.8] respectively.

The motor vehicle EMC Directive 2004/104/EC [i.8], is a type approval Directive, and contains in its annexes, all the technical requirements necessary to demonstrate conformance. There are two categories of after market equipment covered by the Directive as follows:

- a) After market (radio) equipment (and ancillary equipment) intended for installation in a motor vehicle, and which **are not related to immunity related functions** (annex I, clause 2.1.12 of the Directive) of the motor vehicle.
- b) After market (radio) equipment (and ancillary equipment) intended for installation in a motor vehicle, and which **are related to immunity related functions** (annex I, clause 2.1.12) of the motor vehicle, are subject to **type approval requirements** of the Directive 2004/104/EC [i.8].

The present document only deals with equipment of category a) subject to the requirements set out below.

Annex I, clause 3.2.9 of 2004/104/EC [i.8], sets out the acceptance of conformity according to the procedures of 2004/108/EC [i.2] or 1999/5/EC [i.1] for after market equipment (ESAs) not related to immunity related functions of the motor vehicle (annex I, clause 2.1.12), but additionally requires that the ESA fulfils the limits defined in annex I, clauses 6.5, 6.6, 6.8, and 6.9 of the Directive. Requirements applicable to this type of after market equipment (ESAs) are set out in annex B of the present document.

The present document, and the product related parts of it are based on the current EMC standards published by ETSI. It should be noted that the majority of these EMC standards have also been published in the Official Journal of the European Union.

The present document is part 1 of a multi-part EMC standard for radio equipment which is structured in the following way:

- One EMC standard for all radio equipment made up of several parts.
- All common technical requirements for EMC emission and immunity have been placed in the common part, which is the present document.
- Separate parts have been developed to cover specific product related radio equipment test conditions, test arrangements, performance assessment, performance criteria, etc.
- A clause is included in each of the specific radio parts, entitled "special conditions", which is used as appropriate to cover any deviations or additions to the common requirements set out in the present document.

To demonstrate an adequate level of EMC protection, the present document is to be used together with the appropriate specific radio part of the standard.

The present document is part 1 of a multi-part deliverable covering ElectroMagnetic Compatibility (EMC) standard for radio equipment and services, as identified below:

Part 1: "Common technical requirements";

Part 2: "Specific conditions for radio paging equipment";

Part 3: "Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz";

Part 4: "Specific conditions for fixed radio links, Broadband Data Transmission System Base stations, ancillary equipment and services";

Part 5: "Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech)";

Part 6: "Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment";

Part 7: "Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)";

Part 8: "Specific conditions for GSM base stations";

Part 9: "Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices";

Part 10: "Specific conditions for First (CT1 and CT1+) and Second Generation Cordless Telephone (CT2) equipment";

Part 11: "Specific conditions for terrestrial sound broadcasting service transmitters";

Part 12: "Specific conditions for Very Small Aperture Terminal, Satellite Interactive Earth Stations operated in the frequency ranges between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS)";

Part 13: "Specific conditions for Citizens' Band (CB) radio and ancillary equipment (speech and non-speech)";

Part 14: "Specific conditions for analogue and digital terrestrial TV broadcasting service transmitters";

Part 15: "Specific conditions for commercially available amateur radio equipment";

Part 16: "Specific conditions for analogue cellular radio communications equipment, mobile and portable";

Part 17: "Specific conditions for Broadband Data Transmission Systems";

Part 18: "Specific conditions for Terrestrial Trunked Radio (TETRA) equipment";

Part 19: "Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications";

Part 20: "Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS)";

- Part 22: "Specific conditions for ground based VHF aeronautical mobile and fixed radio equipment";
- Part 23: "Specific conditions for IMT-2000 CDMA, Direct Spread (UTRA and E-UTRA)) Base Station (BS) radio, repeater and ancillary equipment";
- Part 24: "Specific conditions for IMT-2000 CDMA Direct Spread (UTRA and E-UTRA) for Mobile and portable (UE) radio and ancillary equipment";
- Part 25: "Specific conditions for CDMA 1x spread spectrum Mobile Stations and ancillary equipment";
- Part 26: "Specific conditions for CDMA 1x spread spectrum Base Stations, repeaters and ancillary equipment";
- Part 27: "Specific conditions for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P)";
- Part 28: "Specific conditions for wireless digital video links";
- Part 29: "Specific conditions for Medical Data Service Devices (MEDS) operating in the 401 MHz to 402 MHz and 405 MHz to 406 MHz bands";
- Part 31: "Specific conditions for equipment in the 9 kHz to 315 kHz band for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P)";
- Part 32: "Specific conditions for Ground and Wall Probing Radar applications";
- Part 33: "Specific conditions for Ultra Wide Band (UWB) communications devices";
- Part 34: "Specific conditions for External Power Supply (EPS) for mobile phones".

iTeh STANDARD PREVIEW

National transposition dates

Date of adoption of this EN:	15 September 2011
Date of latest announcement of this EN (doa):	31 December 2011
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2012
Date of withdrawal of any conflicting National Standard (dow):	30 June 2013

1 Scope

The present document contains the common requirements for radio communications equipment and associated ancillary equipment, in respect of ElectroMagnetic Compatibility (EMC).

Product dependent arrangements necessary to perform the EMC tests on dedicated types of radio communications equipment, and the assessment of test results, are detailed in the appropriate product related parts of EN 301 489 series [i.13].

The present document, together with the product related part, specifies the applicable EMC tests, the methods of measurement, the limits and the performance criteria for radio equipment and associated ancillary equipment. In case of differences (for instance concerning special conditions, definitions, abbreviations) between part 1 of EN 301 489 series [i.13] and the relevant product related part of EN 301 489 series [i.13], the product related part takes precedence.

Technical specifications related to the antenna port of radio equipment and radiated emissions from the enclosure port of radio equipment and combinations of radio and associated ancillary equipment are not included in the present document. Such technical specifications are normally found in the relevant product standards for the effective use of the radio spectrum.

The environment classification used in the present document refers to the environment classification used in:

- EN 61000-6-3 [i.4] and EN 61000-6-1 [i.5] for the residential, commercial and light industrial environment; or
- TR 101 651 [i.6] for the telecommunication centre environment; or
- ISO 7637-2 [8] for the vehicular environment.

The EMC requirements have been selected to ensure an adequate level of compatibility for apparatus intended to be used in the environments mentioned above. (The levels however, do not cover extreme cases which may occur in any location but with low probability of occurrence.

For radio equipment and associated ancillary equipment intended to be installed in motor vehicles (i.e. ESAs) and not related to immunity related functions of the vehicle, additional technical requirements necessary to demonstrate conformance to the motor vehicle EMC Directive 2004/104/EC [i.8], are set out in annex B (normative) of the present document.

The present document may not cover those cases where a potential source of interference which is producing individually repeated transient phenomena or a continuous phenomenon is permanently present, e.g. a radar or broadcast site in the near vicinity. In such a case it may be necessary to use special protection applied to either the source of interference or the interfered part or both.

Where none of the existing specific product related radio parts covers the required conditions for a particular radio equipment/service e.g. in case of the initial introduction of a new radio service or a special application, the present document can be used together with specific information for the radio equipment provided by the manufacturer, for the purposes of testing to the EMC requirements set out in the present document.

In all cases where a radio product falls within the scope of a specific product related radio part of the standard, the product related part takes precedence.

Compliance of radio equipment to the requirements of the present document does not signify compliance to any requirements related to spectrum management or to the use of the equipment (licensing requirements).

Compliance to the requirements of the present document does not signify compliance to any safety requirements. However, it is the responsibility of the assessor of the equipment to record in the test report any observations regarding the test sample becoming dangerous or unsafe as a result of the application of the tests called for in the present document.

NOTE: Radio equipment for use in maritime environment is covered by other ETSI EMC standards.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] CENELEC EN 55022 (2006) and A1 (2007): "Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement".
- [2] CENELEC EN 61000-4-2 (2009): "Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test".
- [3] CENELEC EN 61000-4-3 (2006), A1 (2008) and A2 (2010): "Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test".
- [4] CENELEC EN 61000-4-4 (2004) and A1 (2010): "Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test".
- [5] CENELEC EN 61000-4-5 (2006): "Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test".
- [6] CENELEC EN 61000-4-6 (2009): "Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields".
- [7] CENELEC EN 61000-4-11 (2004): "Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests".
- [8] ISO 7637-2 (2004): "Road vehicles - Electrical disturbances from conduction and coupling - Part 2: Electrical transient conduction along supply lines only".
- [9] CENELEC EN 61000-3-3 (2008): "Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection".
- [10] CISPR 25 (2nd Edition 2002): "Radio disturbance characteristics for the protection of receivers used on board vehicles, boats, and on devices - Limits and methods of measurement" ".
- [11] CENELEC EN 61000-3-12 (2005): "Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase".
- [12] CENELEC EN 61000-3-11 (2000): "Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current ≤ 75 A and subject to conditional connection".
- [13] CENELEC EN 61000-3-2 (2006), A1 (2009) and A2 (2009): "Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.2] Council Directive 2004/108/EC of 15 December 2004 on the approximation of the laws of the Member States relating to electromagnetic compatibility and repealing Directive 89/336/EEC (EMC Directive).
- [i.3] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.4] CENELEC EN 61000-6-3 (2001): "Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments".
- [i.5] CENELEC EN 61000-6-1 (2007): "Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity for residential, commercial and light-industrial environments".
- [i.6] ETSI TR 101 651 (V1.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Classification of the electromagnetic environment conditions for equipment in telecommunication networks".
- [i.7] IEC 60050-161: "International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility".
- [i.8] Commission Directive 2004/104/EC of 14 October 2004 adapting to technical progress Council Directive 72/245/EEC relating to the radio interference (electromagnetic compatibility) of vehicles and amending Directive 70/156/EEC on the approximation of the laws of the Member States relating to the type-approval of motor vehicles and their trailers.
- [i.9] CENELEC EN 55016-1-4 (2004): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Radiated disturbances".
- [i.10] ITU-R Radio Regulations (2004).
- [i.11] IEEE 1284 (2000): "IEEE Standard Signaling Method for a Bidirectional Parallel Peripheral Interface for Personal Computers".
- [i.12] IEEE 1394.1 (2004): "IEEE Standard for High Performance Serial Bus Bridges".
- [i.13] ETSI EN 301 489 series: "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

ancillary equipment: equipment (apparatus), used in connection with a receiver or transmitter

NOTE: It is considered as an ancillary equipment (apparatus) if:

- the equipment is intended for use in conjunction with a receiver or transmitter to provide additional operational and/or control features to the radio equipment, (e.g. to extend control to another position or location); and