

SLOVENSKI STANDARD
SIST ISO 1122-1:1998/TC 1:2002
01-julij-2002

Г`сј У`бУdcХfc ۪ `ncVb]ý_]\`dfYbcgb]_cj !%XY. ; Yca Yhf]g_YXYZb]WY!
HM b] b]`dcdfUj Y_-%

Vocabulary of gear terms — Part 1: Definitions related to geometry - TECHNICAL CORRIGENDUM 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST ISO 1122-1:1998/TC 1:2002
ISO 1122-1:1998/Cor 1:1999](https://standards.iteh.ai/catalog/standards/sist/560051/c-e396-4e06-b497-0ed03b0abb78/sist-iso-1122-1-1998-tc-1-2002)
<https://standards.iteh.ai/catalog/standards/sist/560051/c-e396-4e06-b497-0ed03b0abb78/sist-iso-1122-1-1998-tc-1-2002>

ICS:

01.040.21	Mehanski sistemi in deli za splošno rabo (Slovarji)	Mechanical systems and components for general use (Vocabularies)
21.200	Gonila	Gears

SIST ISO 1122-1:1998/TC 1:2002 en,fr

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ISO 1122-1:1998/TC 1:2002](#)

<https://standards.iteh.ai/catalog/standards/sist/3b005f7f-e39b-4e06-b497-0ed03b0abb78/sist-iso-1122-1-1998-tc-1-2002>



**INTERNATIONAL STANDARD ISO 1122-1:1998
TECHNICAL CORRIGENDUM 1**

**NORME INTERNATIONALE ISO 1122-1:1998
RECTIFICATIF TECHNIQUE 1**

Published/Publié 1999-11-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Vocabulary of gear terms —

Part 1: Definitions related to geometry

TECHNICAL CORRIGENDUM 1

Vocabulaire des engrenages — (standards.iteh.ai)

Partie 1: Définitions géométriques

[TISO 1122-1:1998/TC 1:2002
https://standards.iteh.ai/catalog/standards/sist/3b005f7fc39b-4e06-b497-0ed03b0abb78/sist-iso-1122-1-1998-tc-1-2002](https://standards.iteh.ai/catalog/standards/sist/3b005f7fc39b-4e06-b497-0ed03b0abb78/sist-iso-1122-1-1998-tc-1-2002)

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to International Standard ISO 1122-1:1998 was prepared by Technical Committee ISO/TC 60, Gears, Subcommittee SC 1, *Nomenclature and wormgearing*.

Le Rectificatif technique 1 à la Norme internationale ISO 1122-1:1998 a été élaboré par le comité technique ISO/TC 60, *Engrenages*, sous-comité SC 1, *Nomenclature et engrenages à vis*.

Vocabulary of gear terms —**Part 1:**
Definitions related to geometry*Page 40, definition 2.1.8.6*

Replace notes 1 and 2 with the following:

NOTES

1 For external gears, the profile shift is positive if the datum line of the basic rack is shifted away from the axis of the gear.

For internal gears, the profile shift is positive if the datum line of the basic rack is shifted towards the axis of the gear.

Consequently, the nominal tooth thickness increases in both cases.

2 For internal gears, tooth profiles are considered as being those of the tooth spaces.

Vocabulaire des engrenages —**Partie 1:**
Définitions géométriques*Page 40, définition 2.1.8.6*

Remplacer les notes 1 et 2 par:

NOTES

1 Pour les roues à denture extérieure, le déport est positif si la ligne de référence du tracé de référence est déportée loin de l'axe de la roue.

Pour les roues à denture intérieure, le déport est positif si la ligne de référence du tracé de référence est déportée vers l'axe de la roue.

Par conséquent, l'épaisseur nominale augmente dans les deux cas.

2 Pour les roues à denture intérieure, les profils considérés sont ceux de l'entredeint.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 1122-1:1998/TC 1:2002](#)

<https://standards.iteh.ai/catalog/standards/sist/3b005f7fc39b-4e06-b497-0ed03b0abb78/sist-iso-1122-1-1998-tc-1-2002>