

ETSI TS 183 063 V2.4.2 (2009-06)

Technical Specification

Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IMS-based IPTV stage 3 specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/a6ab35de-8a74-4eda-acb0-dad7d8ee971a/etsi-ts-183-063-v2.4.2-2009-06>



Reference

 RTS/TISPAN-03206-NGN-R2

Keywords

 IMS, IP, stage 3, TV

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

| | |
|--|----|
| Intellectual Property Rights | 9 |
| Foreword..... | 9 |
| 1 Scope | 10 |
| 2 References | 10 |
| 2.1 Normative references | 10 |
| 2.2 Informative references..... | 12 |
| 3 Abbreviations | 13 |
| 4 Applicability..... | 14 |
| 4.1 Overview | 14 |
| 4.2 Functional entities | 16 |
| 4.2.1 User Equipment (UE) | 16 |
| 4.2.2 Service Control Function (SCF) | 16 |
| 4.2.3 Service Discovery Function (SDF)..... | 16 |
| 4.2.4 Service Selection Function (SSF)..... | 16 |
| 4.2.5 Media Control Function (MCF)..... | 16 |
| 4.2.6 Media Delivery Function (MDF)..... | 16 |
| 4.2.7 Core-IMS | 16 |
| 5 Procedures using SIP/SDP for IMS-based IPTV | 17 |
| 5.1 User Equipment (UE)..... | 17 |
| 5.1.1 Procedure for IMS registration | 17 |
| 5.1.2 Procedure for service attachment..... | 17 |
| 5.1.2.1 Push mode | 17 |
| 5.1.2.2 Pull mode | 17 |
| 5.1.2.2.1 Subscription..... | 18 |
| 5.1.2.2.2 Receiving notifications | 19 |
| 5.1.3 Procedure for BC service | 19 |
| 5.1.3.1 Session initiation | 19 |
| 5.1.3.1.1 Additional SDP lines for FEC streams | 20 |
| 5.1.3.2 Session modification | 20 |
| 5.1.3.3 BC service with trick-play mode..... | 21 |
| 5.1.3.3.1 Trick-play mode activation..... | 21 |
| 5.1.3.3.2 Trick-play mode deactivation | 21 |
| 5.1.3.4 Session termination | 22 |
| 5.1.3.5 Session Information | 22 |
| 5.1.4 Procedure for CoD service..... | 22 |
| 5.1.4.1 Procedure for retrieving missing parameters before session initiation..... | 22 |
| 5.1.4.2 Session initiation | 23 |
| 5.1.4.2.1 Procedure for establishing the RTSP content control and content delivery channel | 23 |
| 5.1.4.2.2 Procedure for establishing the RTSP channel separately | 24 |
| 5.1.4.2.3 Additional SDP lines for FEC streams | 25 |
| 5.1.4.3 Session modification | 25 |
| 5.1.4.3.1 Procedure for establishing the content delivery channel | 25 |
| 5.1.4.3.2 Additional SDP lines for FEC streams | 26 |
| 5.1.4.4 Session termination | 26 |
| 5.1.4.4.1 Session termination using RTSP Method 1 | 26 |
| 5.1.4.4.2 Session termination using RTSP Method 2 | 27 |
| 5.1.4.5 Procedures for handling COD Service action data | 27 |
| 5.1.5 Procedure for Service Configuration | 27 |
| 5.1.5.1 Subscription to notification of changes | 27 |
| 5.1.5.2 Processing of notifications | 28 |
| 5.1.6 Procedure for IPTV presence service..... | 28 |
| 5.1.7 Procedure for NPVR Service | 29 |
| 5.1.7.1 Procedures for NPVR Service Capture Request | 29 |

| | | |
|-----------|--|----|
| 5.1.7.1.1 | Procedures for Impulsive Request | 29 |
| 5.1.7.1.2 | Procedures for Offline Request | 30 |
| 5.1.7.2 | Procedures for NPVR Session..... | 31 |
| 5.2 | Service Discovery Function (SDF) | 31 |
| 5.2.1 | Procedure for IMS registration | 31 |
| 5.2.2 | Procedure for service attachment..... | 31 |
| 5.2.2.1 | Push mode | 31 |
| 5.2.2.2 | Pull mode | 32 |
| 5.2.2.3 | Service Attachment Information | 34 |
| 5.3 | Service Control Function (SCF) | 36 |
| 5.3.1 | Procedure for BC service | 36 |
| 5.3.1.1 | Session initiation | 36 |
| 5.3.1.2 | Session modification | 37 |
| 5.3.1.3 | BC service with trick-play mode..... | 37 |
| 5.3.1.3.1 | Trick-play mode activation..... | 37 |
| 5.3.1.3.2 | Trick-play mode deactivation..... | 37 |
| 5.3.1.4 | Session termination | 38 |
| 5.3.2 | Procedure for CoD service..... | 38 |
| 5.3.2.1 | Procedure for handling missing parameters before session initiation | 38 |
| 5.3.2.2 | Session initiation | 38 |
| 5.3.2.3 | Session modification | 38 |
| 5.3.2.4 | Session termination | 39 |
| 5.3.2.4.1 | Session termination using RTSP method 1..... | 39 |
| 5.3.2.4.2 | Session termination using RTSP method 2..... | 39 |
| 5.3.2.5 | Procedures for handling COD Service action data..... | 39 |
| 5.3.3 | Procedure for Service Configuration | 39 |
| 5.3.4 | Procedure for NPVR Service..... | 39 |
| 5.3.4.1 | Procedures for NPVR Service Capture Request | 39 |
| 5.3.4.1.1 | Procedures for Impulsive Request | 40 |
| 5.3.4.1.2 | Procedures for Offline Request | 40 |
| 5.3.4.2 | Procedures for NPVR Session..... | 40 |
| 5.4 | Media Control Function (MCF) | 40 |
| 5.4.1 | Procedure for CoD service..... | 40 |
| 5.4.1.1 | Procedure for providing missing parameters before session initiation..... | 41 |
| 5.4.1.2 | Session initiation | 41 |
| 5.4.1.2.1 | Procedure for establishing the RTSP content control and content delivery channel | 41 |
| 5.4.1.2.2 | Procedure for establishing the RTSP channel separately | 42 |
| 5.4.1.3 | Session modification | 43 |
| 5.4.1.3.1 | Procedure for establishing the content delivery channel | 43 |
| 5.4.1.4 | Session termination | 44 |
| 5.4.1.4.1 | Session termination using RTSP method 1..... | 44 |
| 5.4.1.4.2 | Session termination using RTSP method 2..... | 44 |
| 5.4.1.5 | Procedures for handling COD Service action data..... | 44 |
| 5.4.2 | Procedure for support of BC service with trick play..... | 45 |
| 5.4.3 | Procedure for NPVR Session..... | 45 |
| 5.5 | Core IMS | 45 |
| 5.5.1 | Procedure for Registration | 45 |
| 5.5.2 | Procedure for Service Attachment | 46 |
| 5.5.2.1 | Push mode | 46 |
| 5.5.2.2 | Pull mode | 46 |
| 5.5.3 | Procedure for Service Configuration | 46 |
| 5.5.4 | Procedure for Service Selection..... | 46 |
| 5.5.5 | Procedure for CoD service..... | 46 |
| 5.5.6 | Procedure for BC service | 47 |
| 5.6 | Common Procedures | 47 |
| 5.6.1 | IMS Communication Service Identifier | 47 |
| 5.6.2 | Session Control Procedures | 47 |
| 6 | Procedures using HTTP for IMS-based IPTV | 48 |
| 6.1 | User Equipment (UE)..... | 48 |
| 6.1.1 | Procedures for service selection..... | 48 |
| 6.1.1.1 | Procedure for service personalization | 48 |

| | | |
|-----------|--|----|
| 6.1.1.2 | Request of DVB SD&S..... | 48 |
| 6.1.1.3 | Request of DVB BCG..... | 49 |
| 6.1.1.3.1 | Container-based request | 49 |
| 6.1.1.3.2 | Query mechanism..... | 49 |
| 6.1.1.4 | Request of OMA BCAST ESG..... | 49 |
| 6.1.1.5 | Request of service action data..... | 49 |
| 6.1.1.6 | Use of service selection information..... | 49 |
| 6.1.2 | Procedure for service configuration..... | 50 |
| 6.1.2.1 | General..... | 50 |
| 6.1.2.2 | Subscription for notification of state changes in XML document..... | 50 |
| 6.2 | Service Control Function (SCF)..... | 50 |
| 6.2.1 | Procedure for service configuration..... | 50 |
| 6.2.1.1 | General..... | 50 |
| 6.2.1.2 | Manipulation acceptance..... | 50 |
| 6.2.1.3 | Authentication and authorization | 50 |
| 6.2.1.4 | Subscription acceptance and notification of state changes in XML document | 51 |
| 6.3 | Service Selection Function (SSF)..... | 51 |
| 6.3.1 | Procedure for service selection | 51 |
| 6.3.1.1 | Authentication and authorization in case of personalized service selection information | 51 |
| 6.3.1.2 | Procedure for service personalization | 52 |
| 6.3.1.3 | Delivery of DVB SD&S..... | 52 |
| 6.3.1.4 | Delivery of DVB BCG..... | 53 |
| 6.3.1.4.1 | Container-based delivery | 53 |
| 6.3.1.4.2 | Query response | 53 |
| 6.3.1.5 | Delivery of OMA BCAST ESG..... | 53 |
| 6.3.1.6 | Delivery of Service Action Data | 53 |
| 6.4 | Stand-Alone XMDS..... | 54 |
| 6.4.1 | Procedure for service configuration | 54 |
| 6.4.1.1 | General..... | 54 |
| 6.4.1.2 | Manipulation acceptance..... | 54 |
| 6.4.1.3 | Authentication and authorization | 54 |
| 6.4.1.4 | Subscription acceptance and notification of state changes in XML document | 54 |
| 7 | Procedures using RTSP for IMS-based IPTV..... | 55 |
| 7.1 | User Equipment (UE)..... | 55 |
| 7.1.1 | Procedures for RTSP playback control (Method 1)..... | 55 |
| 7.1.1.1 | Introduction..... | 55 |
| 7.1.1.2 | Media playback initiation procedure..... | 55 |
| 7.1.1.3 | Media playback modification procedure..... | 56 |
| 7.1.1.4 | Media playback information retrieval and setting procedure..... | 56 |
| 7.1.1.5 | Handling of media events..... | 56 |
| 7.1.2 | Procedure for content control (Method 2)..... | 56 |
| 7.1.2.1 | Introduction..... | 56 |
| 7.1.2.2 | Media description procedure..... | 57 |
| 7.1.2.3 | Media setup procedure..... | 57 |
| 7.1.2.4 | Media playback initiation procedure..... | 57 |
| 7.1.2.5 | Media playback modification procedure..... | 58 |
| 7.1.2.6 | Media teardown procedure..... | 58 |
| 7.1.2.7 | Handling of media events..... | 58 |
| 7.2 | Media Control Function (MCF) | 59 |
| 7.2.1 | Procedures for RTSP playback control (Method 1)..... | 59 |
| 7.2.1.1 | Introduction..... | 59 |
| 7.2.1.2 | Media Playback Initiation Procedure | 59 |
| 7.2.1.3 | Media playback modification procedure..... | 59 |
| 7.2.1.4 | Media playback information retrieval and setting procedure..... | 60 |
| 7.2.1.5 | Handling of media events..... | 60 |
| 7.2.2 | Procedure for content control (Method 2)..... | 60 |
| 7.2.2.1 | Introduction..... | 60 |
| 7.2.2.2 | Media description procedure..... | 60 |
| 7.2.2.3 | Media setup procedure | 61 |
| 7.2.2.4 | Media playback initiation control procedure..... | 61 |
| 7.2.2.5 | Media playback modification procedure..... | 61 |

| | | |
|-------------------------------|---|-----------|
| 7.2.2.6 | Media teardown procedure..... | 61 |
| 7.2.2.7 | Handling of media events..... | 61 |
| 8 | Procedures using IGMP/MLD for IMS-based IPTV..... | 62 |
| 8.1 | User Equipment (UE)..... | 62 |
| 8.1.1 | Procedure for service selection..... | 62 |
| 8.1.1.1 | Procedure to start receiving service selection information..... | 62 |
| 8.1.1.2 | Procedure to stop receiving service selection information..... | 63 |
| 8.1.2 | Procedure for BC service..... | 63 |
| 8.1.2.1 | Procedure for joining a BC service..... | 63 |
| 8.1.2.2 | Procedure for leaving BC service..... | 64 |
| 8.2 | Transport Functions..... | 65 |
| 8.2.1 | Receiving IGMP/MLD request corresponding to a join operation..... | 65 |
| 8.2.2 | Receiving IGMP/MLD request corresponding to a leave operation..... | 65 |
| 9 | Procedures using DVBSTP for IMS-based IPTV..... | 65 |
| 9.1 | User Equipment (UE)..... | 65 |
| 9.1.1 | Procedure for service selection..... | 65 |
| 9.1.1.1 | Request of DVB service discovery and selection data..... | 65 |
| 9.1.1.2 | Request of DVB broadband content guide..... | 66 |
| 9.1.1.3 | Use of service selection information..... | 66 |
| 9.2 | Service Selection Function (SSF)..... | 66 |
| 9.2.1 | Procedure for service selection..... | 66 |
| 9.2.1.1 | Delivery of DVB service discovery and selection data..... | 66 |
| 9.2.1.2 | Delivery of DVB broadband content guide..... | 66 |
| 10 | Procedures using FLUTE for IMS-based IPTV..... | 66 |
| 10.1 | User Equipment (UE)..... | 66 |
| 10.1.1 | Procedure for service selection..... | 66 |
| 10.1.1.1 | Request of OMA BCAST service discovery and selection data..... | 66 |
| 10.1.1.2 | Request of OMA BCAST service guide..... | 66 |
| 10.1.1.3 | Use of service selection information..... | 66 |
| 10.2 | Service Selection Function (SSF)..... | 67 |
| 10.2.1 | Procedure for service selection..... | 67 |
| 10.2.1.1 | Delivery of OMA BCAST service discovery and selection data..... | 67 |
| 10.2.1.2 | Delivery of OMA BCAST service guide..... | 67 |
| 11 | Procedures using UDP/RTP for IMS-based IPTV..... | 67 |
| 11.1 | User Equipment (UE)..... | 67 |
| 11.1.1 | Procedure for real-time transport..... | 67 |
| 11.1.1.1 | Transport using MPEG2TS..... | 67 |
| 11.1.1.2 | Transport using direct RTP encapsulation..... | 68 |
| 11.1.2 | Procedure for real-time transport eError correction..... | 68 |
| 11.1.2.1 | Unidirectional transport error correction..... | 68 |
| 11.2 | Media Delivery Function (MDF)..... | 68 |
| 11.2.1 | Procedure for real-time transport..... | 68 |
| 11.2.1.1 | Transport using MPEG2TS..... | 68 |
| 11.2.1.2 | Transport using direct RTP encapsulation..... | 68 |
| 11.2.2 | Procedure for real-time transport error correction..... | 68 |
| 11.2.2.1 | Unidirectional transport error correction..... | 68 |
| 12 | IPTV user profile schema..... | 69 |
| 13 | IPTV service action data schema..... | 69 |
| Annex A (informative): | Functional entity relations and example signalling flows of IMS based IPTV operations..... | 70 |
| A.1 | Functional entities relations and overview of the IMS based IPTV procedures..... | 70 |
| A.2 | Example signalling flows of service discovery operation..... | 71 |
| A.2.1 | Push mode..... | 71 |
| A.2.2 | Pull Mode..... | 72 |
| A.3 | Example signalling flows of CoD operation..... | 73 |

| | | |
|-------------------------------|---|------------|
| A.3.1 | Session initiation | 73 |
| A.3.1.1 | Session initiation flows for case of establishing content control channel and content delivery channels separately | 74 |
| A.3.1.2 | Session initiation flows for case of establishing content control channel and content delivery channels using RTSP method 2 | 76 |
| A.3.2 | Session termination | 77 |
| A.3.3 | Session modification | 78 |
| A.3.3.1 | Session modification initiated by MF | 78 |
| A.4 | Example signalling flows of BC operation | 79 |
| A.4.1 | Session initiation | 79 |
| A.4.2 | Session termination | 80 |
| A.4.3 | Channel switching | 81 |
| A.4.3.1 | Join after leave | 81 |
| A.4.3.2 | Leave and Join at the same time | 81 |
| Annex B (normative): | IPTV services XCAP application usage..... | 83 |
| B.1 | General | 83 |
| B.2 | XCAP application usage | 83 |
| Annex C (normative): | XML Schema for the IPTV profile..... | 85 |
| Annex D (normative): | XML Schema for IPTV commands..... | 89 |
| Annex E (normative): | XML schema for IPTV presence document extension | 91 |
| Annex F (informative): | Example of presence information update after channel-change | 92 |
| Annex G (informative): | Example of presence document extension | 94 |
| Annex H (informative): | Summary of standards and protocols for IMS based IPTV | 95 |
| H.1 | SIP/SDP protocol | 95 |
| H.1.1 | Protocol specifications used for SIP/SDP | 96 |
| H.2 | HTTP protocol..... | 98 |
| H.3 | RTSP/SDP protocol..... | 98 |
| H.3.1 | Protocol specifications used for RTSP/SDP..... | 98 |
| H.4 | RTP/RTCP protocol | 99 |
| H.5 | IGMP/MLD protocol..... | 99 |
| H.6 | Diameter protocol..... | 100 |
| H.7 | DVBSTP protocol | 100 |
| H.8 | FLUTE protocol | 100 |
| Annex I (normative): | Procedures for discovery of SDFs prior to service attachment | 101 |
| I.1 | Manual configuration based manual discovery | 101 |
| I.2 | DHCP-based discovery | 101 |
| I.2.1 | Using DHCP option 43/60 | 101 |
| I.2.2 | Using DHCP option 124/125..... | 101 |
| I.2.3 | Format of DHCP payload..... | 102 |
| I.3 | DNS Service Records (SRV) - based discovery..... | 102 |
| I.4 | TR-069 based discovery | 103 |
| Annex J (informative): | Integration of non SIP AS service discovery function | 104 |
| J.1 | Integration of non SIP AS service discovery Function based on DVB IPTV | 104 |

| | | |
|-------------------------------|---|------------|
| J.1.1 | User Equipment (UE)..... | 104 |
| J.1.1.1 | Procedure for service attachment..... | 104 |
| J.1.1.2 | Procedure for service selection..... | 104 |
| J.1.1.2.1 | Request of DVB SD&S..... | 104 |
| J.1.1.2.2 | Request of DVB BCG..... | 104 |
| J.1.2 | Service Discovery Function (SDF)..... | 104 |
| J.1.2.1 | Procedure for service attachment..... | 104 |
| J.1.3 | Service Selection Function (SSF)..... | 104 |
| J.1.3.1 | Procedure for service selection..... | 104 |
| J.1.3.1.1 | Delivery of DVB SD&S..... | 104 |
| J.1.3.1.2 | Delivery of DVB BCG..... | 105 |
| J.2 | Integration of non SIP AS service discovery function based on OMA BCAST ESG..... | 105 |
| J.2.1 | User Equipment (UE)..... | 105 |
| J.2.1.1 | Procedure for service attachment..... | 105 |
| J.2.1.2 | Procedure for service selection..... | 105 |
| J.2.1.2.1 | Request of ESG provider discovery information..... | 105 |
| J.2.1.2.2 | Request of OMA BCAST ESG..... | 105 |
| J.2.2 | Service Discovery Function (SDF)..... | 105 |
| J.2.2.1 | Procedure for service attachment..... | 105 |
| J.2.3 | Service Selection Function (SSF)..... | 106 |
| J.2.3.1 | Procedure for service selection..... | 106 |
| J.2.3.1.1 | Delivery of ESG provider discovery information..... | 106 |
| J.2.3.1.2 | Delivery of OMA BCAST ESG..... | 106 |
| Annex K (normative): | XML Schemas for the IPTV service action data..... | 107 |
| Annex L (normative): | Mapping of IPTV parameters to service selection..... | 110 |
| L.1 | Mapping of service attachment..... | 110 |
| L.1.1 | Mapping of DVB SD&S SP discovery records to XML Schema for Service Attachment..... | 110 |
| L.1.2 | Mapping of OMA BCAST ESG delivery descriptors to XML schema for service attachment..... | 111 |
| L.1.3 | Mapping of service action data record discovery records to XML schema for service attachment..... | 112 |
| L.2 | Mapping of BC service..... | 113 |
| L.2.1 | Mapping of BC service for DVB technology..... | 113 |
| L.2.2 | Mapping of BC service for OMA BCAST technology..... | 115 |
| L.2.3 | Use of the TV URI in the mapping of BC service for DVB technology and OMA BCAST technology..... | 116 |
| L.2.3.1 | DVB technology..... | 116 |
| L.2.3.2 | OMA BCAST technology..... | 116 |
| L.3 | Mapping of CoD service..... | 116 |
| L.3.1 | Mapping of CoD service for DVB technology..... | 116 |
| L.3.2 | Mapping of CoD service for OMA BCAST technology..... | 117 |
| Annex M (normative): | XML Schema for Service Attachment Information..... | 118 |
| Annex N (normative): | Service Package SDP Attribute..... | 121 |
| Annex O (normative): | Procedure for definition of new SSF technologies..... | 122 |
| Annex P (normative): | XML Schema for UE Profile..... | 123 |
| Annex Q (informative): | Combination of SIP and RTSP protocols for content on demand..... | 126 |
| Q.1 | User Equipment (UE) side RTSP method decision logic..... | 126 |
| Q.2 | Media Control Function (MCF) side RTSP method decision logic..... | 127 |
| Annex R (informative): | Initial Filter Criteria..... | 128 |
| Annex S (informative): | Change history..... | 129 |
| History | | 130 |

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN).

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/a6ab35de-8a74-4eda-acb0-dad7d8ee971a/etsi-ts-183-063-v2.4.2-2009-06>

1 Scope

The present document describes the Procedures on the Functional Entities and Call Flows for the protocols and their possible enhancements to support IPTV services based on the architecture and stage 2 information flows described in TS 182 027 [2].

The possible enhancements of protocols will define the scope of new or enhanced protocol specifications.

Besides, the interaction with other Simulation Service will be considered.

NOTE: The present document relies on the architectural framework defined in TS 182 027 [2] for IMS-based IPTV Stage 2 and may need to be updated once the open issues identified in the present document are resolved.

The present document is applicable to:

- the interface between the User Equipment (UE) and the Call Session Control Function (CSCF);
- the interface between the S-CSCF and IPTV Service Control Functions (SCF);
- the interface between the S-CSCF and IPTV Service Discovery Functions (SDF);
- the interface between the S-CSCF and the Media Control Functions (MCF);
- the interface between the User Equipment (UE) and IPTV Service Selection Functions(SSF);
- the interface between the User Equipment (UE) and Elementary Control Functions (ECF)/Elementary Forwarding Functions (EFF);
- the interface between the User Equipment (UE) and IPTV Service Control Functions (SCF).

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI ES 282 007: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Subsystem (IMS); Functional architecture".

- [2] ETSI TS 182 027: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IPTV Architecture; IPTV functions supported by the IMS subsystem".
- [3] ETSI TS 102 034 (V1.3.1): "Digital Video Broadcasting (DVB); Transport of MPEG-2 TS Based DVB Services over IP Based Networks".
- [4] ETSI TS 102 471: "Digital Video Broadcasting (DVB); IP Datacast over DVB-H: Electronic Service Guide (ESG)".
- [5] ETSI TS 102 472: "Digital Video Broadcasting (DVB); IP Datacast over DVB-H: Content Delivery Protocols".
- [6] OMA-TS-BCAST-ServiceGuide-V1-0: "Open Mobile Alliance: Service Guide for Mobile Broadcast Services".
- [7] OMA-TS-BCAST-DVB-Adaptation-V1-0: "Open Mobile Alliance: Broadcast Distribution System Adaptation - IPDC over DVB-H".
- [8] IETF RFC 2326: "Real Time Streaming Protocol (RTSP)".
- [9] IETF RFC 4825: "The Extensible Markup Language (XML) Configuration Access Protocol (XCAP)".
- [10] ETSI TS 187 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); NGN Security; Security Architecture".
- [11] ETSI TS 124 109: "Universal Mobile Telecommunications System (UMTS); Bootstrapping interface (Ub) and network application function interface (Ua); Protocol details (3GPP TS 24.109 Release 7)".
- [12] ETSI TS 183 023: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); PSTN/ISDN simulation services; Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating NGN PSTN/ISDN Simulation Services".
- [13] ETSI TS 102 539: "Digital Video Broadcasting (DVB); Carriage of Broadband Content Guide (BCG) information over Internet Protocol (IP)".
- [14] ETSI TS 133 222: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Generic Authentication Architecture (GAA); Access to network application functions using Hypertext Transfer Protocol over Transport Layer Security (HTTPS) (3GPP TS 33.222 Release 7)".
- [15] IETF draft-ietf-simple-xcap-diff-09: "An Extensible Markup Language (XML) Document Format for Indicating A Change in XML Configuration Access Protocol (XCAP) Resources".
- [16] ETSI TS 184 009: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN) Rules covering the use of TV URIs for the Identification of Television Channels".
- [17] IETF RFC 3925: "Vendor-Identifying Vendor Options for Dynamic Host Configuration Protocol version 4 (DHCPv4)".
- [18] IETF RFC 1035: "Domain names - implementation and specification".
- [19] IETF RFC 1034: "Domain names - concepts and facilities".
- [20] ETSI ES 283 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3 [3GPP TS 24.229 modified]".
- [21] ETSI ES 283 030: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Presence Service Capability; Protocol Specification [3GPP TS 24.141 V7.0.0, modified and OMA-TS-Presence-SIMPLE-V1-0, modified]".

- [22] IETF draft-channabasappa-sipping-app-profile-type-02: "Extension to the ua-profile Event Package to Support the Application Profile Type".
- [23] OMA-TS-Presence-SIMPLE-V1-0-20060725-A: "Open Mobile Alliance: Presence SIMPLE Specification".
- [24] ETSI TS 124 229: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 (3GPP TS 24.229 Release 8)".
- [25] IETF RFC 4756: "Forward Error Correction Grouping Semantics in Session Description Protocol".
- [26] IETF draft-ietf-sip-xcapevent-03: "An Extensible Markup Language (XML) Configuration Access Protocol (XCAP) Diff Event Package".
- [27] IETF draft-stiemerling-rtsp-announce-01: "RTSP 2.0 Asynchronous Notification".
- [28] IETF RFC 3376: "Internet Group Management Protocol, Version 3".
- [29] IETF RFC 3810: "Multicast Listener Discovery Version 2 (MLDv2) for IPv6".
- [30] IETF RFC 2616: "Hypertext Transfer Protocol -- HTTP/1.1".
- [31] IETF RFC 2782: "A DNS RR for specifying the location of services (DNS SRV)".
- [32] IETF RFC 2246: "The TLS Protocol Version 1.0".
- [33] ETSI TS 102 822-3-1: "Broadcast and On-line Services: Search, select, and rightful use of content on personal storage systems ("TV-Anytime"); Part 3: Metadata; Sub-part 1: Phase 1 - Metadata schemas".
- [34] ETSI TS 101 154: "Digital Video Broadcasting (DVB); Specification for the use of Video and Audio Coding in Broadcasting Applications based on the MPEG-2 Transport Stream".
- [35] ETSI TS 102 822-4: "Broadcast and On-line Services: Search, select, and rightful use of content on personal storage systems ("TV-Anytime"); Part 4: Phase 1 - Content referencing".
- [36] ETSI ES 283 035: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Network Attachment Sub-System (NASS); e2 interface based on the DIAMETER protocol".
- [37] DSL Forum TR-069 Amendment 2: "CPE WAN Management Protocol v1.1".
- [38] ETSI TS 183 060: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Resource and Admission Control Subsystem (RACS); Re interface based on the DIAMETER protocol".

2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Void.
- [i.2] ETSI TS 183 017: "Telecommunications and Internet Converged Services and Protocols for Advanced Networking (TISPAN); Resource and Admission Control: DIAMETER protocol for session based policy set-up information exchange between the Application Function (AF) and the Service Policy Decision Function (SPDF); Protocol specification".

- [i.3] ETSI TS 183 033: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia; Diameter based protocol for the interfaces between the Call Session Control Function and the User Profile Server Function/Subscription Locator Function; Signalling flows and protocol details [3GPP TS 29.228 and 3GPP TS 29.229, modified]".
- [i.4] ETSI TS 129 329: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Sh interface based on the Diameter protocol; Protocol details (3GPP TS 29.329 Release 7)".
- [i.5] IEEE 1003.1-2004: "Standard for information technology - portable operating system interface (POSIX). Shell and utilities".

3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

| | |
|---------|--|
| ACK | ACKnowledge character |
| AP | Authentication Proxy |
| AS | Application Server |
| AUID | Application Unique ID |
| B2BUA | Back To Back UA |
| BC | BroadCast |
| BCG | Broadband Content Guide |
| CNGCF | Customer Network Gateway Configuration Function |
| CoD | Content on Demand |
| CSCF | Call Session Control Function |
| DHCP | dynamic Host Configuration Protocol |
| DNS | Domain Name System |
| DVB | Digital Video Broadcasting |
| DVBSTP | DVB SD&S Transport Protocol |
| ECF/EFF | Elementary Control Function/Elementary Forwarding Function |
| EPG | Electronic Program Guide |
| ERE | Extended Regular Expressions |
| ESG | Electronic Service Guide |
| FEC | Forward Error Correction |
| I-CSCF | Interrogation - Call Session Control Function |
| ICSI | IMS Communication Service Identities |
| IFC | Initial Filter Criteria |
| IGMP | Internet Group Management Protocol |
| IMS | IP Multimedia Subsystem |
| IP | Internet Protocol |
| IPTV | Internet Protocol TeleVision |
| MCF | Media Control Function |
| MDF | Media Delivery Function |
| MF | Media Function |
| MLD | Multicast Listener Discovery |
| NGN | Next Generation Network |
| NPT | Network Time Protocol |
| NPT | Normal Play Time |
| nPVR | network-side Personal Video Recorder |
| OMA | Open Mobile Alliance |
| P-CSCF | Proxy - Call Session Control Function |
| PSI | Public Service Identity |
| RACS | Resource and Admission Control Subsystem |
| RTCP | Real Time Control Protocol |
| RTP | Real Time Protocol |
| RTSP | Real Time Streaming Protocol |
| SAD | Service Action Data |
| SCF | Service Control Function |