

SLOVENSKI STANDARD SIST EN 1612-2:2000+A1:2008

01-november-2008

Glfc1j'nU'dfYXYUjc[iaY]b'd`Ugh_Y!'Glfc1j'nU'hU bc``]hY'!'&"XY.'JUfbcglbY nU\hYjY'nU'dcghfc^Yb^Y'hUbY[U`]hU

Plastics and rubber machines - Reaction moulding machines - Part 2: Safety requirements for reaction moulding plant

Kunststoff- und Gummimaschinen - Reaktionsgießmaschinen - Teil 2: Sicherheitsanforderungen an Reaktionsgießanlagen REVIEW

Machines pour les matières plastiques et le caoutchouc - Machines de moulage par réaction - Partie 2: Prescriptions de sécurité relatives aux installations de moulage par réaction

https://standards.iteh.ai/catalog/standards/sist/c3cf7370-e91e-4c4c-934eb0ae03869a05/sist-en-1612-2-2000a1-2008

Ta slovenski standard je istoveten z: EN 1612-2:2000+A1:2008

ICS:

83.200 Oprema za gumarsko industrijo in industrijo polimernih materialov

Equipment for the rubber and plastics industries

SIST EN 1612-2:2000+A1:2008

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 1612-2:2000+A1:2008</u> https://standards.iteh.ai/catalog/standards/sist/c3cf7370-e91e-4c4c-934eb0ae03869a05/sist-en-1612-2-2000a1-2008

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1612-2:2000+A1

August 2008

ICS 83.200

Supersedes EN 1612-2:2000

English Version

Plastics and rubber machines - Reaction moulding machines -Part 2: Safety requirements for reaction moulding plant

Machines pour les matières plastiques et le caoutchouc -Machines de moulage par réaction - Partie 2: Prescriptions de sécurité relatives aux installations de moulage par réaction Kunststoff- und Gummimaschinen -Reaktionsgießmaschinen - Teil 2: Sicherheitsanforderungen an Reaktionsgießanlagen

This European Standard was approved by CEN on 23 April 1999 and includes Amendment 1 approved by CEN on 15 June 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

(standards.iteh.ai)

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/c3cf7370-e91e-4c4c-934eb0ae03869a05/sist-en-1612-2-2000a1-2008



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 1612-2:2000+A1:2008 (E)

Contents

Foreword		
Introduction		4
1	Scope	4
2	Normative references	4
3	Terms and definitions	5
4	List of hazards	6
5	Safety requirements and/or measures	11
6	Verification of the safety requirements and/or measures	18
7	Information for use	19
Annex ZA (informative) A Relationship between this European Standard and the Essential Requirements of EU Directive 98/37/EC A		21
Annex	ZB (informative) A Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC A	22

(standards.iteh.ai)

<u>SIST EN 1612-2:2000+A1:2008</u> https://standards.iteh.ai/catalog/standards/sist/c3cf7370-e91e-4c4c-934eb0ae03869a05/sist-en-1612-2-2000a1-2008

Foreword

This document (EN 1612-2:2000+A1:2008) has been prepared by Technical Committee CEN/TC 145 "Plastics and rubber machines", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2009, and conflicting national standards shall be withdrawn at the latest by December 2009.

This document includes Amendment 1, approved by CEN on 2008-06-15.

 $|A_1\rangle$ The main changes compared to the previous version are:

- modification of the main element of the title;
- editorial modification of Annex ZA;
- addition of Annex ZB;
- ---- editorial changes of EN 292-1:1991 to EN ISO 12100-1:2003 and of EN 292-2:1991 to EN ISO 12100-2:2003 in the following clauses: Introduction, 2, 5.1.1;
- standards.iteh.ai) updating of prEN 999 to EN 999;
- minor changes in the Foreword, new 7 paragraph. 41 https://standards.ieb.al/catalog/standards/sistv3cf7370-e91e-4c4c-934e-

This document supersedes EN 1612-2:2000.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A_{1} .

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

 $|A\rangle$ For relationship with EU Directive(s), see informative Annexes ZA and ZB, which are integral parts of this document. (A1

This standard deals with metering and mixing units.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

This European Standard is a type C standard as defined in AD EN ISO 12100 (A).

The extent to which hazards are covered is indicated in the scope of this standard. In addition, machinery shall comply as appropriate with \square EN ISO 12100 \square for hazards which are not covered by this standard.

1 Scope

This standard covers the essential health and safety requirements for the design of reaction moulding plant with the exception of metering and mixing units (for these see part 1).

The significant and specific hazards are listed in clause 4 and are dealt with in this standard.

This standard does not cover completely the hazards arising from the use of highly flammable additives, for example pentane used as a blowing agent (see 4.3), because these hazards depend to a large extent on the additives and process used.

This standard does not cover the hazards due to noise generated by the cutting unit, which is the only significant source of noise at such plant. STANDARD PREVIEW

This standard does not cover the requirements for the design of exhaust systems.

This standard does not cover the hazards arising from the assembly of separate units not supplied at the same time by the same manufacturer ards.iteh.ai/catalog/standards/sist/c3cf7370-e91e-4c4c-934e-

b0ae03869a05/sist-en-1612-2-2000a1-2008

This standard applies to reaction moulding plant manufactured after the date of publication of this standard.

NOTE Directive 94/9/EC concerning equipment and protective systems intended for use in potentially explosive atmospheres can be applicable to the type of machine or equipment covered by this European Standard. The present standard is not intended to provide means of complying with the essential health and safety requirements of Directive 94/9/EC.

2 Normative references

This European Standard incorporates provisions from other publications by dated or undated references. These normative references are cited at the appropriate places in the text and the publications are listed below. For dated references, subsequent amendments or revisions of these publications apply to this European standard only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

 $|A_1\rangle$ deleted text $\langle A_1 \rangle$

EN 294:1992, Safety of Machinery - Safety distances to prevent danger zones being reached by the upper limbs

EN 349:1993, Safety of Machinery - Minimum gaps to avoid crushing of parts of the human body

EN 418:1992, Safety of Machinery - Emergency stop equipment, functional aspects – Principles for design

EN 574:1996, Safety of Machinery - Two-hand control devices - Functional aspects – Principles for design

EN 953:1997, Safety of Machinery - Guards - General requirements for the design and construction of fixed and movable guards

EN 954-1:1996, Safety of Machinery - Safety related parts of control systems - Part 1: General principles for design

(A) EN 999 (A), Safety of Machinery - The positioning of protective equipment in respect of approach speeds of parts of the human body

EN 1037:1995, Safety of Machinery - Prevention of unexpected start-up

EN 1088:1995, Safety of Machinery - Interlocking devices associated with guards - Principles for design and selection

EN 1127-1:1997, Explosive atmospheres – Explosion prevention and protection – Part 1: Basic concepts and methodology

EN 1612-1:1997, Rubber and plastics machines - Reaction moulding machines - Part 1: Safety requirements for metering and mixing units

EN 1760, Safety of machinery - Pressure sensitive protective devices

EN 60079-10:1996, Electrical apparatus for explosive gas atmospheres - Classification of hazardous areas

EN 60079-14:1997, Electrical apparatus for explosive gas atmospheres – Electrical installations in hazardous areas (other than mines) Teh STANDARD PREVIEW

EN 60204-1:1997, Safety of Machinery - Electrical equipment of machines - Part 1: General requirements

EN 60529:1991, Degrees of protection provided by enclosures (IP code)

EN 61496-1:1997, Safety of Machinery - Electro-sensitive protective equipment - Part 1: General requirements and tests

EN ISO 12100-1:2003, Safety of machinery - Basic concepts, general principles for design - Part 1: Basic terminology, methodology (ISO 12100-1:2003)

EN ISO 12100-2:2003, Safety of machinery - Basic concepts, general principles for design - Part 2: Technical principles (ISO 12100-2:2003) (A)

3 Terms and definitions

For the purposes of this standard, the following definitions apply:

3.1

reaction moulding plant

a complex installation for reaction moulding which consists of one or more metering and mixing units (see part 1), moulding equipment and ancillary equipment.

3.1.1

continuous moulding equipment

equipment for continuous moulding of semi-finished products which may be for example slabs, blocks or continuous sandwich composites (see figures 1 and 2)

3.1.2

moulding equipment for individual components

Equipment for production of individual components. This may be:

EN 1612-2:2000+A1:2008 (E)

- fixed moulding equipment with a fixed mixing head (see figure 3);
- fixed moulding equipment with a mobile mixing head (see figure 4);
- mobile moulding equipment with a fixed mixing head (see figure 5);
- mobile moulding equipment with a mobile mixing head (see figure 6).

3.2

ancillary equipment

Additional equipment necessary for operation of the reaction moulding plant.

In the case of continuous moulding equipment, ancillary equipment may be:

- equipment for feeding cover sheets;
- equipment for manipulating the mixing head;
- a cutting unit.

In the case of moulding equipment for individual components, ancillary equipment may be:

- equipment for manipulating the mixing head;
- mould transport equipmentiTeh STANDARD PREVIEW
- a pick-and-place device for handling inserts and/or moulded components;
- equipment for the application of release agents;
- 1612-2:2000+A1:2008
- cell-crushing equipment.https://standards.iteh.ai/catalog/standards/sist/c3cf7370-e91e-4c4c-934eb0ae03869a05/sist-en-1612-2-2000a1-2008

3.3

highly flammable additive

while there is no European directive or standard in existence, an additive with a flash point \leq 21°C.

List of hazards 4

4.1 Reaction moulding plant using continuous moulding equipment

4.1.1 Hazards due to cutting and/or crushing when feeding the front edge of cover sheets into moulding equipment during start-up

Hazards due to impact with the mixing head when it returns to the rest position 4.1.2

4.1.3 Hazards due to ejection of materials at the mixing head which may result in impact, burns and/or contact with materials hazardous to health

4.1.4 Hazards due to inhalation of gases hazardous to health given off by reaction components, additives or a mixture thereof

4.1.5 Hazards due to shearing, crushing and/or drawing-in due to moving parts of moulding equipment side walls at its entry and exit openings (see figure 2)

- 4.1.6 Hazards due to the cutting process
- 4.1.6.1 Cutting by the cutting device
- 4.1.6.2 Shearing and/or crushing due to movement of the cutting unit
- 4.1.6.3 Ejection of metal swarf
- 4.1.6.4 Inhalation of dust hazardous to health



- 1 Product
- 2 Side wall of moulding equipment
- 3 Equipment for feeding side cover sheet
- 4 Moulding equipment lower cover sheet5 Equipment for feeding lower cover sheet
- 6 Mixing head
- 7 Equipment for manipulating mixing head
- 8 Cutting unit
- 9 Equipment for delivery of cut product





1 Product

2 Moving parts of moulding equipment side walls

3 Cover sheet

4 Side wall enclosure

Figure 2 - Moulding equipment entry and exit openings/

4.2 Reaction moulding plant using moulding equipment for individual components

4.2.1 Hazards due to splashing of moulding<u>Imaterial duringOmould(filling</u> which may result in impact, burns and/or contact with materials hazardous to health talog/standards/sist/c3cf7370-e91e-4c4c-934eb0ae03869a05/sist-en-1612-2-2000a1-2008

4.2.2 Hazards due to crushing and/or impact at equipment for manipulating the mixing head

4.2.3 Hazards due to crushing, shearing and/or impact during closing, opening, turning or tilting of the mould at a stationary mould carrier or, in all other cases, during closing and opening of the mould

4.2.4 Hazards due to crushing, shearing, impact and/or drawing-in at mould transport equipment

4.2.5 Hazards due to crushing, shearing and/or drawing-in at cell-crushing equipment (see figure 7)

4.2.6 Hazards due to inhalation of gases hazardous to health given off by reaction components, additives or a mixture thereof

4.2.7 Hazards due to crushing, shearing and/or impact at pick-and-place devices for handling inserts and/or moulded components

- 4.2.8 Hazards due to equipment for application of the release agent
- 4.2.8.1 Crushing and/or impact
- **4.2.8.2** Inhalation of gases hazardous to health given off by the release agent



1 Mould carrier frame

- 2 Fixed mould
- 3 Mobile mould

4 Mobile mixing head

Figure 4 — Fixed moulding equipment with mobile mixing head