

**Advanced Surface Movement Guidance
and Control System (A-SMGCS);
Part 2: Community Specification for application under the
Single European Sky Interoperability Regulation EC 552/2004
for A-SMGCS Level 2 including external interfaces**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/36f3c728-16b8-42cf-b698-5a9348509b55/etsi-en-303-213-2-v1.1.1-2010-10>



Reference

DEN/AERO-00001-2

Keywords

air traffic management, aeronautical,
interoperability

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	10
4 Requirements for design, implement, built, maintain and operate an A-SMGCS Level 2 System.....	11
4.1 Requirements for implementing A-SMGCS Level 2 Systems	11
4.1.1 Monitoring and alerting	11
4.1.2 Velocity	11
4.1.3 Alert situation	11
4.1.4 Safety	11
4.1.4.1 Safety assessment.....	11
4.1.4.2 Service requirements	11
4.1.4.3 Safety net	11
4.1.4.4 Information to Vehicle Drivers	11
4.1.5 Human capabilities	11
4.1.5.1 Presentations of alert	11
4.1.5.2 Human-Machine Interface	12
4.2 Design Requirements for A-SMGCS Level 2 Systems	12
4.2.1 Requirements for ATC Workstation HMI	12
4.2.2 Alerts	12
4.2.3 Performance.....	12
4.2.4 Monitoring and Alerting Parameters.....	12
4.2.4.1 Probability of Detection of an Alert Situation.....	12
4.2.4.2 Accuracy and Resolution	12
4.2.4.3 Probability of False Alert.....	12
4.2.5 Presentation of Alerts.....	12
4.2.6 Procedures and Working Methods.....	12
4.2.7 Control service.....	12
4.2.8 Pre-requisite.....	13
4.2.9 Interface to Vehicle Driver	13
4.3 Logical Architecture and Construction of the system	13
4.3.1 Surveillance Services and Conflict detection.....	13
4.3.2 Pre-requisite for A-SMGCS Level 2.....	13
4.3.3 Control service.....	13
4.3.4 HMI and Vehicle HMI.....	13
4.3.5 Guidance Service to Vehicle Drivers.....	13
4.4 Acceptance testing requirements for A-SMGCS Level 2 System.....	13
4.4.1 Probability of Detection.....	13
4.4.2 Probability of False Detection	13
4.4.3 Probability of Identification	13
4.4.4 Probability of False Identification	14
4.4.5 Reported Position Accuracy	14
4.4.6 Reported Velocity Accuracy.....	14
4.4.7 Target Report Update Rate	14
4.4.8 Position Renewal Time-Out Period	14
4.4.9 Identification Renewal Time-Out Period.....	14
4.4.10 Track Continuity.....	14

4.4.11	Monitoring and Alerting	14
4.5	Maintenance Requirements for A-SMGCS Level 2 Systems	14
4.6	Requirements for operation of A-SMGCS Level 2 Systems	14
4.6.1	Compliance with ATC Procedures and Working Methods	14
4.6.2	Operational procedures	14
4.6.3	Safety	14
4.6.4	Vehicle identifier	15
5	Testing	15
Annex SA (normative): Standards Annex		16
SA1	Correspondence between this European Standard and the Single European Sky Interoperability Regulation for A-SMGCS Systems Level 2	16
Annex A (normative): Checklist		20
A.1	Interoperability Regulation Annex II Essential Requirements; Part A: General requirements	21
A.2	Interoperability Regulation Annex II Essential Requirements Part B: Specific requirements	26
A.2.1	Systems and procedures for airspace management	26
A.2.2	Systems and procedures for air traffic flow management	26
A.2.3	Systems and procedures for air traffic services	27
A.2.3.1	Flight data processing systems	27
A.2.3.2	Surveillance data processing systems	29
A.2.3.3	Human-machine interface systems	30
A.2.4	Communications systems and procedures for ground-to-ground, air-to-ground and air-to-air communications	31
A.2.5	Navigation systems and procedures	32
A.2.6	Surveillance systems and procedures	32
A.2.7	Systems and procedures for aeronautical information services	33
A.2.8	Systems and procedures for the use of meteorological information	33
Annex B (informative): The EN title in the official languages		35
Annex C (informative): Bibliography		36
History		37

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Aeronautics (AERO), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to European Commission mandate M/390 for the Interoperability of the European Air Traffic Management Network.

The present document has been developed in cooperation with Eurocae for compliance with the Essential Requirements and/or of the Single European Sky Interoperability Regulation 552/2004 [i.1] and/or requirements given in implementing rules for the Single European Sky Interoperability Regulation.

The presumption of conformity which is linked to the full application of EN 303 213 (parts 1 to 4) can only be claimed after EN 303 213 (parts 1 to 4) has been listed in the Official Journal of the European Union as Community Specification.

General and specific requirements for presumption of conformity to SES Interoperability Regulation 552/2004 [i.1] as amended by Regulation 1070/2009 [i.5] are given in the normative annexes of the present document.

NOTE: Other requirements and other EU Regulations and/or Directives may be applicable to the product(s) falling within the scope of the present document.

The present document is part 2 of a multi-part deliverable covering Advanced Surface Movement Guidance and Control System (A-SMGCS), as identified below:

Part 1: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for A-SMGCS Level 1 including external interfaces";

Part 2: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for A-SMGCS Level 2 including external interfaces";

Part 3: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed cooperative sensor including its interfaces";

Part 4: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed non-cooperative sensor including its interfaces";

Part 5: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for transmitters used in multilateration equipment";

Part 6: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for deployed surface movement radar sensors".

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The European Union launched the Legislation "Single European Sky" (SES) in 2002 which was adopted in 2004 and amended by Regulation (EC) No 1070/2009 [i.5].

The SES legislation is based on a framework of 4 regulations, which includes the Interoperability Regulation [i.1]. The objective of the Interoperability Regulation is to ensure interoperability of the European Air Traffic Management Network (EATMN) consistent with air navigation services. Under this regulation, the use of a European Standard referenced in the Official Journal of the European Union as Community Specification (CS) is a means of compliance to the essential requirements of the Regulation and/or the relevant implementing rules for interoperability.

The present document takes into account the Council Decision 2009/320/EC endorsing the European Air Traffic Management Master Plan of the Single European Sky ATM Research (SESAR) project [i.3].

PREVIEW
STANDARD
PREVIEW
 iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/36f3c728-6206-42cf-b698-5a9348509b55/etsi-en-303-213-2-v1.1.1-2010-10>

1 Scope

The present document is applicable to Advanced Surface Movement Guidance and Control Systems (A-SMGCS) Level 2. This system provides enhanced surveillance functionalities such as advanced monitoring and alerting functions.

The present document provides a European Standard for Air Navigation Service Providers, who have to demonstrate and declare compliance of their systems and procedures to the IOP regulation.

Any software elements related to the software assurance level of an A-SMGCS are outside of the scope of the present document. As such the essential requirements of the Interoperability Regulation are not considered for software elements within the present document.

The present document does not give presumption of conformity related to the maintenance requirements, environmental constraints, procedure level, effect of harmful interference and civil/military coordination.

NOTE: For these ERs, please refer to the Air Navigation Service Provider procedures.

Requirements in the present document which refer to "should" statements or recommendations in the normatively referenced material (clause 2.1) are to be interpreted as fully normative ("shall") for the purpose of compliance with the present document.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] EUROCAE ED-87B (ED-87B including Amendment No 1 published 01/2009): "MASPS for Advanced Surface Movement Guidance and Control Systems".
- [2] EUROCONTROL 07/01/11-05 (V2.0: December 2006): "Operational Concept and Requirements for A-SMGCS Implementation Level 2".
- [3] EUROCONTROL 07/01/09-01 (V2.0: November 2006): "A-SMGCS Levels 1 & 2 Preliminary Safety Case".
- [4] EUROCONTROL 07/01/11-07 (V2.0: December 2006): "Functional Specification for A-SMGCS Implementation Level 2".

- [5] ETSI EN 303 213-1: "Advanced Surface Movement Guidance and Control System (A-SMGCS); Part 1: Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for A-SMGCS Level 1 including external interfaces".

2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Regulation (EC) No 552/2004 of the European Parliament and of the Council of 10 March 2004 on the interoperability of the European Air Traffic Management network (interoperability Regulation), OJ L 96, 31.03.2004 as amended by Regulation (EC) No 1070/2009.
- [i.2] Regulation (EC) No 549/2004 of the European Parliament and of the Council of 10 March 2004 laying down the framework for the creation of the single European sky (the framework Regulation), OJ L 96, 31.03.2004 as amended by Regulation (EC) No 1070/2009.
- [i.3] Council Decision 2009/320/EC endorsing the European Air Traffic Management Master Plan of the Single European Sky ATM Research (SESAR) project, 30.03.2009.
- [i.4] ICAO Document 9830, AN/452: "Advanced Surface Movement Guidance and Control Systems (A-SMGCS) Manual", First Edition, 2004.
- [i.5] Regulation (EC) No 1070/2009 of the European Parliament and of the Council of 21 October 2009 amending Regulations (EC) No 549/2004, (EC) No 550/2004, (EC) No 551/2004 and (EC) No 552/2004 in order to improve the performance and sustainability of the European aviation system, OJ L 300, 14.11.2009.
- [i.6] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity.
- [i.7] ETSI EN 303 213-3: "Advanced Surface Movement Guidance and Control System (A-SMGCS); Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed cooperative sensor including its interfaces".
- [i.8] ETSI EN 303 213-4: "Advanced Surface Movement Guidance and Control System (A-SMGCS); Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed non-cooperative sensor including its interfaces".
- [i.9] ETSI EN 303 213-5: "Advanced Surface Movement Guidance and Control System (A-SMGCS); Part 5: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for transmitters used in multilateration equipment".
- [i.10] ETSI EN 303 213-6: "Advanced Surface Movement Guidance and Control System (A-SMGCS); Part 6: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for deployed surface movement radar sensors".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

alert situation: any situation relating to aerodrome operations which has been defined as requiring particular attention or action

A-SMGCS Level 1: A-SMGCS including a comprehensive Surveillance element capable of the location and classification of all aircraft and vehicles within the area of interest and the identification of cooperative aircraft and vehicles




Figure 1: A-SMGCS Level 1 Functional Configuration

A-SMGCS Level 2: A-SMGCS including the capabilities of A-SMGCS Level 1 and uses the comprehensive surveillance data available to monitor the situation in the area of interest against a set of rules which will enable the system to alert the user to hazardous situations




Figure 2: A-SMGCS Level 2 Functional Configuration

Advanced Surface Movement Guidance and Control System: system providing routing, guidance, surveillance for the control to aircraft and vehicles in order to maintain the declared surface movement rate under all local weather conditions within the aerodrome visibility operational Level (AVOL) while maintaining the required level of safety

NOTE: This definition is derived from the ICAO Document 9830 [i.4].

aerodrome: defined area on land or water (including any buildings, installations, and equipment) intended to be used either wholly or in part for arrival, departure and surface movement of aircraft

NOTE: This definition is derived from the ICAO Document 9830 [i.4].

apron: defined area on a land aerodrome, intended to accommodate aircraft for purposes of loading or unloading passengers, mail or cargo, fuelling, parking or maintenance

NOTE 1: This definition is derived from the ICAO Document 9830 [i.4].

NOTE 2: De-icing platforms, including remote de-icing areas, are considered as apron areas.

availability: probability that a system or an item is in a functioning state at a given point in time

classification: function which groups targets into various types (e.g. large, medium, small)

constituents: tangible objects such as hardware and intangible objects such as software upon which the interoperability of the EATMN depends

NOTE: This is the legally binding definition in the context of Single European Sky [i.2].

manoeuvring area: part of an aerodrome to be used for take-off, landing and taxiing of aircraft, excluding aprons

NOTE: This definition is derived from the ICAO Document 9830 [i.4].

movement area: part of an aerodrome to be used for take-off, landing and taxiing of aircraft, consisting of the manoeuvring area and apron(s)

NOTE: This definition is derived from the ICAO Document 9830 [i.4].

procedure: standard method for either the technical or operational use of the system, in the context of agreed and validated concepts of operation requiring uniform implementation throughout the EATMN

NOTE: This is the legally binding definition in the context of Single European Sky [i.2].

Reported Velocity Accuracy: difference, at a specified confidence level, between the reported Target velocity and the actual Target velocity at the time of the report

system: aggregation of airborne and ground based constituents, as well as space-based equipment, that provides support for air navigation services for all phases of flight

NOTE: This is the legally binding definition in the context of Single European Sky [i.2].

target: aircraft, vehicle or obstacle that is displayed on a surveillance display

NOTE: This definition is derived from the ICAO Document 9830 [i.4].

test targets: form of either fixed reflectors or active devices transponders, mounted at fixed positions within the Coverage Volume

update: renewal of target reports relating to all targets under surveillance

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-SMGCS	Advanced Surface Movement Guidance and Control Systems
ATC	Air Traffic Control
ATCO	Air Traffic Controller
ATM	Air Traffic Management
AVOL	Aerodrome Visibility Operational Level
CS	Community Specification
doa	date of announcement
dow	date of withdrawal
EATMN	European Air Traffic Management Network
EC	European Communities
EN	European Norm - (standard)
ER	Essential Requirement
EUROCAE	EUROpean organization for Civil Aviation Equipment
EUROCONTROL	EUROpean organization for the safety of air navigation
HMI	Human Machine Interface
ICAO	International Civil Aviation Organization
IOP Regulation	InterOPERability Regulation
MASPS	Minimum Aviation Systems Performance Specification
SES	Single European Sky
SESAR	Single European Sky ATM Research

4 Requirements for design, implement, built, maintain and operate an A-SMGCS Level 2 System

4.1 Requirements for implementing A-SMGCS Level 2 Systems

4.1.1 Monitoring and alerting

The monitoring and alerting function shall comply with the requirements as defined in ED-87B [1], clause 2.5.1.2.

4.1.2 Velocity

The A-SMGCS System shall provide a Reported Velocity Accuracy as defined in ED-87B [1], clause 3.2.2.6.

4.1.3 Alert situation

The A-SMGCS System shall be able to distinguish between alert situations as defined in ED-87B [1], clause 3.3.1.

4.1.4 Safety

4.1.4.1 Safety assessment

A safety assessment for A-SMGCS Level 2 system shall be provided. The safety objectives shall comply with the requirements as defined in Operational Concept and Requirements for A-SMGCS Implementation Level 2 [2], clause 2.1.

NOTE: The safety assessment may follow the methodology from A-SMGCS Levels 1&2 Preliminary Safety Case [3].

4.1.4.2 Service requirements

The A-SMGCS System shall comply with the services as defined in Operational Concept and Requirements for A-SMGCS Implementation Level 2 [2], clause 9.3.1 references Op_Serv-14-Service, Op_Serv-15-User, Op_Serv-16-Conflicts/infringements on runway, Op_Serv-17-Restricted area incursions, Op_Serv-18-Runway protection area, Op_Serv-19-Ground boundary, Op_Serv-20-Air boundary, Op_Serv-21-Traffic Context Update, Op_Serv-22-Alert, Op_Serv-27-Stages of alert, Op_Serv-28-Alert priority, Op_Serv-29-Adaptation to local procedures, Op_Serv-30-Traffic Information Update

4.1.4.3 Safety net

The A-SMGCS System shall provide a safety net as defined in Operational Concept and Requirements for A-SMGCS Implementation Level 2 [2], clause 4 and clause 9.3.1 Op_Serv-29-Adaptation to local procedures.

4.1.4.4 Information to Vehicle Drivers

The A-SMGCS System shall provide information to the Vehicle Driver as defined in Operational Concept and Requirements for A-SMGCS Implementation Level 2 [2], clause 6.3.

4.1.5 Human capabilities

4.1.5.1 Presentations of alert

The A-SMGCS System shall provide alerts to ATCOs as defined in Operational Concept and Requirements for A-SMGCS Implementation Level 2 [2], clause 3.2.1.