

SLOVENSKI STANDARD SIST ETS 300 280:2003/A1 E1:2003

01-december-2003

Terminalska oprema (TE) – Oprema za faksimilno skupino 4, razred 1, na digitalnem omrežju z integriranimi storitvami (ISDN) – Preskušanje terminalov

Terminal Equipment (TE); Facsimile group 4 class 1 equipment on the Integrated Services Digital Network (ISDN) Terminal testing

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten 2. standard je istoveten 2. standard sie istoveten 2. standard sie istoveten 2. standard sie istoveten 2. standard sie istoveten 3. standar

3ca6a31aa04d/sist-ets-300-280-2003-a1-e1-2003

ICS:

33.050.30	Oprema za teleks, teletekst, telefaks	Equipment for telex, teletext, telefax
33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
35.180	Terminalska in druga periferna oprema IT	IT Terminal and other peripheral equipment

SIST ETS 300 280:2003/A1 E1:2003 en

SIST ETS 300 280:2003/A1 E1:2003

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 280:2003/A1 E1:2003 https://standards.iteh.ai/catalog/standards/sist/3fcd1ae1-c806-4cce-9684-3ca6a31aa04d/sist-ets-300-280-2003-a1-e1-2003



AMENDMENT

ETS 300 280

A1

February 1996

Source: ETSI TC-TE Reference: RE/TE-02035

ICS: 33.040.70

Key words: Group 4 facsimile

This amendment A1 modifies the European Telecommunication Standard ETS 300 280 (1994)

iTeh STANDARD PREVIEW

Terminal Equipment (TE);
Facsimile group 4 class 1 equipment
on the Integrated Services Digital Network (ISDN)
Terminal testing

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - Internet: secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

*

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

SIST ETS 300 280:2003/A1 E1:2003

Page 2

ETS 300 280: February 1994/A1: February 1996

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ETS 300 280:2003/A1 E1:2003</u> https://standards.iteh.ai/catalog/standards/sist/3fcd1ae1-c806-4cce-9684-3ca6a31aa04d/sist-ets-300-280-2003-a1-e1-2003

Page 3

ETS 300 280: February 1994/A1: February 1996

Foreword

This amendment to ETS 300 280 (1994) was produced by the Terminal Equipment (TE) Technical Committee of the European Telecommunications Standards Institute (ETSI).

The published version of ETS 300 280 (February 1994) uses, for the scanning tests of the Group 4 facsimile terminals, test charts from ITU-T Recommendation T.21 which have been deleted and replaced by test charts from ITU-T Recommendation T.22. This amendment to ETS 300 280, provides the modifications necessary to take this into account.

Transposition dates				
Date of adoption of this amendment:	29 February 1996			
Date of latest announcement of this amendment (doa):	31 May 1996			
Date of latest publication or endorsement of this amendment (dop/e):	29 November 1996			
Date of withdrawal of any conflicting National Standard (dow):	29 November 1996			

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ETS 300 280:2003/A1 E1:2003</u> https://standards.iteh.ai/catalog/standards/sist/3 fcd1ae1-c806-4cce-9684-3ca6a31aa04d/sist-ets-300-280-2003-a1-e1-2003

Page 4

ETS 300 280: February 1994/A1: February 1996

Amendments

Page 7, clause 2 (Normative references), replace reference [9] by the following:

[9] ITU-T Recommendation T.22 (1993): "Standardized test charts for document

facsimile transmissions".

Page 11, clause 6 (Scanning tests), replace this clause by the following:

6 Scanning tests

Table 3: Requirements for the scanner of the facsimile equipment based on test chart no 4 of ITU-T Recommendation T.22 [9]

Test	Description	Reference
No.		
T1	Test for basic scanned line length is 219,46 mm + 1 %. SUT scans and transmits at 200 ppi chart n° 4 of ITU-T Recommendation T.22 [9] as purchased from ITU-T. Verify that: - the length of the horizontal scales of pattern 1 on the top or the bottom of the page is represented by 1 481 to 1 511 pels when decoded.	
T2	Test for scanning density. SUT scans and transmits at 200 ppi chart n° 4 of ITU-T Recommendation T.22 [9] as purchased from ITU-T. Verify that: - the length of the vertical scales of pattern 1 on the left or the right of the page is represented by 2 026 to 2 068 pels when decoded.	EW
ТЗ	Test for position of the document 80 2003/A1 E1 2003 SUT scans and transmits chart n° 4 of ITU-Id1ac1-c806-4 Recommendation T.22 [9] as purchased from LTU-IT 2003 Verify that: - the first line of the transmitted data represents a scanned line within the first 4 mm of the test chart when decoded.	

SIST ETS 300 280:2003/A1 E1:2003

Page 5

ETS 300 280: February 1994/A1: February 1996

History

Document history						
February 1994	First Edition					
September 1995	Unified Approval Procedure	UAP 36:	1995-09-25 to 1996-01-19			
February 1996	Amendment 1 to First Edition					

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ETS 300 280:2003/A1 E1:2003</u> https://standards.iteh.ai/catalog/standards/sist/3fcd1ae1-c806-4cce-9684-3ca6a31aa04d/sist-ets-300-280-2003-a1-e1-2003

ISBN 2-7437-0506-X ISBN 2-7437-0508-6 - Amendement 1 Dépôt légal : Février 1996