



SLOVENSKI STANDARD
SIST EN 792-3:2000+A1:2008
01-november-2008

Neelektrična ročna orodja - Varnostne zahteve - 3. del: Vrtalniki in stroji za vrezovanje navojev

Hand-held non-electric power tools - Safety requirements - Part 3: Drills and tappers

Handgehaltene nicht-elektrisch betriebene Maschinen - Sicherheitsanforderungen - Teil 3: Bohrmaschinen und Gewindeschneider

Machines portatives à moteur non électrique - Prescriptions de sécurité - Partie 3 : Perceuses et taraudeuses

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[SIST EN 792-3:2000+A1:2008](https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c50a2ad0/sist-en-792-3-2000a1-2008)

Ta slovenski standard je istoveten z: EN 792-3:2000+A1:2008

ICS:

25.140.10 Pnevmatična orodja Pneumatic tools

SIST EN 792-3:2000+A1:2008 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 792-3:2000+A1:2008](https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008)

<https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 792-3:2000+A1

September 2008

ICS 25.140.10; 25.140.99

Supersedes EN 792-3:2000

English Version

Hand-held non-electric power tools - Safety requirements - Part 3: Drills and tappers

Machines portatives à moteur non électrique - Prescriptions
de sécurité - Partie 3: Perceuses et taraudeuses

Handgehaltene nicht-elektrisch betriebene Maschinen -
Sicherheitsanforderungen - Teil 3: Bohrmaschinen und
Gewindeschneider

This European Standard was approved by CEN on 26 May 2000 and includes Amendment 1 approved by CEN on 26 July 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 792-3:2000+A1:2008](https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008)

<https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
3.1 General terms and definitions	6
3.2 Terms and definitions related to drills and tappers	7
4 List of hazards.....	8
5 Safety requirements and measures	9
5.1 Mechanical safety	9
5.2 Thermal safety.....	9
5.3 Noise	9
5.4 Vibration	10
5.5 Materials and substances processed, used or exhausted	10
5.6 Ergonomics	10
5.7 Safety related measures and means.....	11
6 Information for use	12
6.1 Marking, signs and written warnings.....	12
6.2 Instruction for use	12
7 Verification	14
7.1 Noise	14
7.2 Vibration	14
7.3 Unintentional start	14
7.4 Structure of verification	15
Annex A (informative) Examples of drills and tappers covered by this part	16
Annex B (informative) Symbols for labels and signs	17
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives	18
Bibliography	20

ITeH STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 792-3:2000+A1:2008

[https://standards.iteh.ai/catalog/standards/sist/c60c2320-743b-4db1-8607-](https://standards.iteh.ai/catalog/standards/sist/c60c2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008)

[98e9c30a2ad0/sist-en-792-3-2000a1-2008](https://standards.iteh.ai/catalog/standards/sist/c60c2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008)

Foreword

This document (EN 792-3:2000+A1:2008) has been prepared by Technical Committee CEN/TC 255 "Hand-held, non-electric power tools - Safety", the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2009 and conflicting national standards shall be withdrawn at the latest by December 2009.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

A1 For relationship with EU Directive(s), see informative Annexes ZA and ZB, which are integral parts of this document. **A1**

This document includes Amendment 1, approved by CEN on 2008-07-26.

This document supersedes EN 792-3:2000.

The start and finish of text introduced or altered by amendment is indicated in the text by tags **A1** **A1**.

The standard has been created in close co-operation with CENELEC/TC 61F with the aim of achieving requirements for mechanical safety in the EN 50144 series, which are similar for hand-held electric and non-electric power tools.

The annexes to this part of the standard are:
<https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008>

Annex A (informative) Examples of power tools covered by this part

Annex B (informative) Labels, signs and tags

A1 Annexes ZA and ZB **A1** (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives.

This standard also contains a Bibliography.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EN 792-3:2000+A1:2008 (E)**Introduction**

This European standard is a type C standard as stated in EN 1070.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of other standards, for machines that have been designed and built according to the provisions of this type C standard.

The European Standard, EN 792, consists of a number of independent parts for individual types of hand-held non-electric power tools.

Other EN standards deal with safety rules for hand-held power tools used in e. g. the following fields:

- agriculture and forestry such as chain saws, hedge-trimmers, brush cutters, grass trimmers
- construction and building such as cutting-off power tools, concrete vibrators
- food industry, such as fowl secateurs, sheep shears.

Endeavours have been made to achieve co-ordination with the relevant Technical Committees so that the safety requirements are compatible.

This standard is divided in the following parts:

Part 1 - Assembly power tools for non-threaded mechanical fasteners (former part 14)

Part 2 - Cutting-off and crimping power tools (former part 15)

Part 3 - Drills and tappers

Part 4 - Non rotary percussive power tools

Part 5 - Rotary, percussive power drills

Part 6 - Assembly power tools for threaded fasteners

Part 7 - Grinders

Part 8 - Sanders and polishers

Part 9 - Die grinders

Part 10 - Compression power tools

Part 11 - Nibblers and shears

Part 12 - Small circular, small oscillating and reciprocating saws

Part 13 - Fastener driving tools

Certain parts of EN 792 cover hand-held non-electric power tools, driven by internal combustion engines powered by gaseous or liquid fuel. In these parts, the safety aspects relating to internal combustion engines are found in a normative annex.

The parts are type C standards and refer to pertinent European Standards of type A and B where such standards are applicable.

1 Scope

The standard EN 792 applies to hand-held non-electric power tools driven by rotary or linear motors, powered by compressed air, hydraulic fluid and intended to be used by one operator and supported by:

- the operator's hand or hands,
- a suspension, e.g. a balancer.

This part, EN 792-3, applies to hand-held non electric power tools used for rotary drilling of holes in all kinds of material, e.g. wood, metal, concrete, plastics etc. and tappers for tapping and cleaning threads in metal and plastics.

This part lists the significant hazards caused by such power tools and specifies safety requirements valid for different aspects of safety during their foreseeable lifetime.

Power tools covered by this part of the standard:

- drills,
 - heavy duty drills with two handles,
 - tappers.
- ITEH STANDARD PREVIEW**
(standards.iteh.ai)
[SIST EN 792-3:2000+A1:2008
https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008](https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008)

Special requirements and modifications on a hand-held power tool for the purpose of mounting it in a fixture are not covered by this part.

NOTE At the date of publication no drills and tappers driven by internal combustion engines are known.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of the publications referred to in this European Standard are valid only when they are incorporated in this standard by amendment or revision. For undated references the latest edition of the publication referred to, applies (including amendments).

EN 292-1:1991, *Safety of machinery - Basic concepts, general principles for design – Part 1: Basic terminology, methodology*

EN 292-2:1991, *Safety of machinery - Basic concepts, general principles for design – Part 2: Technical principles and specifications*

EN 563, *Safety of machinery - Temperatures of touchable surfaces - Ergonomics data to establish temperature limit values for hot surfaces*

EN 614-1, *Safety of machinery - Ergonomic design principles – Part 1: Terminology and general principles*

EN 792-3:2000+A1:2008 (E)

EN 1070, *Safety of machinery - Terminology*

EN 12096, *Mechanical vibration - Declaration and verification of vibration emission values*

EN ISO 4871, *Acoustics - Declaration and verification of noise emission values of machinery and equipment (ISO 4871:1996)*

^{A1} EN ISO 15744:2008, *Hand-held non-electric power tools – Noise measurement code – Engineering method (grade 2) (ISO 15744:2002)* ^{A1}

EN 28662-1, *Hand-held portable power tools - Measurement of vibration at the handle – Part 1: General (ISO 8662-1:1988)*

ISO 3857-3, *Compressors, Pneumatic tools and machines, Vocabulary – Part 3: Pneumatic tools and machines*

ISO 5391, *Pneumatic tools and machines – Vocabulary*

3 Terms and definitions

For the purposes of this part of the standard, the following terms and definitions apply:

3.1 General terms and definitions**3.1.1****hand-held power tool**

machine driven by rotary or linear motors powered by compressed air, hydraulic fluid, gaseous or liquid fuel, electricity or stored energy (e.g. by a spring) to do mechanical work and so designed that the motor and the mechanism form an assembly that can easily be brought to its place of operation. The hand-held power tool is operated by one or two hands

NOTE Hand-held power tools driven by compressed air or gas are called pneumatic tools. Hand-held power tools driven by hydraulic liquid are called hydraulic tools.

3.1.2**rotary power tool**

hand-held power tool the machine spindle of which rotates

3.1.3**inserted tool**

tool inserted in the hand-held power tool to perform the intended work

3.1.4**service tool**

tool intended for performing maintenance or service on the hand-held power tool

3.1.5**control device**

device to start and stop the hand-held power tool or to change the direction of the rotation or to control the functional characteristics such as speed and power

3.1.6**maximum operating pressure**

maximum pressure that a hand-held power tool may be operated at, as specified by the manufacturer

3.2 Terms and definitions related to drills and tappers

3.2.1

drill

rotary power tool driving an output spindle, typically through a gearbox. The output spindle is normally fitted with chuck, or Morse taper or other socket, into which is fitted an inserted tool e.g. drill bit, reamer, making the power tool suitable for drilling, reaming, tube expanding and for boring in metal, wood and other materials

3.2.2

drill bit

inserted tool for drilling operation

3.2.3

reamer

inserted tool for reaming operation

3.2.4

tap

inserted tool for tapping operation

3.2.5

tapper

rotary power tool for tapping or cleaning threads in holes in metal or other materials. The rotation of the spindle is reversible.

For other terms, see EN 1070 and also ISO 3857-3 and ISO 5391.

For examples of drills and tappers see annex A.

SIST EN 792-3:2000+A1:2008
<https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008>

EN 792-3:2000+A1:2008 (E)

4 List of hazards

The following hazards can occur in the use of drills and tappers.

Hazard type	Reference to safety requirement	
	By design or guarding	Information for use
4.1 Mechanical hazards		
- cutting	5.1.1	
- drawing in or trapping (caused by hair, clothing etc. getting entangled in a rotating power tool)		6.2.2
- friction or abrasion hazard	5.1.1	
- whipping hose		6.2.2
- ejection from high pressure hydraulic systems	5.1.4	
- ejection of parts	5.1.3	6.2.2
- loss of stability	5.1.2	
- hose and hose coupling specifications		6.2.2
4.2 Electrical hazards		6.2.2
4.3 Thermal hazards		
- explosions	5.2	
- health damage due to hot or cold surfaces	5.2	
4.4 Hazards caused by noise	5.3	6.2.2
4.5 Hazards generated by vibration	5.4	6.2.2
4.6 Hazards generated by materials and substances processed, used or exhausted		
- inhalation of harmful dust	5.5.2,	
- exhaust air	5.5.1	
- lubricants	5.5.3	
- hydraulic fluid		6.2.2
4.7 Hazards caused by neglecting ergonomic principles		
- repetitive strain injuries	5.6.1, 5.6.2, 5.6.3,	
- unsuitable postures		6.2.2
- inadequate grip design and tool balance	5.6.1	
- effects of reaction forces upon operator	5.6.4	
- neglected use of personal protection equipment		6.2.2
4.8 Hazards caused by failure of energy supply		
- unexpected return of energy supply after a breakdown		6.2.2
- incorrect hydraulic fluid flow and outlet pressure		6.2.2
4.9 Hazards caused by missing and/or incorrectly positioned safety related means		
- start and stop device	5.7.1	
- unintentional start	5.7.2	6.2.2

5 Safety requirements and measures

5.1 Mechanical safety

5.1.1 Surfaces, edges and corners

Accessible parts of the power tools shall not have sharp edges or angles or rough or abrasive surfaces, see 3.1 of EN 292-2:1991.

5.1.2 Supporting surface and stability

Power tools shall be so designed that they can be laid aside and remain in stable position on a plane surface.

5.1.3 Chuck keys and service tools

Chuck keys and service tools used with drilling and tapping chucks shall be so designed that they drop easily out of position when released. They may be fixed to the power tool by design, e.g. clip, but not by a chain or string or other similar means.

5.1.4 High pressure ejection

Hydraulic systems of the power tools shall be enclosed so as to give protection against high pressure fluid ejection.

5.1.5 Guards

Guards covering the chuck and inserted tools are not required.

5.2 Thermal safety

Surface temperatures of parts of the power tools which are held during use or could be inadvertently touched shall follow the provisions of EN 563.

NOTE The limit values for low temperatures are studied by CEN/C 122.

Power tools for use in potentially explosive atmospheres should comply with EN 1127-1. However because the suitability of a power tool for use in potentially explosive atmospheres will depend not only on the power tool but the inserted tool and the workpiece, it is not possible to give any detailed advice in this standard.

5.3 Noise

5.3.1 General

The emission of noise from a hand-held power tool shall be kept as low as possible.

The noise emission from using hand-held power tools emanates from three main sources:

- the hand-held power tool itself,
- the inserted tool,
- the workpiece.

NOTE Generally, the manufacturer has no possibility of influencing the noise emitted by the processed workpiece.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 792-3:2000+A1:2008](https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008)

<https://standards.iteh.ai/catalog/standards/sist/c60e2320-743b-4db1-8607-98e9c30a2ad0/sist-en-792-3-2000a1-2008>