SLOVENSKI PREDSTANDARD

oSIST ISO/IEC 13818-1:2005

november 2005

Informacijska tehnologija – Splošno kodiranje premikajočih slik in pripadajočih avdio informacij: Sistemi

Information technology – Generic coding of moving pictures and associated audio information: Systems

ICS 35.040

Referenčna številka
oSIST ISO/IEC 13818-1:2005(en)

© Standard je založil in izdal Slovenski inštitut za standardizacijo. Razmnoževanje ali kopiranje celote ali delov tega dokumenta ni dovoljeno

INTERNATIONAL STANDARD

ISO/IEC 13818-1

Second edition
2000-12-01

Information technology — Generic coding of moving pictures and associated audio information: Systems

Technologies de l'information — Codage générique des images animées et du son associé: Systèmes

Reference number
ISO/IEC 13818-1:2000(E)

© ISO/IEC 2000

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

SECTION 1 – GENERAL 1
1.1 Scope 1
1.2 Normative references 1
1.2.1 Identical Recommendations | International Standards 1
1.2.2 Paired Recommendations | International Standards equivalent in technical content 2
1.2.3 Additional references 2
SECTION 2 – TECHNICAL ELEMENTS 2
2.1 Definitions 2
2.2 Symbols and abbreviations 5
2.2.1 Arithmetic operators 5
2.2.2 Logical operators 6
2.2.3 Relational operators 6
2.2.4 Bitwise operators 6
2.2.5 Assignment 6
2.2.6 Mnemonics 6
2.2.7 Constants 7
2.3 Method of describing bit stream syntax 7
2.4 Transport Stream bitstream requirements 8
2.4.1 Transport Stream coding structure and parameters 8
2.4.2 Transport Stream system target decoder 9
2.4.2.1 System clock frequency 10
2.4.2.2 Input to the Transport Stream system target decoder 11
2.4.2.3 Buffering 12
2.4.2.4 Decoding 17
2.4.2.5 Presentation 17
2.4.2.6 Buffer management 17
2.4.2.7 T-STD extensions for carriage of ISO/IEC 14496 data 18
2.4.3 Specification of the Transport Stream syntax and semantics 18
2.4.3.1 Transport Stream 18
2.4.3.2 Transport Stream packet layer 18
2.4.3.3 Semantic definition of fields in Transport Stream packet layer 19
2.4.3.4 Adaptation field 20
2.4.3.5 Semantic definition of fields in adaptation field 21
2.4.3.6 PES packet 31
2.4.3.7 Semantic definition of fields in PES packet 31
2.4.3.8 Carriage of Program Streams and ISO/IEC 11172-1 Systems streams in the Transport Stream 40
2.4.4 Program specific information 41
2.4.4.1 Pointer 43
2.4.4.2 Semantics definition of fields in pointer syntax 43
2.4.4.3 Program association Table 43
2.4.4.4 Table_id assignments 44
2.4.4.5 Semantic definition of fields in program association section 44
2.4.4.6 Conditional access Table 45
2.4.4.7 Semantic definition of fields in conditional access section 45
2.4.4.8 Program Map Table 46
2.4.4.9 Semantic definition of fields in Transport Stream program map section 46
2.4.4.10 Syntax of the Private section 47
2.4.4.11 Semantic definition of fields in private section 48
2.4.4.12 Syntax of the Transport Stream section 49
2.4.4.13 Semantic definition of fields in the Transport Stream section 50

© ISO/IEC 2000 – All rights reserved

Page

2.5 Program Stream bitstream requirements 50
2.5.1 Program Stream coding structure and parameters 50
2.5.2 Program Stream system target decoder 51
2.5.2.1 System clock frequency 52
2.5.2.2 Input to the Program Stream system target decoder 52
2.5.2.3 Buffering 53
2.5.2.4 PES streams 54
2.5.2.5 Decoding and presentation 54
2.5.2.6 P-STD extensions for carriage of ISO/IEC 14496 data 54
2.5.3 Specification of the Program Stream syntax and semantics 54
2.5.3.1 Program Stream 54
2.5.3.2 Semantic definition of fields in Program Stream 55
2.5.3.3 Pack layer of Program Stream 55
2.5.3.4 Semantic definition of fields in program stream pack 56
2.5.3.5 System header 56
2.5.3.6 Semantic definition of fields in system header 56
2.5.3.7 Packet layer of Program Stream 58
2.5.4 Program Stream map 59
2.5.4.1 Syntax of Program Stream map 59
2.5.4.2 Semantic definition of fields in Program Stream map 59
2.5.5 Program Stream directory 60
2.5.5.1 Syntax of Program Stream directory packet 60
2.5.5.2 Semantic definition of fields in Program Stream directory 60
2.6 Program and program element descriptors 62
2.6.1 Semantic definition of fields in program and program element descriptors 62
2.6.2 Video stream descriptor 62
2.6.3 Semantic definitions of fields in video stream descriptor 64
2.6.4 Audio stream descriptor 65
2.6.5 Semantic definition of fields in audio stream descriptor 65
2.6.6 Hierarchy descriptor 65
2.6.7 Semantic definition of fields in hierarchy descriptor 65
2.6.8 Registration descriptor 66
2.6.9 Semantic definition of fields in registration descriptor 66
2.6.10 Data stream alignment descriptor 67
2.6.11 Semantics of fields in data stream alignment descriptor 67
2.6.12 Target background grid descriptor 67
2.6.13 Semantics of fields in target background grid descriptor 68
2.6.14 Video window descriptor 68
2.6.15 Semantic definition of fields in video window descriptor 69
2.6.16 Conditional access descriptor 69
2.6.17 Semantic definition of fields in conditional access descriptor 70
2.6.18 ISO 639 language descriptor 70
2.6.19 Semantic definition of fields in ISO 639 language descriptor 70
2.6.20 System clock descriptor 70
2.6.21 Semantic definition of fields in system clock descriptor 71
2.6.22 Multiplex buffer utilization descriptor 71
2.6.23 Semantic definition of fields in multiplex buffer utilization descriptor 71
2.6.24 Copyright descriptor 72
2.6.25 Semantic definition of fields in copyright descriptor 72
2.6.26 Maximum bitrate descriptor 72
2.6.27 Semantic definition of fields in maximum bitrate descriptor 72
2.6.28 Private data indicator descriptor 73
2.6.29 Semantic definition of fields in Private data indicator descriptor 73
2.6.30 Smoothing buffer descriptor 73
2.6.31 Semantic definition of fields in smoothing buffer descriptor 74
2.6.32 STD descriptor 74
2.6.33 Semantic definition of fields in STD descriptor 74
2.6.34 IBP descriptor 74
2.6.35 Semantic definition of fields in IBP descriptor 74

© ISO/IEC 2000 – All rights reserved

Page
2.6.36 MPEG-4 video descriptor ... 75
2.6.37 Semantic definition of fields in MPEG-4 video descriptor ... 75
2.6.38 MPEG-4 audio descriptor ... 75
2.6.39 Semantic definition of fields in MPEG-4 audio descriptor ... 75
2.6.40 IOD descriptor ... 75
2.6.41 Semantic definition of fields in IOD descriptor ... 77
2.6.42 SL descriptor ... 77
2.6.43 Semantic definition of fields in SL descriptor ... 77
2.6.44 FMC descriptor ... 77
2.6.45 Semantic definition of fields in FMC descriptor ... 78
2.6.46 External_ES_ID descriptor ... 78
2.6.47 Semantic definition of fields in External_ES_ID descriptor ... 78
2.6.48 Muxcode descriptor ... 78
2.6.49 Semantics of fields in Muxcode descriptor ... 79
2.6.50 FmxBufferSize descriptor ... 79
2.6.51 Semantics of fields in FmxBufferSize descriptor ... 79
2.6.52 MultiplexBuffer descriptor ... 79
2.6.53 Semantics of fields in MultiplexBuffer descriptor ... 80
2.7 Restrictions on the multiplexed stream semantics ... 80
2.7.1 Frequency of coding the system clock reference ... 80
2.7.2 Frequency of coding the program clock reference ... 80
2.7.3 Frequency of coding the elementary stream clock reference ... 81
2.7.4 Frequency of presentation timestamp coding ... 81
2.7.5 Conditional coding of timestamps ... 81
2.7.6 Timing constraints for scalable coding ... 81
2.7.7 Frequency of coding P-STD_buffer_size in PES packet headers ... 82
2.7.8 Coding of system header in the Program Stream ... 82
2.7.9 Constrained system parameter Program Stream ... 82
2.7.10 Transport Stream ... 83
2.8 Compatibility with ISO/IEC 11172 ... 84
2.9 Registration of copyright identifiers ... 84
2.9.1 General ... 84
2.9.2 Implementation of a Registration Authority (RA) ... 84
2.10 Registration of private data format ... 85
2.10.1 General ... 85
2.10.2 Implementation of a Registration Authority (RA) ... 85
2.11 Carriage of ISO/IEC 14496 data ... 85
2.11.1 Introduction ... 85
2.11.2 Carriage of individual ISO/IEC 14496-2 and 14496-3 Elementary Streams in PES packets ... 85
2.11.2.1 Introduction ... 85
2.11.2.2 STD extensions for individual ISO/IEC 14496 elementary streams ... 86
2.11.3 Carriage of audiovisual ISO/IEC 14496-1 scenes and associated ISO/IEC 14496 streams ... 87
2.11.3.1 Introduction ... 87
2.11.3.2 Assignment of ES_ID values ... 87
2.11.3.3 Timing of ISO/IEC 14496 scenes and associated streams ... 88
2.11.3.4 Delivery timing of SL-packetized streams ... 89
2.11.3.5 Delivery timing of FlexMux streams ... 89
2.11.3.6 Carriage of SL-packetized streams in PES packets ... 89
2.11.3.7 Carriage of FlexMux streams in PES packets ... 89
2.11.3.8 Carriage of SL packets and FlexMux packets in sections ... 90
2.11.3.9 T-STD extensions ... 91
2.11.3.10 Carriage within a Transport Stream ... 93
2.11.3.11 P-STD Model for 14496 content ... 94
2.11.3.12 Carriage within a Program Stream ... 96
Annex A – CRC Decoder Model ... 97
A.0 CRC decoder model ... 97

© ISO/IEC 2000 – All rights reserved

Page

Annex B – Digital Storage Medium Command and Control (DSM-CC) 98
B.0 Introduction 98
B.0.1 Purpose 98
B.0.2 Future applications 98
B.0.3 Benefits 98
B.0.4 Basic functions 99
B.0.4.1 Stream selection 99
B.0.4.2 Retrieval 99
B.0.4.3 Storage 99
B.1 General elements 99
B.1.1 Scope 99
B.1.2 Overview of the DSM-CC application 99
B.1.3 The transmission of DSM-CC commands and acknowledgements 100
B.2 Technical elements 101
B.2.1 Definitions 101
B.2.2 Specification of DSM-CC syntax 101
B.2.3 Semantics of fields in specification of DSM-CC syntax 102
B.2.4 Control layer 102
Constraints on setting flags in DSM-CC control 102
B.2.5 Semantics of fields in control layer 103
B.2.6 Acknowledgement layer 104
Constraints on setting flags in DSM-CC control 104
B.2.7 Semantics of fields in Acknowledgement layer 105
B.2.8 Time code 106
Constraints on time code 106
B.2.9 Semantics of fields in time code 106

Annex C – Program Specific Information 107
C.0 Explanation of Program Specific Information in Transport Streams 107
C.1 Introduction 107
C.2 Functional Mechanism 107
C.3 The Mapping of Sections into Transport Stream Packets 108
C.4 Repetition Rates and Random Access 108
C.5 What is a Program? 108
C.6 Allocation of program_number 109
C.7 Usage of PSI in a Typical System 109
C.8 The Relationships of PSI Structures 110
C.8.1 Program Association Table 110
C.8.2 Program Map Table 110
C.8.3 Conditional Access Table 110
C.8.4 Network Information Table 111
C.8.5 Private_section() 111
C.8.6 Descriptors 112
C.9 Bandwidth Utilization and Signal Acquisition Time 112

Annex D – Systems Timing Model and Application Implications of this Recommendation | International Standard 115
D.0 Introduction 115
D.0.1 Timing Model 115
D.0.2 Audio and Video Presentation Synchronization 116
D.0.3 System Time Clock recovery in the decoder 118
D.0.4 SCR and PCR Jitter 120
D.0.5 Clock Recovery in the Presence of Network Jitter 121
D.0.6 System clock used for chroma sub-carrier generation 121
D.0.7 Component video and audio reconstruction 122
D.0.8 Frame Slipping 122
D.0.9 Smoothing of network jitter 123

 © ISO/IEC 2000 – All rights reserved