



# SLOVENSKI STANDARD

DSIST ETS 300 474-2:1999

01-1999

8 [[ ]HJbY]nVc`ýUbYVfYnj fj ] bYHfY\_ca i b]\_UWfYfB 97 HL!`DfcZ` [ YbYf] bY[ U  
XcghcdUf! 5 DL!`GYnbUa `nU Hfj `nUdfcZ` ]b`nUdfcZ``gdYWZ] bY`dfcZ`fa bY`nUj Y`c  
g\_`UXbcgh`]nj YXVYf7 GL!`&`XY.` : ]\_gbUfUX]g\_U`nU`1 ]Hj`fl HL

Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP);  
Profile requirement list and profile specific Implementation Conformance Statement (ICS)  
proforma; Part 2: Fixed radio Termination (FT)


Ta slovenski standard je istoveten z: ETS 300 474-2 E1.% - \*!\$,

**ICS:**

33.070.30      Öä åæ ^Á à [ |za) ^  
à!^: ç|cã } ^Á |^ \ [ { ~ } ä æ å  
ÖÖÖVD      Digital Enhanced Cordless  
Telecommunications (DECT)

DSIST ETS 300 474-2:1999      en





**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 474-2**

August 1996

---

Source: ETSI TC-RES

Reference: DE/RES-03043-2

ICS: 33.020, 33.060.50

**Key words:** DECT, GAP, ICS, FT

**Radio Equipment and Systems (RES);  
Digital Enhanced Cordless Telecommunications (DECT);  
Generic Access Profile (GAP);  
Profile requirement list and profile-specific  
Implementation Conformance Statement (ICS) proforma;  
Part 2: Fixed radio Termination (FT)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.





|                      |  |    |
|----------------------|--|----|
| A.4.1                | Major Capabilities.....  | 37 |
| A.4.1.1              | Services .....   | 37 |
| A.4.1.1.1            | Connection oriented control services.....                          | 37 |
| A.4.1.1.2            | Broadcast control services.....                                    | 38 |
| A.4.1.1.3            | Multiplexing services.....   | 38 |
| A.4.1.1.4            | Management services.....   | 39 |
| A.4.1.2              | Procedures .....   | 39 |
| A.4.1.2.1            | Connection setup procedures .....                                  | 39 |
| A.4.1.2.2            | Connection data transfer procedures.....                           | 39 |
| A.4.1.2.3            | Connection handover procedures.....                                | 40 |
| A.4.1.2.4            | Connection release procedures .....                                | 40 |
| A.4.1.2.5            | Broadcast procedures.....  | 40 |
| A.4.1.2.6            | CSF multiplexing procedures.....                                   | 41 |
| A.4.1.2.7            | Layer management procedures.....                                   | 41 |
| A.4.1.3              | Other capabilities .....   | 41 |
| A.4.2                | Messages.....  | 42 |
| A.4.2.1              | A - Field .....  | 42 |
| A.4.2.1.1            | A - field header - B-field identification .....                    | 42 |
| A.4.2.2              | A - Field Messages.....  | 42 |
| A.4.2.2.1            | Paging tail messages supported.....                                | 42 |
| A.4.2.2.2            | P <sub>T</sub> messages information type .....                     | 43 |
| A.4.2.2.3            | Mac control messages supported.....                                | 43 |
| A.4.2.2.4            | Broadcast and connectionless (BCL) messages.....                   | 44 |
| A.5                  | Physical layer - FT: profile ICS .....                             | 44 |
| A.5.1                | Physical layer procedures .....                                    | 44 |
| Annex B (normative): | GAP profile-specific ICS proforma for FT .....                     | 46 |
| B.1                  | Introduction for completing the profile-specific ICS proforma..... | 46 |
| B.1.1                | Purposes and structure .....                                       | 46 |
| B.1.3                | Instructions for completing the profile-specific ICS.....          | 48 |
| B.2                  | Identification of the implementation .....                         | 48 |
| B.2.1                | Date of statement.....   | 48 |
| B.2.2                | Implementation Under Test (IUT) identification .....               | 48 |
| B.2.3                | System Under Test (SUT) identification.....                        | 48 |
| B.2.4                | Product supplier .....   | 49 |
| B.2.5                | Client identification .....  | 49 |
| B.2.6                | Contact person identification .....                                | 49 |
| B.3                  | Identification of the profile.....                                 | 50 |
| B.3.1                | Defect report numbers and amendments implemented.....              | 50 |
| B.3.2                | Addenda implemented .....  | 50 |
| B.4                  | Global statement of conformance .....                              | 50 |
| B.5                  | Capabilities .....   | 51 |
| B.5.1                | NWK profile-specific ICS proforma for FT .....                     | 51 |
| B.5.1.1              | General requirements.....  | 51 |
| B.5.1.2              | Application features .....   | 51 |
| B.5.1.3              | Application Procedures.....  | 51 |
| B.5.1.4              | Management procedures.....   | 51 |
| B.5.2                | DLC profile-specific ICS proforma for FT.....                      | 52 |
| B.5.2.1              | Services .....   | 52 |
| B.5.3                | MAC profile-specific ICS proforma for FT.....                      | 52 |
| B.5.3.1              | Services .....   | 52 |
| B.5.3.1.1            | Extended frequency allocation service.....                         | 52 |
| B.5.4                | PH Profile-specific ICS proforma for FT.....                       | 52 |
| B.5.4.1              | Requirements .....   | 52 |
| History              | .....  | 53 |

**Foreword**

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES), Technical Committee of the European Telecommunications Standards Institute (ETSI).

The DECT Generic Access Profile (GAP) profile requirement list and profile-specific Implementation Conformance Statement (ICS) proforma standard comprises two parts as follows:

Part 1: "Portable radio Termination (PT)".

**Part 2: "Fixed radio Termination (FT)".**

Annex A contains the requirement lists for the FT GAP.

Annex B contains the profile-specific ICS proforma for the FT GAP.

| <b>Transposition dates</b>  |                  |
|---|------------------|
| Date of adoption of this ETS:   | 16 August 1996   |
| Date of latest announcement of this ETS (doa):  | 30 November 1996 |
| Date of latest publication of new National Standard or endorsement of this ETS (dop/e): | 31 May 1997      |
| Date of withdrawal of any conflicting National Standard (dow):                          | 31 May 1997      |

blank page