



SLOVENSKI STANDARD
SIST EN ISO 9100-14:2005/AC:2009
01-september-2009

**Steklena embalaža - Grla za vakuumsko zapiranje - 14. del: 110, standardno -
Popravek AC (ISO 9100-14:2005/Cor 1:2008)**

Glass containers - Vacuum lug finishes - Part 14: 110 regular - Corrigendum AC (ISO 9100-14:2005/Cor 1:2008)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen - Teil 14: 110 regular -
Berichtigung AC (ISO 9100-14:2005/Cor 1:2008)

Réipients en verre - Bagues à crans pour bouchage sous vide - Partie 14: 110 regular -
Corrigendum AC (ISO 9100-14:2005/Cor 1:2008)

<https://standards.iteh.ai/catalog/standards/sist/50adae76-bfa7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009>

Ta slovenski standard je istoveten z: EN ISO 9100-14:2005/AC:2009

ICS:

55.100 Steklenice. Lonci. Kozarci Bottles. Pots. Jars

SIST EN ISO 9100-14:2005/AC:2009 en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 9100-14:2005/AC:2009

<https://standards.iteh.ai/catalog/standards/sist/50adae76-bfa7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009>

EUROPEAN STANDARD

EN ISO 9100-14:2005/AC

NORME EUROPÉENNE

April 2009

EUROPÄISCHE NORM

Avril 2009

April 2009

ICS 55.100

English version
Version Française
Deutsche Fassung

Glass containers - Vacuum lug finishes - Part 14: 110 regular (ISO 9100-14:2005/Cor 1:2008)

Réipients en verre - Bagues à crans pour bouchage sous vide - Partie 14: 110 regular (ISO 9100-14:2005/Cor 1:2008)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen - Teil 14: 110 regular (ISO 9100-14:2005/Cor 1:2008)

This corrigendum becomes effective on 8 April 2009 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 8 avril 2009 pour incorporation dans les trois versions linguistiques officielles de la EN.

(standards.iteh.ai)

Die Berichtigung tritt am 8. April 2009 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.

[SIST EN ISO 9100-14:2005/AC:2009](https://standards.iteh.ai/catalog/standards/sist/50adae76-bfa7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009)

<https://standards.iteh.ai/catalog/standards/sist/50adae76-bfa7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2009 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

Ref. No.: EN ISO 9100-14:2005/AC:2009 D/E/F

EN ISO 9100-14:2005/AC:2009 (E)

Endorsement notice

The text of ISO 9100-14:2005/Cor.1:2008 has been approved by CEN as a European Corrigendum without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9100-14:2005/AC:2009](https://standards.iteh.ai/catalog/standards/sist/50adae76-bfa7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009)

<https://standards.iteh.ai/catalog/standards/sist/50adae76-bfa7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009>



INTERNATIONAL STANDARD ISO 9100-14:2005
TECHNICAL CORRIGENDUM 1

Published 2008-10-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Glass containers — Vacuum lug finishes —

Part 14:
110 regular

TECHNICAL CORRIGENDUM 1

Récipients en verre — Bagues à crans pour bouchage sous vide —

Partie 14: 110 regular

RECTIFICATIF TECHNIQUE 1

ITeH STANDARD PREVIEW
(standards.iteh.ai)


[SIST EN ISO 9100-14:2005/AC:2009](https://standards.iteh.ai/catalog/standards/sist/50adae76-bf7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009)

Technical Corrigendum 1 to ISO 9100-14:2005 was prepared by Technical Committee ISO/TC 63, Glass containers.

Page 3, Figure 3

Replace dimension “0,8” at the top left of the figure with “0,85”. The amended figure is given on the next page.

Dimensions in millimetres



iTeh STANDARD PREVIEW
(standards.itech.ai)

SIST EN ISO 9100-14:2005/AC:2009

<https://standards.itech.ai/catalog/standards/sist/501dae76-bff7-4e4f-8a55-3d026a92e298/sist-en-iso-9100-14-2005-ac-2009>

SIST EN ISO 9100-14:2005/AC:2009

Key

- The sealing surface shall be free of checks, dips, crizzles and other defects which may affect proper functioning.
- Proper system functioning calls for keeping the ovality in the finish diameters to a minimum. E and T diameters should be concentric in relation to one another.
- Cross-hatched areas of C diameter and H height show the closure position. Glass shall clear cap limits shown. The contour below the H dimension as well as the design of a possible bead are optional. Sufficient free space shall be provided between the bead and the cross-hatched area.

Figure 3 — Enlarged view section A-A