



SLOVENSKI STANDARD
kSIST prEN ISO 10993-13:2009
01-marec-2009

6]c`cý_c`cj fYXbchYb^a YX]V]bg_] `df]dca c _cj `!`% "XY.`DfYdcnbUj Ub^]b
i [chUj `Ub^_c`]]bY`fUh[fUXb] `dfcXi _hcj `dc`]a Yfcj ž]n`_Uhf] `gc`]nXYUb]
a YX]V]bg_]`df]dca c _]`f]GC`%\$- - `!`% .% - , Ł

Biological evaluation of medical devices - Part 13: Identification and quantification of degradation products from polymeric medical devices (ISO 10993-13:1998)

Biologische Beurteilung von Medizinprodukten - Teil 13: Qualitativer und quantitativer Nachweis von Abbauprodukten in Medizinprodukten aus Polymeren (ISO 10993-13:1998)

Evaluation biologique des dispositifs médicaux - Partie 13 : Identification et quantification de produits de dégradation de dispositifs médicaux à base de polymères (ISO 10993-13:1998)

Ta slovenski standard je istoveten z: prEN ISO 10993-13

ICS:

11.100.20	Óā [[z [Á ç!^â} [c } b { ^âã • \ã@iã [[[\ [ç	Biological evaluation of medical devices
-----------	---	--

kSIST prEN ISO 10993-13:2009 en

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
prEN ISO 10993-13

December 2008

ICS 11.100.20

Will supersede EN ISO 10993-13:1998

English Version

**Biological evaluation of medical devices - Part 13: Identification
and quantification of degradation products from polymeric
medical devices (ISO 10993-13:1998)**

Evaluation biologique des dispositifs médicaux - Partie 13:
Identification et quantification de produits de dégradation
de dispositifs médicaux à base de polymères (ISO 10993-
13:1998)

Biologische Beurteilung von Medizinprodukten - Teil 13:
Qualitativer und quantitativer Nachweis von
Abbauprodukten in Medizinprodukten aus Polymeren (ISO
10993-13:1998)

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 206.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 93/42/EEC on Medical Devices	4
Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 90/385/EEC on Active Implantable Medical Devices	5

Foreword

The text of ISO 10993-13:1998 has been prepared by Technical Committee ISO/TC 194 "Biological evaluation of medical devices" of the International Organization for Standardization (ISO) and has been taken over as prEN ISO 10993-13:2008 by Technical Committee CEN/TC 206 "Biological evaluation of medical devices" the secretariat of which is held by NEN.

This document is currently submitted to the Unique Acceptance Procedure.

This document will supersede EN ISO 10993-13:1998.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directives 93/42/EEC on Medical Devices and 90/385/EEC on Active Implantable Medical Devices.

For relationship with the EU Directives, see informative Annexes ZA and ZB, which is an integral part of this document.

Endorsement notice

The text of ISO 10993-13:1998 has been approved by CEN as a prEN ISO 10993-13:2008 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 93/42/EEC on Medical Devices

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 93/42/EEC on medical devices.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in table ZA confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA — Correspondence between this European Standard and Directive 93/42/EEC on medical devices

Clause(s)/sub-clause(s) of this EN	Essential Requirements (ERs) of Directive 93/42/EEC	Qualifying remarks/Notes
4, 5, 6	Annex I: 7.1, 7.2, 7.5	

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

Annex ZB (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 90/385/EEC on Active Implantable Medical Devices

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 90/385/EEC on active implantable medical devices.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in table ZB confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZB — Correspondence between this European Standard and Directive 90/385/EEC on active implantable medical devices

Clause(s)/sub-clause(s) of this EN	Essential Requirements (ERs) of Directive 90/385/EEC	Qualifying remarks/Notes
4, 5, 6	Annex I : 9	

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

