
**Information technology — Open Systems
Interconnection — The Directory:
Overview of concepts, models and
services**

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — L'Annuaire: Vue d'ensemble des concepts, modèles et
services*

STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-1:1998](https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998)

<https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998>

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-1:1998](https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998)

<https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998>

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Published by ISO in 2000

Printed in Switzerland

Contents

	<i>Page</i>
1 Scope	1
2 Normative references.....	1
3 Definitions	2
4 Abbreviations	4
5 Conventions.....	4
6 Overview of the Directory.....	4
7 The Directory Information Base (DIB)	5
8 The Directory service	7
9 The distributed Directory.....	9
10 Access control in the Directory	12
11 Replication in the Directory.....	13
12 Directory protocols	15
13 Systems management of the Directory	16
Annex A – Applying the Directory.....	17
Annex B – Amendments and corrigenda.....	21

ITeh STANDARD PREVIEW
 (standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 9594 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 9594-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.500.

This third edition cancels and replaces the second edition (ISO/IEC 9594-1:1995), of which it constitutes a minor revision.

ISO/IEC 9594 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — The Directory*:

- *Part 1: Overview of concepts, models and services*
- *Part 2: Models*
- *Part 3: Abstract service definition*
- *Part 4: Procedures for distributed operation*
- *Part 5: Protocol specifications*
- *Part 6: Selected attribute types*
- *Part 7: Selected object classes*
- *Part 8: Authentication framework*
- *Part 9: Replication*
- *Part 10: Use of systems management for administration of the Directory*

Annex A forms a normative part of this part of ISO/IEC 9594. Annex B is for information only.

Introduction

This Recommendation | International Standard together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information which they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard introduces and models the concepts of the Directory and of the DIB and overviews the services and capabilities which they provide. Other Recommendations | International Standards make use of these models in defining the abstract service provided by the Directory, and in specifying the protocols through which this service can be obtained or propagated.

This third edition technically revises and enhances, but does not replace, the second edition of this Recommendation | International Standard. Implementations may still claim conformance to the second edition. However, at some point, the second edition will no longer be supported (i.e. reported defects will no longer be resolved). It is recommended that implementations conform to this third edition as soon as possible.

This third edition specifies version 1 and version 2 of the Directory protocols.

The first and second editions also specified version 1. Most of the services and protocols specified in this edition are designed to function under version 1. When version 1 has been negotiated, differences between the services and between the protocols defined in the three editions are accommodated using the rules of extensibility defined in the 1997 edition of ITU-T Rec. X.519 | ISO/IEC 9594-5. However some enhanced services and protocols, e.g. signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2.

Implementors should note that a defect resolution process exists and that corrections may be applied to this Recommendation | International Standard in the form of technical corrigenda. The identical corrections will be applied to this Recommendation | International Standard in the form of an Implementor's Guide. A list of approved technical corrigenda for this Recommendation | International Standard can be obtained from the subcommittee secretariat. Published technical corrigenda are available from your national standards organization. The Implementor's Guide may be obtained from the ITU Web site.

Annex A, which is an integral part of this Recommendation | International Standard, describes the types of use to which the Directory can be applied.

Annex B, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-1:1998](https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998)

<https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998>

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION – THE DIRECTORY: OVERVIEW OF CONCEPTS, MODELS AND SERVICES

1 Scope

The Directory provides the directory capabilities required by OSI applications, OSI management processes, other OSI layer entities, and telecommunications services. Among the capabilities which it provides are those of "user-friendly naming", whereby objects can be referred to by names which are suitable for citing by human users (though not all objects need have user-friendly names); and "name-to-address mapping" which allows the binding between objects and their locations to be dynamic. The latter capability allows OSI networks, for example, to be "self-configuring" in the sense that addition, removal and the changes of object location do not affect OSI network operation.

The Directory is not intended to be a general-purpose database system, although it may be built on such systems. It is assumed, for instance, that, as is typical with communications directories, there is a considerably higher frequency of "queries" than of updates. The rate of updates is expected to be governed by the dynamics of people and organizations, rather than, for example, the dynamics of networks. There is also no need for instantaneous global commitment of updates; transient conditions where both old and new versions of the same information are available, are quite acceptable.

It is a characteristic of the Directory that, except as a consequence of differing access rights or unpropagated updates, the results of directory queries will not be dependent on the identity or location of the inquirer. This characteristic renders the Directory unsuitable for some telecommunications applications, for example some types of routing. For cases where the results are dependent on the identity of the inquirer, access to directory information and updates of the Directory may be denied.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.411 (1995) | ISO/IEC 10021-4:1997, *Information technology – Message Handling Systems (MHS): Message Transfer System: Abstract service definition and procedures.*
- ITU-T Recommendation X.501 (1993) | ISO/IEC 9594-2:1995, *Information technology – Open Systems Interconnection – The Directory: Models.*
- ITU-T Recommendation X.509 (1993) | ISO/IEC 9594-8:1995, *Information technology – Open Systems Interconnection – The Directory: Authentication framework.*
- ITU-T Recommendation X.511 (1993) | ISO/IEC 9594-3:1995, *Information technology – Open Systems Interconnection – The Directory: Abstract service definition.*
- ITU-T Recommendation X.518 (1993) | ISO/IEC 9594-4:1995, *Information technology – Open Systems Interconnection – The Directory: Procedures for distributed operation.*

ISO/IEC 9594-1 : 1998 (E)

- ITU-T Recommendation X.519 (1993) | ISO/IEC 9594-5:1995, *Information technology – Open Systems Interconnection – The Directory: Protocol specifications.*
- ITU-T Recommendation X.520 (1993) | ISO/IEC 9594-6:1995, *Information technology – Open Systems Interconnection – The Directory: Selected attribute types.*
- ITU-T Recommendation X.521 (1993) | ISO/IEC 9594-7:1995, *Information technology – Open Systems Interconnection – The Directory: Selected object classes.*
- ITU-T Recommendation X.525 (1993) | ISO/IEC 9594-9:1995, *Information technology – Open Systems Interconnection – The Directory: Replication.*
- ITU-T Recommendation X.530 (1997) | ISO/IEC 9594-10:1997, *Information technology – Open Systems Interconnection – The Directory: Use of systems management for administration of the Directory.*
- ITU-T Recommendation X.830 (1995) | ISO/IEC 11586-1:1996, *Information technology – Open Systems Interconnection – Generic upper layers security: Overview, models and notation.*
- ITU-T Recommendation X.831 (1995) | ISO/IEC 11586-2:1995, *Information technology – Open Systems Interconnection – Generic upper layers security: Security Exchange Service Element (SESE) service definition.*
- ITU-T Recommendation X.832 (1995) | ISO/IEC 11586-3:1995, *Information technology – Open Systems Interconnection – Generic upper layers security: Security Exchange Service Element (SESE) protocol specification.*
- ITU-T Recommendation X.833 (1995) | ISO/IEC 11586-4:1995, *Information technology – Open Systems Interconnection – Generic upper layers security: Protecting transfer syntax specification.*
- ITU-T Recommendation X.880 (1994) | ISO/IEC 13712-1:1995, *Information technology – Remote Operations: Concepts, model and notation.*

2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.200 (1988), *Reference Model of Open Systems Interconnection for CCITT applications.*

ISO 7498:1984, *Information processing systems – Open Systems Interconnection – Basic Reference Model.* <https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998>

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 OSI Reference Model definitions

The following terms are defined in CCITT Rec. X.200 and ISO 7498:

- application-entity;
- Application Layer;
- application-process;
- application protocol data unit;
- application service element;
- Network Service Access Point.

3.2 Directory model definitions

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- access control;
- Administration Directory Management Domain;
- alias;
- attribute;

- e) attribute type;
- f) attribute value;
- g) authentication;
- h) context;
- i) Directory Information Tree (DIT);
- j) Directory Management Domain (DMD);
- k) Directory System Agent (DSA);
- l) Directory User Agent (DUA);
- m) distinguished name;
- n) entry;
- o) name;
- p) object (of interest);
- q) Private Directory Management Domain;
- r) relative distinguished name;
- s) root;
- t) schema;
- u) security policy;
- v) subordinate object;
- w) superior entry;
- x) superior object;
- y) tree.

iTech STANDARD PREVIEW
(standards.iteh.ai)

3.3 Distributed Operation definitions

The following terms are defined in ITU-T Rec. X.518 | ISO/IEC 9594-4:

- a) uni-chaining;
- b) multi-chaining;
- c) referral.

ISO/IEC 9594-1:1998
<https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1-ffaa002b8391/iso-iec-9594-1-1998>

3.4 Replication definitions

The following terms are defined in ITU-T Rec. X.525 | ISO/IEC 9594-9:

- a) caching;
- b) cache copy;
- c) entry copy;
- d) master DSA;
- e) replication;
- f) shadow consumer;
- g) shadow supplier;
- h) shadowed information;
- i) shadowing agreement.

3.5 Basic directory definitions

The following terms are defined in this Recommendation | International Standard:

3.5.1 the Directory: A collection of open systems cooperating to provide directory services.

3.5.2 directory information base (DIB): The set of information managed by the Directory.

3.5.3 (directory) user: The end user of the Directory, i.e. the entity or person which accesses the Directory.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

ACI	Access Control Information
ADDMD	Administration Directory Management Domain
DAP	Directory Access Protocol
DIB	Directory Information Base
DISP	Directory Information Shadowing Protocol
DIT	Directory Information Tree
DMD	Directory Management Domain
DOP	Directory Operational Binding Management Protocol
DSA	Directory System Agent
DSP	Directory System Protocol
DUA	Directory User Agent
NSAP	Network Service Access Point
OSI	Open Systems Interconnection
PRDMD	Private Directory Management Domain
RDN	Relative Distinguished Name

iTeh STANDARD PREVIEW (standards.iteh.ai)

5 Conventions

With minor exceptions this Directory Specification has been prepared according to the "Presentation of ITU-T | ISO/IEC common text" guidelines in the Guide for ITU-T and ISO/IEC JTC 1 Cooperation.

<https://standards.iteh.ai/catalog/standards/sist/a1ae25e6-ad8f-4d87-a9c1->

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean this Recommendation | International Standard. The term "Directory Specifications" shall be taken to mean all of the X.500-Series Recommendations | ISO/IEC 9594.

This Directory Specification uses the term "1988 edition systems" to refer to systems conforming to the first (1988) edition of the Directory Specifications, i.e. the 1988 edition of the series of CCITT X.500 Recommendations and the ISO/IEC 9594:1990 edition. This Directory Specification uses the term "1993 edition systems" to refer to systems conforming to the second (1993) edition of the Directory Specifications, i.e. the 1993 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1995 edition. Systems conforming to this third edition of the Directory Specifications are referred to as "1997 edition systems".

This Directory Specification presents ASN.1 notation in the bold Times Roman, 9 point typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the bold Times Roman, 9 point typeface. The names of procedures, typically referenced when specifying the semantics of processing, are differentiated from normal text by displaying them in bold Helvetica. Access control permissions are presented in italicized Helvetica.

6 Overview of the Directory

The *Directory* is a collection of open systems which cooperate to hold a logical database of information about a set of objects in the real world. The *users* of the Directory, including people and computer programs, can read or modify the information, or parts of it, subject to having permission to do so. Each user is represented in accessing the Directory by a Directory User Agent (DUA), which is considered to be an application-process. These concepts are illustrated in Figure 1.

NOTE – The Directory Specifications refer to the Directory in the singular, and reflects the intention to create, through a single, unified, name space, one logical Directory composed of many systems and serving many applications. Whether or not these systems choose to interwork, will depend on the needs of the applications they support. Applications dealing with non-intersecting worlds of objects may have no such need. The single name space facilitates later interworking should the needs change.




Figure 1 – Access to the Directory

The information held in the Directory is collectively known as the *Directory Information Base* (DIB). Clause 7 overviews its structure.

The Directory provides a well-defined set of access capabilities, known as the abstract service of the Directory, to its users. This service, which is overviewed in clause 8 provides a simple modification and retrieval capability. This can be built on with local DUA functions to provide the capabilities required by the end-users.

It is likely that the Directory will be distributed, perhaps widely distributed, both along functional and organizational lines. Clause 9 overviews the corresponding models of the Directory. These have been developed in order to provide a framework for the cooperation of the various components to provide an integrated whole.

The Directory exists in an environment where various administrative authorities control access to their portion of the information. Access control is overviewed in clause 10.

When the Directory is distributed, it may be desirable to replicate information to improve performance and availability. The Directory replication mechanism is overviewed in clause 11.

The provision and consumption of the Directory services requires that the users (actually the DUAs) and the various functional components of the Directory should cooperate with one another. In many cases this will require cooperation between application processes in different open systems, which in turn requires standardized application protocols, overviewed in clause 11, to govern this cooperation.

The Directory has been designed so as to support multiple applications, drawn from a wide range of possibilities. The nature of the applications supported will govern which objects are listed in the Directory, which users will access the information, and which kinds of access they will carry out. Applications may be very specific, such as the provision of distribution lists for electronic mail, or generic, such as the 'inter-personal communications directory' application. The Directory provides the opportunity to exploit commonness among the applications:

- A single object may be relevant to more than one application: Perhaps even the same piece of information about the same object may be so relevant.
- To support this, a number of object classes and attribute types are defined, which will be useful across a range of applications. These definitions are contained in ITU-T Rec. X.520 | ISO/IEC 9594-6 and ITU-T Rec. X.521 | ISO/IEC 9594-7.
- Certain patterns of use of the Directory will be common across a range of applications: This area is overviewed further in Annex A.

7 The Directory Information Base (DIB)

NOTE 1 – The DIB, and its structure, are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2.

The DIB is made up of information about objects. It is composed of (*Directory*) *entries*, each of which consists of a collection of information on one object. Each entry is made up of *attributes*, each with a type and one or more values. The types of attribute which are present in a particular entry are dependent on the *class* of object which the entry describes. Each *value* of an attribute may be tagged with one or more *contexts* that specify information about a value that can be used to determine the applicability of the value.