
**Information technology — Open Systems
Interconnection — The Directory: Models**

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — L'Annuaire: Les modèles*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-2:1998](https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1eeadb0/iso-iec-9594-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1eeadb0/iso-iec-9594-2-1998>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-2:1998](https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1eeadb0/iso-iec-9594-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1eeadb0/iso-iec-9594-2-1998>

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Published by ISO in 2000

Printed in Switzerland

Contents

	<i>Page</i>
SECTION 1 – GENERAL	1
1 Scope	1
2 Normative references.....	2
2.1 Identical Recommendations International Standards.....	2
2.2 Paired Recommendations International Standards equivalent in technical content.....	3
3 Definitions	3
3.1 OSI Reference Model Definitions	3
3.2 Basic directory definitions.....	3
3.3 Distributed operation definitions	3
3.4 Replication definitions	3
4 Abbreviations	4
5 Conventions.....	4
SECTION 2 – OVERVIEW OF THE DIRECTORY MODELS	5
6 Directory Models.....	5
6.1 Definitions	5
6.2 The Directory and its Users.....	5
6.3 Directory and DSA Information Models.....	6
6.4 Directory Administrative Authority Model.....	7
SECTION 3 – MODEL OF DIRECTORY USER INFORMATION	8
7 Directory Information Base.....	8
7.1 Definitions	8
7.2 Objects.....	9
7.3 Directory Entries	9
7.4 The Directory Information Tree (DIT).....	9
8 Directory Entries.....	10
8.1 Definitions	10
8.2 Overall Structure	11
8.3 Object Classes	12
8.4 Attribute Types.....	14
8.5 Attribute Values	14
8.6 Attribute Type Hierarchies	14
8.7 Contexts.....	15
8.8 Matching Rules	15
8.9 Entry Collections.....	18
9 Names.....	19
9.1 Definitions	19
9.2 Names in General	19
9.3 Relative Distinguished Names	20
9.4 Name Matching	21
9.5 Names returned during operations	22
9.6 Names held as attribute values or used as parameters.....	22
9.7 Distinguished Names.....	22
9.8 Alias Names	22

SECTION 4 – DIRECTORY ADMINISTRATIVE MODEL	23
10 Directory Administrative Authority model.....	23
10.1 Definitions	23
10.2 Overview	24
10.3 Policy.....	24
10.4 Specific administrative authorities	25
10.5 Administrative areas and administrative points.....	25
10.6 DIT Domain policies	28
10.7 DMD policies	28
SECTION 5 – MODEL OF DIRECTORY ADMINISTRATIVE AND OPERATIONAL INFORMATION	28
11 Model of Directory Administrative and Operational Information.....	28
11.1 Definitions	28
11.2 Overview	29
11.3 Subtrees	30
11.4 Operational attributes	32
11.5 Entries.....	32
11.6 Subentries	33
11.7 Information model for collective attributes	34
11.8 Information model for context defaults.....	35
SECTION 6 – THE DIRECTORY SCHEMA	35
12 Directory Schema	35
12.1 Definitions	35
12.2 Overview	36
12.3 Object class definition	37
12.4 Attribute type definition	39
12.5 Matching rule definition	41
12.6 DIT structure definition.....	43
12.7 DIT content rule definition.....	45
12.8 Context type definition	46
12.9 DIT Context Use definition	47
13 Directory System Schema.....	48
13.1 Overview	48
13.2 System schema supporting the administrative and operational information model	48
13.3 System schema supporting the administrative model.....	49
13.4 System schema supporting general administrative and operational requirements	49
13.5 System schema supporting access control.....	52
13.6 System schema supporting the collective attribute model.....	52
13.7 System schema supporting context assertion defaults.....	52
13.8 Maintenance of system schema	52
13.9 System schema for first-level subordinates	53
14 Directory schema administration	53
14.1 Overview	53
14.2 Policy objects	53
14.3 Policy parameters	54
14.4 Policy procedures	54
14.5 Subschema modification procedures	54
14.6 Entry addition and modification procedures	55
14.7 Subschema policy attributes	55

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 9594-2:1998

[https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-](https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1ecadb0/iso-iec-9594-2-1998)

[7710b1ecadb0/iso-iec-9594-2-1998](https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1ecadb0/iso-iec-9594-2-1998)

SECTION 7 – SECURITY	60
15 Security model.....	60
15.1 Definitions.....	60
15.2 Security policies	61
15.3 Protection of Directory operations	62
16 Basic Access Control.....	65
16.1 Scope and application.....	65
16.2 Basic Access Control model.....	65
16.3 Access control administrative areas	68
16.4 Representation of Access Control Information	71
16.5 The ACI operational attributes	76
16.6 Protecting the ACI.....	76
16.7 Access control and Directory operations.....	77
16.8 Access Control Decision Function	77
16.9 Simplified Access Control.....	78
17 Rule-based Access Control.....	79
17.1 Scope and application.....	79
17.2 Rule-based Access Control model.....	79
17.3 Access control administrative areas	80
17.4 Security Label	80
17.5 Clearance.....	81
17.6 Access Control and Directory operations.....	81
17.7 Access Control Decision Function	82
17.8 Use of Rule-based and Basic Access Control	82
18 Cryptographic Protection in Storage	82
18.1 Data Integrity in Storage	82
18.2 Confidentiality of stored data	84
SECTION 8 – DSA MODELS	86
19 DSA Models	86
19.1 Definitions	86
19.2 Directory Functional Model	86
19.3 Directory Distribution Model.....	87
SECTION 9 – DSA INFORMATION MODEL	89
20 Knowledge.....	89
20.1 Definitions	89
20.2 Introduction	90
20.3 Knowledge References.....	90
20.4 Minimum Knowledge.....	93
20.5 First Level DSAs.....	93
21 Basic Elements of the DSA Information Model.....	94
21.1 Definitions	94
21.2 Introduction	94
21.3 DSA-Specific Entries and their Names	94
21.4 Basic Elements	96
22 Representation of DSA Information.....	97
22.1 Representation of Directory User and Operational Information	97
22.2 Representation of Knowledge References.....	98
22.3 Representation of Names and Naming Contexts.....	105
SECTION 10 – DSA OPERATIONAL FRAMEWORK.....	106
23 Overview	106
23.1 Definitions	106
23.2 Introduction	107

24	Operational bindings	107
24.1	General	107
24.2	Application of the operational framework	108
24.3	States of cooperation	109
25	Operational binding specification and management.....	110
25.1	Operational binding type specification.....	110
25.2	Operational binding management.....	111
25.3	Operational binding specification templates	112
26	Operations for operational binding management.....	114
26.1	Application-context definition	114
26.2	Establish Operational Binding operation.....	114
26.3	Modify Operational Binding operation	116
26.4	Terminate Operational Binding operation.....	118
26.5	Operational Binding Error.....	119
26.6	Operational Binding Management Bind and Unbind.....	120
	Annex A – Object identifier usage	121
	Annex B – Information Framework in ASN.1.....	124
	Annex C – SubSchema Administration Schema in ASN.1.....	131
	Annex D – Basic Access Control in ASN.1	134
	Annex E – DSA Operational Attribute Types in ASN.1	137
	Annex F – Operational Binding Management in ASN.1.....	140
	Annex G – The Mathematics of Trees.....	144
	Annex H – Name Design Criteria.....	145
	Annex I – Examples of various aspects of schema.....	147
	I.1 Example of an Attribute Hierarchy.....	147
	I.2 Example of a Subtree Specification.....	147
	I.3 Schema Specification	148
	I.4 DIT content rules.....	149
	I.5 DIT context use	150
	Annex J – Overview of Basic Access Control Permissions.....	151
	J.1 Introduction	151
	Annex K – Examples of Access Control	154
	K.1 Introduction	154
	K.2 Design principles for Basic Access Control.....	154
	K.3 Introduction to example.....	155
	K.4 Policy affecting the definition of specific and inner areas	155
	K.5 Policy affecting the definition of DACDs	158
	K.6 Policy expressed in prescriptiveACI attributes	160
	K.7 Policy expressed in subentryACI attributes	167
	K.8 Policy expressed in entryACI attributes	168
	K.9 ACDF examples	169
	K.10 Rule-based Access Control	171
	Annex L – DSE Type Combinations	172
	Annex M – Modelling of knowledge.....	174
	Annex N – Alphabetical index of definitions	179
	Annex O – Names held as attribute values or used as parameters.....	181
	Annex P – Enhanced security	184
	Annex Q – Amendments and corrigenda	188

<https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-11091ccad50/iso-iec-9594-2-1998>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 9594 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 9594-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.501.

This third edition cancels and replaces the second edition (ISO/IEC 9594-2:1995), of which it constitutes a minor revision.

ISO/IEC 9594 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — The Directory*:

- *Part 1: Overview of concepts, models and services*
- *Part 2: Models*
- *Part 3: Abstract service definition*
- *Part 4: Procedures for distributed operation*
- *Part 5: Protocol specifications*
- *Part 6: Selected attribute types*
- *Part 7: Selected object classes*
- *Part 8: Authentication framework*
- *Part 9: Replication*
- *Part 10: Use of systems management for administration of the Directory*

Annexes A to F and P form a normative part of this part of ISO/IEC 9594. Annexes G to O and Q are for information only.

Introduction

This Recommendation | International Standard, together with the other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information which they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard provides a number of different models for the Directory as a framework for the other Recommendations in the ITU-T X.500 series | parts of ISO/IEC 9594. The models are the overall (functional) model; the administrative authority model, generic Directory Information Models providing Directory User and Administrative User views on Directory information, generic DSA and DSA information models, an Operational Framework and a security model.

The generic Directory Information Models describe, for example, how information about objects is grouped to form Directory entries for those objects and how that information provides names for objects.

The generic DSA and DSA information models and the Operational Framework provide support for Directory distribution.

This Recommendation | International Standard provides a specialization of the generic Directory Information Models to support Directory Schema administration.

This third edition technically revises and enhances, but does not replace, the second edition of this Recommendation | International Standard. Implementations may still claim conformance to the second edition. However, at some point, the second edition will not be supported (i.e. reported defects will no longer be resolved). It is recommended that implementations conform to this third edition as soon as possible.

This third edition specifies version 1 and version 2 of the Directory protocols.

The first and second editions also specified version 1. Most of the services and protocols specified in this edition are designed to function under version 1. When version 1 has been negotiated, differences between the services and between the protocols defined in the three editions are accommodated using the rules of extensibility defined in this edition of ITU-T Rec. X.519 (1997) | ISO/IEC 9594-5:1998. However some enhanced services and protocols, e.g. signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2.

Implementors should note that a defect resolution process exists and that corrections may be applied to this part of this International Standard in the form of technical corrigenda. The identical corrections will be applied to this Recommendation in the form of Corrigenda and/or an Implementor's Guide. A list of approved technical corrigenda for this part of this International Standard can be obtained from the subcommittee secretariat. Published technical corrigenda are available from your national standards organization. The ITU-T Corrigenda and Implementor's Guides may be obtained from the ITU Web site.

Annex A, which is an integral part of this Recommendation | International Standard, summarizes the usage of ASN.1 object identifiers in the ITU-T X.500-series Recommendations | parts of ISO/IEC 9594.

Annex B, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module which contains all of the definitions associated with the information framework.

Annex C, which is an integral part of this Recommendation | International Standard, provides the subschema administration schema in ASN.1.

Annex D, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for Basic Access Control.

Annex E, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module which contains all the definitions associated with DSA operational attribute types.

Annex F, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module which contains all the definitions associated with operational binding management operations.

Annex G, which is not an integral part of this Recommendation | International Standard, summarizes the mathematical terminology associated with tree structures.

Annex H, which is not an integral part of this Recommendation | International Standard, describes some criteria that can be considered in designing names.

Annex I, which is not an integral part of this Recommendation | International Standard, provides some examples of various aspects of Schema.

Annex J, which is not an integral part of this Recommendation | International Standard, provides an overview of the semantics associated with Basic Access Control permissions.

Annex K, which is not an integral part of this Recommendation | International Standard, provides an extended example of the use of Basic Access Control.

Annex L, which is not an integral part of this Recommendation | International Standard, describes some DSA-specific entry combinations.

Annex M, which is not an integral part of this Recommendation | International Standard, provides a framework for the modelling of knowledge.

Annex N, which is not an integral part of this Recommendation | International Standard, lists alphabetically the terms defined in this Recommendation | International Standard.

Annex O, which is not an integral part of this Recommendation | International Standard, describes criteria on whether a name can be an alternative distinguished name of the primary distinguished name, whether it can contain alternative values, and whether it can include context information.

Annex P, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module which contains all the definitions associated with enhanced security.

Annex Q, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 9594-2:1998

<https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1eeadb0/iso-iec-9594-2-1998>

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION – THE DIRECTORY: MODELS

SECTION 1 – GENERAL

1 Scope

The models defined in this Recommendation | International Standard provide a conceptual and terminological framework for the other ITU-T X.500-series Recommendations | parts of ISO/IEC 9594 which define various aspects of the Directory.

The functional and administrative authority models define ways in which the Directory can be distributed, both functionally and administratively. Generic DSA and DSA information models and an Operational Framework are also provided to support Directory distribution.

The generic Directory Information Models describe the logical structure of the DIB from the perspective of Directory and Administrative Users. In these models, the fact that the Directory is distributed, rather than centralized, is not visible.

This Recommendation | International Standard provides a specialization of the generic Directory Information Models to support Directory Schema administration. (standards.iteh.ai)

The other ITU-T Recommendations in the X.500 series | parts of ISO/IEC 9594 make use of the concepts defined in this Recommendation | International Standard to define specializations of the generic information and DSA models to provide specific information, DSA and operational models supporting particular directory capabilities (e.g. Replication):

- a) the service provided by the Directory is described (in ITU-T Rec. X.511 | ISO/IEC 9594-3) in terms of the concepts of the information framework: this allows the service provided to be somewhat independent of the physical distribution of the DIB;
- b) the distributed operation of the Directory is specified (in ITU-T Rec. X.518 | ISO/IEC 9594-4) so as to provide that service, and therefore maintain that logical information structure, given that the DIB is in fact highly distributed;
- c) replication capabilities offered by the component parts of the Directory to improve overall Directory performance are specified (in ITU-T Rec. X.525 | ISO/IEC 9594-9).

The security model establishes a framework for the specification of access control mechanisms. It provides a mechanism for identifying the access control scheme in effect in a particular portion of the DIT, and it defines three flexible, specific access control schemes which are suitable for a wide variety of applications and styles of use. The security model also provides a framework for protecting the confidentiality and integrity of directory operations using mechanisms such as encryption and digital signatures. This makes use of the framework for authentication defined in ITU-T Rec. X.509 | ISO/IEC 9594-8 as well as generic upper layers security tools defined in ITU-T Rec. X.830 | ISO/IEC 11586-1.

DSA models establish a framework for the specification of the operation of the components of the Directory. Specifically:

- a) the Directory functional model describes how the Directory is manifested as a set of one or more components, each being a DSA;
- b) the Directory distribution model describes the principals according to which the DIB entries and entry-copies may be distributed among DSAs;
- c) the DSA information model describes the structure of the Directory user and operational information held in a DSA;
- d) the DSA operational framework describes the means by which the definition of specific forms of cooperation between DSAs to achieve particular objectives (e.g. shadowing) is structured.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model.*
- ITU-T Recommendation X.500 (1997) | ISO/IEC 9594-1:1998, *Information technology – Open Systems Interconnection – The Directory: Overview of concepts, models and services.*
- ITU-T Recommendation X.509 (1997) | ISO/IEC 9594-8:1998, *Information technology – Open Systems Interconnection – The Directory: Authentication framework.*
- ITU-T Recommendation X.511 (1997) | ISO/IEC 9594-3:1998, *Information technology – Open Systems Interconnection – The Directory: Abstract service definition.*
- ITU-T Recommendation X.518 (1997) | ISO/IEC 9594-4:1998, *Information technology – Open Systems Interconnection – The Directory: Procedures for distributed operation.*
- ITU-T Recommendation X.519 (1997) | ISO/IEC 9594-5:1998, *Information technology – Open Systems Interconnection – The Directory: Protocol specifications.*
- ITU-T Recommendation X.520 (1997) | ISO/IEC 9594-6:1998, *Information technology – Open Systems Interconnection – The Directory: Selected attribute types.*
- ITU-T Recommendation X.521 (1997) | ISO/IEC 9594-7:1998, *Information technology – Open Systems Interconnection – The Directory: Selected object classes.*
- ITU-T Recommendation X.525 (1997) | ISO/IEC 9594-8:1999, *Information technology – Open Systems Interconnection – The Directory: Replication.*
- ITU-T Recommendation X.530 (1997) | ISO/IEC 9594-10:1998, *Information technology – Open Systems Interconnection – The Directory: Use of systems management for administration of the Directory.*
- CCITT Recommendation X.660 (1992) | ISO/IEC 9834-1:1993, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures.*
- ITU-T Recommendation X.680 (1997) | ISO/IEC 8824-1:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- ITU-T Recommendation X.681 (1997) | ISO/IEC 8824-2:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- ITU-T Recommendation X.682 (1997) | ISO/IEC 8824-3:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- ITU-T Recommendation X.683 (1997) | ISO/IEC 8824-4:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- ITU-T Recommendation X.803 (1994) | ISO/IEC 10745:1995, *Information technology – Open Systems Interconnection – Upper layers security model.*
- ITU-T Recommendation X.811 (1995) | ISO/IEC 10181-2:1996, *Information technology – Open Systems Interconnection – Security frameworks for open systems: Authentication framework.*
- ITU-T Recommendation X.812 (1995) | ISO/IEC 10181-3:1996, *Information technology – Open Systems Interconnection – Security frameworks for open systems: Access control framework.*
- ITU-T Recommendation X.813 (1996) | ISO/IEC 10181-4:1997, *Information technology – Open Systems Interconnection – Security frameworks for open systems: Non-repudiation framework.*
- ITU-T Recommendation X.830 (1995) | ISO/IEC 11586-1:1996, *Information technology – Open Systems Interconnection – Generic upper layers security: Overview, models and notation.*
- ITU-T Recommendation X.833 (1995) | ISO/IEC 11586-4:1996, *Information technology – Open Systems Interconnection – Generic upper layers security: Protecting transfer syntax specification.*

2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.800 (1991), *Security architecture for Open Systems Interconnection for CCITT applications*.
ISO 7498-2:1989, *Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 2: Security Architecture*.

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 OSI Reference Model Definitions

The following terms are defined in ITU-T Rec. X.200 | ISO/IEC 7498-1:

- a) *application-context*;
- b) *application-entity*;
- c) *application-process*.

3.2 Basic directory definitions

The following terms are defined in ITU-T Rec. X.500 | ISO/IEC 9594-1:

- a) *Directory*;
 - b) *Directory Access Protocol*;
 - c) *Directory Information Base*;
 - d) *Directory Operational Binding Management Protocol*;
 - e) *Directory System Protocol*;
 - f) *(Directory) user*.
- <https://standards.iteh.ai/catalog/standards/sist/d8c72df1-c052-4cf7-a977-7710b1eeadb0/iso-iec-9594-2-1998>

3.3 Distributed operation definitions

The following terms are defined in ITU-T Rec. X.518 | ISO/IEC 9594-4:

- a) *access point*;
- b) *hierarchical operational binding*;
- c) *name resolution*;
- d) *non-specific hierarchical operational binding*;
- e) *relevant hierarchical operational binding*.

3.4 Replication definitions

The following terms are defined in ITU-T Rec. X.525 | ISO/IEC 9594-9:

- a) *cache-copy*;
- b) *consumer reference*;
- c) *entry-copy*;
- d) *master DSA*;
- e) *primary shadowing*;
- f) *replicated area*;
- g) *replication*;
- h) *secondary shadowing*;
- i) *shadow consumer*;

- j) *shadow supplier*;
- k) *Shadowed DSA-Specific Entry*;
- l) *shadowing*;
- m) *supplier reference*.

The definitions of terms defined in this Recommendation | International Standard are included at the beginning of individual clauses, as appropriate. An index of these terms is provided in Annex N for easy reference.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply.

ACDF	Access Control Decision Function
ACI	Access Control Information
ACIA	Access Control Inner Area
ACSA	Access Control Specific Area
ADDMD	Administration Directory Management Domain
ASN.1	Abstract Syntax Notation One
AVA	attribute value assertion
BER	(ASN.1) Basic Encoding Rules
DACD	Directory Access Control Domain
DAP	Directory Access Protocol
DIB	Directory Information Base
DISP	Directory Information Shadowing Protocol
DIT	Directory Information Tree
DMD	Directory Management Domain
DMO	Domain Management Organization
DOP	Directory Operational Binding Management Protocol
DSA	Directory System Agent
DSE	DSA-Specific Entry
DSP	Directory System Protocol
DUA	Directory User Agent
HOB	Hierarchical Operational Binding
NHOB	Non-specific Hierarchical Operational Binding
NSSR	Non-Specific Subordinate Reference
PRDMD	Private Directory Management Domain
RHOB	Relevant Hierarchical Operational Binding (i.e. either a HOB or NHOB, as appropriate)
RDN	Relative Distinguished Name
SDSE	Shadowed DSE

5 Conventions

With minor exceptions, this Directory Specification has been prepared according to the "Presentation of ITU-T | ISO/IEC common text" guidelines in the Guide for ITU-T and ISO/IEC JTC 1 Cooperation, March 1997.

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean ITU-T Rec. X.501 | ISO/IEC 9594-2. The term "Directory Specifications" shall be taken to mean the X.500-series Recommendations | parts of ISO/IEC 9594.

This Directory Specification uses the term "1988 edition systems" to refer to systems conforming to the first (1988) edition of the Directory Specifications, i.e. the 1988 edition of the series of CCITT X.500 Recommendations and the ISO/IEC 9594:1990 edition. This Directory Specification uses the term "1993 edition systems" to refer to systems conforming to the second (1993) edition of the Directory Specifications, i.e. the 1993 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1995 edition. Systems conforming to this third edition of the Directory Specifications are referred to as "1997 edition systems".

This Directory Specification presents ASN.1 notation in the bold Helvetica typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the bold Helvetica typeface. The names of procedures, typically referenced when specifying the semantics of processing, are differentiated from normal text by displaying them in bold Times. Access control permissions are presented in italicized Times.

SECTION 2 – OVERVIEW OF THE DIRECTORY MODELS

6 Directory Models

6.1 Definitions

For the purposes of this Directory Specification, the following definitions apply:

6.1.1 administrative authority: An agent of the Domain Management Organization concerned with various aspects of Directory administration. The term *administrative authority* (in lower case) refers to the power vested in an Administrative Authority by the Domain Management Organization to execute policy.

6.1.2 administration directory management domain (ADDMD): A DMD which is managed by an Administration.

NOTE – The term Administration denotes a public telecommunications administration or other organization offering public telecommunications services.

6.1.3 directory administrative and operational information: Information used by the Directory for administrative and operational purposes.

6.1.4 DIT domain: That part of the global DIT held by the DSAs forming a DMD.

6.1.5 directory management domain (DMD): A set of one or more DSAs and zero or more DUAs managed by a single organization.

6.1.6 domain management organization: An organization that manages a DMD (and the associated DIT Domain).

6.1.7 directory user information: Information of interest to users and their applications.

6.1.8 directory system agent (DSA): An OSI application process which is part of the Directory.

6.1.9 (directory) user: The end user of the Directory, i.e. the entity or person which accesses the Directory.

6.1.10 directory user agent (DUA): An OSI application process which represents a user in accessing the Directory.

NOTE – DUAs may also provide a range of local facilities to assist users compose queries and interpret the responses.

6.1.11 private directory management domain (PRDMD): A DMD which is managed by an organization other than an Administration.

6.2 The Directory and its Users

The *Directory* is a repository of information. This repository is known as the Directory Information Base (DIB). Directory services provided to users are concerned with various kinds of access to this information.

The services provided by the Directory are defined in ITU-T Rec. X.511 | ISO/IEC 9594-3.