INTERNATIONAL STANDARD

ISO

16915

Tools for moulding — Sprue pullers

Outillage de moulage — Arrache-carottes

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

ISO 16915:2003
https://standards.iteh.ai/catalog/standards/sist/1cfc8c32-d434-4402-af42-
137920d40078/iso-16915-2003

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16915 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 8, *Tools for pressing and moulding*.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Tools for moulding — Sprue pullers

1 Scope

This International Standard specifies the main dimensions and tolerances, in millimetres, of sprue pullers, which are used mainly in injection moulds for plastics and rubbers. See the example of application in Figure 1.

It also specifies the material, hardness and designation of sprue pullers conforming to this International Standard.

Key

1 ejector pin (ISO 6751)
2 sprue puller (ISO 16915)
3 locating ring (ISO 10907-1)
4 sprue bush (ISO 10072)
5 parallel pins (ISO 8734)

Figure 1 — Application example of sprue pullers

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 4957, *Tool steels*

3 Dimensions

See Figure 2 and Table 1.

Dimensions in millimetres,
surface roughness values in micrometres
General tolerance: ISO 2768-m

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 16915:2003
https://standards.iteh.ai/catalog/standards/sist/1cfc8c32-d434-4402-af42-
137920d40078/iso-16915-2003

NOTE   Chamfers are left to the manufacturer's discretion.

Figure 2 — Sprue puller

4 Material and hardness

Sprue pullers shall be made from tool steel in accordance with ISO 4957.

The minimal hardness shall be 50 HRC.

5 Designation

Sprue pullers in accordance with this International Standard shall be designated by:

a)   "Sprue puller";

b)   reference to this International Standard, i.e. ISO 16915;

c)   diameter D_1, in millimetres;

d)   length l_1, in millimetres.

EXAMPLE   A sprue puller with a diameter $D_1 = 12$ mm and a length of $l_1 = 50$ mm is designated as follows:

   Sprue puller ISO 16915 - 12 $\times$ 50

Table 1

Dimensions in millimetres

D_1 k6	l_1 $^{+0,5}_{+0,3}$	d_1 H7	D_2 $^{0}_{-0,2}$	d_2 $^{+0,7}_{+0,3}$	d_3 $^{+0,1}_{0}$	l_2	l_3
12	20	4	16	—	4,2	—	7
	25			4		18	
	32						
	40						
	50						
16	25	6	20	—	6,2	—	7
	32			6		25	
	40						
	50						
	63						
20	32		24				
	40						
	50						
	63						
	80						
25	40	8	29	8	8,2	28	9,5
	50						
	63						
	80						
	100						

Bibliography

[1] ISO 6751:1998, *Tools for moulding — Ejector pins with cylindrical head*

[2] ISO 8734:1997, *Parallel pins, of hardened steel and martensitic stainless steel (Dowel pins)*

[3] ISO 10072:1993, *Tools for moulding — Sprue bushes — Dimensions*

[4] ISO 10907-1:1996, *Tools for moulding — Locating rings — Part 1: Locating rings for mounting without thermal insulating sheets in small or medium moulds — Types A and B*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 16915:2003
https://standards.iteh.ai/catalog/standards/sist/1cfc8c32-d434-4402-af42-
137920d40078/iso-16915-2003

iTeh STANDARD PREVIEW
(standards.iteh.ai)