

SLOVENSKI STANDARD SIST-TS ISO/TS 19138:2009

01-september-2009

Geografske informacije - Kakovostne mere za prostorske podatke

Geographic information - Data quality measures

Information géographique a Mesures de la qualité des données

Ta slovenski standard je istoveten z: (standards.iteh.ai)

Ta slovenski standard je istoveten z: ISO/TS 19138:2006

SIST-TS ISO/TS 19138:2009

https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009

ICS:

35.240.70 Uporabniške rešitve IT v IT applications in science

znanosti

SIST-TS ISO/TS 19138:2009 en

SIST-TS ISO/TS 19138:2009

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS ISO/TS 19138:2009

https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009

SIST-TS ISO/TS 19138:2009

TECHNICAL SPECIFICATION

ISO/TS 19138

First edition 2006-12-01

Geographic information — Data quality measures

Information géographique — Mesures de la qualité des données

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TS ISO/TS 19138:2009</u> https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TS ISO/TS 19138:2009</u> https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

Contents

Forewo	ord	iv	
ntrodu	troduction		
1	Scope	1	
2	Conformance	1	
3	Normative references	1	
1	Terms and definitions	1	
5	Relationships to other standards	2	
3	Register	3	
7	Components of a data quality measure	3	
7.1	List of components	3	
7.2	Component details		
7.3	Standardized data quality measures		
	A (normative) Abstract test suite	7	
4.1	Test case identifier: Component test. A. D.	7	
4.2	Test case identifier: Name test	7	
ላ.3 4.4	Test case identifier: Data quality element and subelement test		
4.4 4.5	Test case identifier: Definition test	R	
4.6	Test case identifier: Description test SO/TS 19138:2009	8	
4.7	Test case identifier: Description test SO/TS 191382009 Test case identifier: Parameter test standards/sist/e984c523-3cf0-4d1a-973e-	8	
4.8	Test case identifier: Data quality value type test 138-2009	8	
4.9	Test case identifier: Source reference test	9	
4.10	Test case identifier: Example test	9	
Annex	B (normative) Structure of data quality measures	10	
3.1	Components defining a data quality measure	10	
3.2	Mapping of the components to ISO 19115 and ISO 19135	11	
3.3	UML-diagram for data quality measure	11	
Annex	C (normative) Data quality basic measures	14	
C.1	Purpose of data quality basic measures	14	
C.2	Counting-related data quality basic measures		
C.3	Uncertainty-related data quality basic measures	15	
Annex	D (normative) List of data quality measures	19	
D.1	Completeness	19	
0.2	Logical consistency		
D.3	Positional accuracy	37	
D.4	Temporal accuracy		
D.5	Thematic accuracy	61	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote; TANDARD PREVIEW
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

 SIST-TS ISO/TS 19138:2009

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an international Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 19138 was prepared by Technical Committee ISO/TC 211, Geographic information/Geomatics.

Introduction

Knowledge of the quality of geographic data is often crucial for the application of the data, as different users and different applications often have different data quality requirements. A user of geographic data may have multiple datasets from which to choose. Therefore, it is necessary to compare the quality of the datasets to determine which best fulfils the requirements of the user. To facilitate such comparisons, it is essential that the results of the quality reports are expressed in a comparable way and that there is a common understanding of the data quality measures that have been used. These data quality measures provide descriptors of the quality of geographic data through comparison with the universe of discourse. The use of incompatible measures makes data quality comparisons impossible to perform.

Data quality needs to be reported by the producer and evaluated by the user against his or her requirements for different criteria and data quality measures. It is essential that reported quality for a dataset contains the quality measurements that may be of interest to a potential user of the dataset, and that the metrics used to determine the quality are reported and available to the user.

ISO 19113 establishes the principles for the description of geographic data quality and specifies components for reporting quality information. Procedures for the evaluation of geographic data quality are described in ISO 19114.

The objective of this Technical Specification is to guide the producer in choosing the right data quality measures for data quality reporting, and the user in the evaluation of the usefulness of a dataset by standardizing the components and structures of data quality measures and by defining commonly used data quality measures.

SIST-TS ISO/TS 19138:2009 https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009 SIST-TS ISO/TS 19138:2009

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS ISO/TS 19138:2009

https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009

Geographic information — Data quality measures

1 Scope

This Technical Specification defines a set of data quality measures. These can be used when reporting data quality for the data quality subelements identified in ISO 19113. Multiple measures are defined for each data quality subelement, and the choice of which to use will depend on the type of data and its intended purpose.

The data quality measures are structured so that they can be maintained in a register established in conformance with ISO 19135.

This Technical Specification does not attempt to describe every possible data quality measure, only a set of commonly used ones.

2 Conformance

Any set of data quality measures claiming conformance with this Technical Specification shall pass all of the conditions specified in the abstract test suite (Annex A). teh. ai)

3 Normative references SIST-TS ISO/TS 19138:2009 https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 19103:2005, Geographic information — Conceptual schema language

ISO 19113:2002, Geographic information — Quality principles

ISO 19115:2003, Geographic information — Metadata

ISO 19135:2005, Geographic information — Procedures for item registration

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

correctness

correspondence with the universe of discourse

4.2

data quality basic measure

generic data quality measure used as a basis for the creation of specific data quality measures

NOTE Data quality basic measures are abstract data types. They cannot be used directly when reporting data quality.

4.3

data quality scope

extent or characteristic(s) of the data for which quality information is reported

[ISO 19113]

NOTE A data quality scope for a dataset can comprise a dataset series to which the dataset belongs, the dataset itself, or a smaller grouping of data located physically within the dataset sharing common characteristics. Common characteristics can be an identified feature type, feature attribute, or feature relationship; data collection criteria; original source; or a specified geographic or temporal extent.

4.4

error

discrepancy with the universe of discourse

4.5

measurand

particular quantity subject to measurement

[International Vocabulary of Basic and General Terms in Metrology (VIM)]

4.6

universe of discourse

view of the real or hypothetical world that includes everything of interest

[ISO 19101]

iTeh STANDARD PREVIEW

(standards.iteh.ai)

5 Relationships to other standards

ISO 19113 describes relevant data quality elements and their corresponding data quality subelements and it indicates how quality should be reported. ISO 19114 describes procedures for the evaluation of quantitative quality. ISO 19115 contains elements and classes for data quality reporting within the UML models and data dictionaries.

ISO 19113 specifies a set of descriptors for a data quality subelement, for use in recording data quality. One of these descriptors is the data quality measure. A data quality measure is described by the components listed in 7.1.

Table 1 provides a list of data quality elements and data quality subelements as defined in ISO 19113.

Table 1 — Data quality elements and data quality subelements with definitions (ISO 19113)

Data quality element	Data quality subelement	Definition
completeness	commission	excess data present in a dataset
	omission	data absent from a dataset
logical consistency	conceptual consistency	adherence to rules of the conceptual schema
	domain consistency	adherence of values to the value domains
	format consistency	degree to which data is stored in accordance with the physical structure of the dataset
	topological consistency	correctness of the explicitly encoded topological characteristics of a dataset
positional accuracy	absolute or external accuracy	closeness of reported coordinate values to values accepted as or being true
	relative or internal accuracy	closeness of the relative positions of features in a dataset to their respective relative positions accepted as or being true
	gridded data position accuracy	closeness of gridded data position values to values accepted as or being true
temporal accuracy	accuracy of a time measurement	correctness of the temporal references of an item (reporting of error in time measurement)
i	temporal consistency DARD PRI	correctness of ordered events or sequences, if reported
	temporal validity ndards.iteh.a	validity of data with respect to time
thematic accuracy	classification correctness SIST-TS ISO/TS 19138:2009 //standards.iteh.ai/catalog/standards/sist/e984c52	comparison of the classes assigned to features or their attributes to a universe of discourse (e.g., ground truth or reference dataset)
1	non-quantitative attribute correctness 138-20	correctness of non-quantitative attribute
	quantitative attribute accuracy	accuracy of quantitative attributes

6 Register

A register of data quality measures shall contain a set of data quality measures, described using the components listed in 7.1. The registration procedures shall be performed according to ISO 19135.

Annex D of this Technical Specification contains the list of standardized data quality measures. A register shall contain these data quality measures and may also contain additional data quality measures submitted through the procedures defined within ISO 19135. The registration process also allows retiring data quality measures.

7 Components of a data quality measure

7.1 List of components

Each data quality measure shall be described using the following technical components:

- name (7.2.1)
- alias (7.2.2)

- data quality element (7.2.3)
- data quality subelement (7.2.4)
- data quality basic measure (7.2.5)
- definition (7.2.6)
- description (7.2.7)
- parameter (7.2.8)
- data quality value type (7.2.9)
- data quality value structure (7.2.10)
- source reference (7.2.11)
- example (7.2.12)
- identifier (7.2.13)

7.2 Component details

7.2.1 Name iTeh STANDARD PREVIEW

Name refers to the name of the data quality measure.

If the data quality measure already has a commonly used name, this name should be used. If no name exists, a name shall be chosen that reflects the nature of the measure ist/e984c523-3cf0-4d1a-973e-

a613efdc0b7d/sist-ts-iso-ts-19138-2009

NOTE The component name is specified in the base standard for registers, ISO 19135.

7.2.2 Alias

Alias refers to other recognized name for the same data quality measure. It may be a different commonly used name, or an abbreviation or a short name.

More than one alias may be provided.

7.2.3 Data quality element

Data quality element refers to the name of the data quality element to which this data quality measure applies.

NOTE A list of data quality elements is provided in Table 1.

7.2.4 Data quality subelement

Data quality subelement refers to the name of the data quality subelement to which this data quality measure applies.

NOTE A list of data quality subelements is provided in Table 1.

7.2.5 Data quality basic measure

Each data quality basic measure is described by its name, definition and value type. Data quality basic measures are identified by their names.

A variety of data quality measures are based on counting of erroneous items. There are also several data quality measures dealing with the uncertainty of numerical values. In order to avoid repetition, all possible methods of constructing counting-related data quality measures as well as general statistical measures for one- and two-dimensional random variables shall be defined in terms of data quality basic measures.

The data quality basic measures are defined in Annex C.

If a data quality measure is based on one of the set of data quality basic measures, the name of the data quality basic measure shall be provided in the field data quality basic measure. If the data quality measure is not based on a data quality basic measure, it shall be indicated in this field that a data quality basic measure is not applicable. The data quality basic measures shall also be used as appropriate for creating new data quality measures, for instance for reporting unclosed surface patches or other application-dependent data quality measures.

7.2.6 Definition

Definition states the fundamental concept of the data quality measure.

If the data quality measure is derived from a data quality basic measure, the definition is based on the data quality basic measure definition and specialized for this data quality measure.

NOTE The component definition is specified in the base standard for registers, ISO 19135.

7.2.7 Description

Description refers to the description of the data quality measure including methods of calculation, with all formulae and/or illustrations needed to establish the result of applying the measure.

https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-

NOTE The component description is specified in the base standard for registers, ISO 19135.

7.2.8 Parameter

Parameter refers to an auxiliary variable used by the data quality measure. It shall include name, definition and description.

More than one parameter may be provided.

7.2.9 Data quality value type

Data quality value type refers to the value type for reporting a data quality result.

A data quality value type shall be provided for a data quality result. The data types defined in ISO/TS 19103 shall be used when appropriate.

Table 2 — Examples of data quality value types

Boolean	
Real	
Integer	
Ratio (numerator of type integer : denominator of type integer)	
Percentage	
Measure(s) [value(s) + unit(s)]	

7.2.10 Data quality value structure

Data quality value structure gives the structure for reporting a complex data quality result.

A data quality result may consist of multiple values. In this case, the data quality result shall be structured using the data quality value structures as given in Table 3. The structure may consist of homogeneous or heterogeneous data quality value types. The possible data quality value types are given in 7.2.9.

Table 3 — Data quality value structures

Bag
Set
Sequence
Table
Matrix
Coverage

NOTE The values within a structure can be multiple. For example, the covariance matrix as given in Table D.32 is reported as matrix of measure, where the matrix elements may have different units of measure. A list may consist of different data quality value types.

7.2.11 Source reference

Source reference gives the citation of the source of the data quality measure.

When a data quality measure for which additional information is provided in an external source is added to the list of standardized data quality measures, a reference to that source may be provided here.

NOTE The component source reference is specified in the base standard for registers, ISO 19135.

ndards.iten.avcatalog/standards/sisve984c323-3ci0-4d1a-9/ a613efdc0b7d/sist-ts-iso-ts-19138-2009

7.2.12 Example

Example may provide examples of applying the data quality measure or the result obtained for the data quality measure.

More than one example may be provided.

7.2.13 Identifier

Identifier consists of an integer number that uniquely identifies a data quality measure.

If data quality measures are administered in a register, then identifiers may only be assigned by the register manager.

NOTE The component identifier is specified in the base standard for registers, ISO 19135.

7.2.14 Obligation of the above-listed components

Some of the components are mandatory, others are conditional or optional. Table B.1 provides further information on the obligation of each technical component.

7.3 Standardized data quality measures

In order to make data quality related metadata and data quality reports comparable, standardized data quality measures shall be used in evaluating and reporting data quality, where appropriate. Annex D gives a list of commonly used data quality measures with all required components for data quality measures as specified in this Technical Specification.

Annex A (normative)

Abstract test suite

A.1 Test case identifier: Component test

- a) Test purpose: to determine conformance by ensuring that all necessary components of a data quality measure are provided.
- b) Test method: examine the entry for the data quality measure and verify that the components have been provided as required by Table B.1.
- c) Reference: 7.2 and Annex B.
- d) Test type: Capability.

A.2 Test case identifier: Name test

- a) Test purpose: to determine if a distinct name for the data quality measure is used.
- b) Test method: determine if the name for the data quality measure is distinct from other measures with different concepts, and if the name is not in conflict with other data quality basic measures, their definitions and descriptions.

SIST-TS ISO/TS 19138:2009

- c) Reference: 7.2.1_{https://standards.iteh.ai/catalog/standards/sist/e984c523-3cf0-4d1a-973e-a613efdc0b7d/sist-ts-iso-ts-19138-2009}
- d) Test type: Capability.

A.3 Test case identifier: Data quality element and subelement test

- a) Test purpose: to determine
 - if data quality element and subelement are assigned;
 - if they are taken from the list of data quality elements and subelements in ISO 19113 or if they are an additional data quality element and subelement created in conformance with the rules of ISO 19113;
 - if the data quality measure is relevant for the given data quality element and subelement.
- b) Test method: check if proper values are assigned to the data quality element and subelement components and if the data quality measure has bearing on these.
- c) Reference: 7.2.3 and 7.2.4.
- d) Test type: Capability.