



# SLOVENSKI STANDARD

## SIST ISO 19145:2016

01-december-2016

---

### Geografske informacije - Register predstavitev lokacije geografskih točk

Geographic information - Registry of representations of geographic point location

Information géographique - Registre des représentations de localisation de point géographique

(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ISO 19145:2013**

<https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016>

#### **ICS:**

07.040	Astronomija. Geodezija. Geografija	Astronomy. Geodesy. Geography
35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

**SIST ISO 19145:2016**

**en,fr**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ISO 19145:2016

<https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016>

INTERNATIONAL  
STANDARD

ISO  
19145

First edition  
2013-02-15

---

---

**Geographic information — Registry  
of representations of geographic  
point location**

*Information géographique — Registre de représentations de  
localisation de point géographique*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO 19145:2016](https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016)

[https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-  
c7b01d6910da/sist-iso-19145-2016](https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016)



Reference number  
ISO 19145:2013(E)

© ISO 2013

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 19145:2016

<https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Conformance</b> .....	<b>1</b>
<b>3 Normative references</b> .....	<b>1</b>
<b>4 Terms, definitions and abbreviations</b> .....	<b>2</b>
4.1 Terms and definitions.....	2
4.2 Abbreviations.....	4
<b>5 Role of a register of representations of geographic point location</b> .....	<b>4</b>
5.1 Overview.....	4
5.2 User's environment and registers.....	4
5.3 Static and dynamic data conversion.....	5
<b>6 Management of registries and registers</b> .....	<b>6</b>
<b>7 Schema of the register</b> .....	<b>6</b>
7.1 Context.....	6
7.2 GPLR_Register.....	7
7.3 GPLR_Item.....	8
7.4 Geographic Point Location Representation Object.....	10
7.5 GPLR_CRSSupport.....	10
7.6 GPLR_ConversionService.....	11
7.7 GPLR_Interface.....	13
7.8 GPLR_Method.....	13
7.9 GPLR_Compression.....	13
7.10 GPLR_Version.....	14
7.11 GPLR_RepresentationType.....	15
7.12 GPLR_ConversionType.....	15
<b>Annex A (normative) XML extensions required for registry of representations of geographic point location</b> .....	<b>16</b>
<b>Annex B (normative) Abstract test suite</b> .....	<b>23</b>
<b>Annex C (informative) UML notation</b> .....	<b>25</b>
<b>Bibliography</b> .....	<b>30</b>

**ISO 19145:2013(E)****Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19145 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO 19145:2016](https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016)

<https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016>

## Introduction

ISO 6709:2008 standardizes the mechanisms for the interoperability of geographic point location representations. However, the representation of geographic point locations takes various schemes (e.g. ISO 6709:1983, DCMI Point encoding scheme, KML, GeoVRML, Natural Area Coding System, ISO 8211, GML Point Profile) depending of the application in which they are used. Accordingly, ISO 6709:2008 recognizes and supports flexibility in the representation of geographic point locations and the requirement for universal interpretation. In order to support the use of a variety of geographic point location representations, ISO 6709:2008 introduces the requirement of a registry of geographic point location representations. A registry of representations of geographic point location gives access to the description of the format in which a geographic point location is encoded and also identifies conversion services to transform the representation of the geographic point location to another representation. As such, knowing in which format a geographic point location is encoded and the format in which it must be encoded for its use by a specific application, it can be possible to perform the appropriate transformation of the representation of a geographic point location. However, this requires that encoding formats and their descriptions need to be made accessible either as part of the geographic point location representation itself or from a registry of representations of geographic point locations. As such, the definition of a standard structure for a registry of representations of geographic point location is required. Such a registry will support the required flexibility identified in ISO 6709:2008 for efficient syntactic interoperability of geographic point location information.

This International Standard defines a standard structure of a register in Unified Modelling Language (UML) that supports the description of geographic point location representation ([Clause 7](#)). It also defines the XML implementation of the register's UML structure by extending ISO/TS 19135-2, [Annex A](#). Although the structure for the description of geographic point location representation takes its roots in ISO 19135, it extends that International Standard with specific requirements to an extent that it goes beyond the definition of a profile of ISO 19135.

[SIST ISO 19145:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ISO 19145:2016

<https://standards.iteh.ai/catalog/standards/sist/8c95c036-ccb4-4f32-901f-c7b01d6910da/sist-iso-19145-2016>



# Geographic information — Registry of representations of geographic point location

## 1 Scope

This International Standard specifies the process for establishing, maintaining and publishing registers of representation of geographic point location in compliance with ISO 19135. It identifies and describes the information elements and the structure of a register of representations of geographic point location including the elements for the conversion of one representation to another.

This International Standard also specifies the XML implementation of the required XML extension to ISO/TS 19135-2, for the implementation of a register of geographic point location representations.

A registry of geographic point location representations differs from a coordinate reference system (CRS) registry as it is not intended to describe the parameters of a CRS including datum, projections, units of measure, and order of coordinates but is concerned by the manner a geographic point location according to ISO 6709 is physically represented in a record or part of it.

## 2 Conformance

To conform to this International Standard, a register of geographic point location representations shall satisfy all of the conditions specified in the abstract test suite ([Annex B](#)).

## 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 19103:2005, *Geographic information — Conceptual schema language*

ISO 19115:2003, *Geographic information — Metadata*

ISO 19118:2011, *Geographic information — Encoding*

ISO 19135:2005, *Geographic information — Procedures for item registration*

ISO/TS 19135-2:2012, *Geographic information - Procedures for item registration — Part 2: XML schema implementation*

ISO/TS 19139:2007, *Geographic information — Metadata — XML schema implementation*

W3C XMLName, *Namespaces in XML 1.0 (Second Edition)*. W3C Recommendation (16 August 2006)

W3C XMLSchema-1, *XML Schema Part 1: Structures Second Edition*. W3C Recommendation (28 October 2004)

W3C XMLSchema-2, *XML Schema Part 2: Datatypes Second Edition*. W3C Recommendation (28 October 2004)

W3C XML, *Extensible Markup Language (XML) 1.0 (Fourth Edition)*, W3C Recommendation (16 August 2006)

W3C XLink, *XML Linking Language (XLink) Version 1.0*. W3C Recommendation (27 June 2001)

## ISO 19145:2013(E)

## 4 Terms, definitions and abbreviations

## 4.1 Terms and definitions

## 4.1.1

**compression**

technique used for the reduction of space used by data

## 4.1.2

**compression service**

*service* (4.1.16) that accomplishes *compression* (4.1.1)

## 4.1.3

**conversion**

transformation from one *format* (4.1.9) to another

## 4.1.4

**conversion service**

*service* (4.1.16) that invokes a *converter* (4.1.5)

## 4.1.5

**converter**

resource that performs *conversion* (4.1.3)

Note 1 to entry: The resource can be a device or software.

## 4.1.6

**coordinate**

one of a sequence of  $n$  numbers designating the position of a point in  $n$ -dimensional space

Note 1 to entry: In a coordinate reference system, the coordinate numbers are qualified by units.

[SOURCE: ISO 19111:2007, 4.5]

## 4.1.7

**coordinate tuple**

*tuple* (4.1.18) composed of a sequence of *coordinates* (4.1.6)

Note 1 to entry: In a coordinate reference system, the coordinate numbers are qualified by units.

[SOURCE: ISO 19111:2007, 4.12, modified — Note 1 to entry has been added.]

## 4.1.8

**dynamic conversion**

online and real time *conversion* (4.1.3) of data

## 4.1.9

**format**

language construct that specifies the representation, in character form, of data objects in a record, file, message, storage device, or transmission channel

[SOURCE: ISO/IEC 2382-15:1999, 15.04.35]

## 4.1.10

**geographic information**

information concerning phenomena implicitly or explicitly associated with a location relative to the Earth

[SOURCE: ISO 19101:2002, 4.16]

## 4.1.11

**geographic point location**

well defined geographic place described by one *coordinate tuple* (4.1.7)

**4.1.12****geographic point location representation**

syntactic description of a *geographic point location* (4.1.11) in a well known *format* (4.1.9)

**4.1.13****identifier**

linguistically independent sequence of characters capable of uniquely and permanently identifying that with which it is associated

[SOURCE: ISO 19135:2005, 4.1.5]

**4.1.14****register**

set of files containing *identifiers* (4.1.13) assigned to items with descriptions of the associated items

[SOURCE: ISO 19135:2005, 4.1.9]

**4.1.15****registry**

information system on which a *register* (4.1.14) is maintained

[SOURCE: ISO 19135:2005, 4.1.13]

**4.1.16****service**

distinct part of the functionality that is provided by an entity through interfaces

[SOURCE: ISO 19119:2005, 4.1]

**4.1.17****static conversion**

offline process to perform a global *conversion* (4.1.3) of a large amount of data

**4.1.18****tuple**

ordered list of values

[SOURCE: ISO 19136:2007, 4.1.63]

## ISO 19145:2013(E)

### 4.2 Abbreviations

CRS	coordinate reference system
DCMI	Dublin Core Metadata Initiative
GeoVRML	Geo- Virtual Reality Modelling Language
GIS	geographic information system
GML	Geography Markup Language
GPL	geographic point location
GPLR	geographic point location representation
KML	Keyhole Markup Language
RFID	radio frequency identification
UML	Unified Modelling Language
XML	eXtensible Markup Language

## 5 Role of a register of representations of geographic point location

### 5.1 Overview

The exchange of geographic point locations (GPLs) described by coordinates might use various representations or formats. To use such information properly in applications, a GPL must be clear about the representation with which it complies. Then, conversion mechanisms can be applied to transform exchanged GPLs into systems' internal representations for their appropriate usage assuming that the internal representation is also registered and services are available.

Registers give the flexibility to manage geographic point location representations (GPLRs). Registers of GPLRs made publicly available as a file or web service enhance the interoperability of GPLs by clearly identifying how one GPL is represented and how it can be converted in another representation.

This clause highlights the role of registers of GPLRs for geographic information interoperability, especially for the conversion of one GPLR into another through different environments, including static vs. dynamic.

### 5.2 User's environment and registers

The role of a register invoked by a user's environment is depicted in [Figure 1](#). In a user's environment, a GIS application typically gets its input data from an *external data* repository. Usually, that data needs to be converted into the internal representation of the user's GIS environment. This is made possible through a *geographic point location converter* service, which first searches in a register environment for possible transformation (i.e. *search for specifications*) and requests to the register environment the required information to transform the GPLR into the user's GIS environment (i.e. *request for specification*). To this end, the *geographic point location converter* service passes the identification of the GPLR from the external data source to the register's environment.

In the register's environment, it is the *register* service that receives the request. Using the identification of the GPLR passed by the conversion service, it gets the specification of the representation from the register (i.e. *database of geographic point location representation*) including the possible conversions into other representations and replies to the conversion service. Finally, the conversion service gets the description information (i.e. *geographic point location specifications*) of the representation including