

**SLOVENSKI STANDARD
SIST EN ISO 7235:2009****01-november-2009****Nadomešča:****SIST EN ISO 7235:2004**

Akustika - Laboratorijski merilni postopki za dušilnike v kanalih in elementih za dovod in odvod zraka - Dodano dušenje, hrup zaradi pretoka in padec celotnega tlaka (ISO 7235:2003)

Acoustics - Laboratory measurement procedures for ducted silencers and air-terminal units - Insertion loss, flow noise and total pressure loss (ISO 7235:2003)

iTeh STANDARD PREVIEW

Akustik - Labormessungen an Schalldämpfern in Kanälen - Einfügungsdämpfung, Strömungsgeräusch und Gesamtdruckverlust (ISO 7235:2003)

[SIST EN ISO 7235:2009](http://standards.itih.eu)

Acoustique - Modes opératoires de mesure en laboratoire pour silencieux en conduit et unités terminales - Perte d'insertion, bruit d'écoulement et perte de pression totale (ISO 7235:2003)

Ta slovenski standard je istoveten z: EN ISO 7235:2009**ICS:**

17.140.01	Akustična merjenja in blaženje hrupa na splošno	Acoustic measurements and noise abatement in general
91.120.20	Akustika v stavbah. Zvočna izolacija	Acoustics in building. Sound insulation
91.140.30	Prezračevalni in klimatski sistemi	Ventilation and air-conditioning

SIST EN ISO 7235:2009**en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 7235:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afabc0dd/sist-en-iso-7235-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 7235

August 2009

ICS 91.120.20

Supersedes EN ISO 7235:2003

English Version

**Acoustics - Laboratory measurement procedures for ducted
silencers and air-terminal units - Insertion loss, flow noise and
total pressure loss (ISO 7235:2003)**

Acoustique - Modes opératoires de mesure en laboratoire
pour silencieux en conduit et unités terminales - Perte
d'insertion, bruit d'écoulement et perte de pression totale
(ISO 7235:2003)

Akustik - Labormessungen an Schalldämpfern in Kanälen -
Einfügungsdämpfung, Strömungsgeräusch und
Gesamtdruckverlust (ISO 7235:2003)

This European Standard was approved by CEN on 20 July 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 98/37/EC	4
Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	5

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 7235:2009](https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009)
<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>

Foreword

The text of ISO 7235:2003 has been prepared by Technical Committee ISO/TC 43 "Acoustics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 7235:2009 by Technical Committee CEN/TC 211 "Acoustics" the secretariat of which is held by DS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2010, and conflicting national standards shall be withdrawn at the latest by February 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 7235:2003.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EC Directives.

For relationship with EC Directives, see informative Annexes ZA and ZB, which are integral parts of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>

Endorsement notice

The text of ISO 7235:2003 has been approved by CEN as a EN ISO 7235:2009 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 98/37/EC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 98/37/EC, amended by 98/79/EC on machinery.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

WARNING - Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 7235:2009](https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009)

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>

Annex ZB (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 2006/42/EC on machinery.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 7235:2009](https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009)

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 7235:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afabc0dd/sist-en-iso-7235-2009>

INTERNATIONAL STANDARD

**ISO
7235**

Second edition
2003-08-01

Acoustics — Laboratory measurement procedures for ducted silencers and air-terminal units — Insertion loss, flow noise and total pressure loss

*Acoustique — Modes opératoires de mesure en laboratoire pour
silencieux en conduit et unités terminales — Perte d'insertion, bruit
d'écoulement et perte de pression totale*

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 7235:2009](https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009)

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>



Reference number
ISO 7235:2003(E)

© ISO 2003

ISO 7235:2003(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 7235:2009](https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009)

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	2
4 Symbols	7
5 Test facilities and requirements for instrumentation.....	9
5.1 Purpose and types of test facilities.....	9
5.2 Equipment for acoustic testing of silencers	9
5.3 Equipment for acoustic testing of air-terminal units	15
5.4 Equipment for flow testing.....	16
5.5 Equipment for dynamic testing	21
6 Test procedures	22
6.1 General	22
6.2 Insertion loss.....	22
6.3 Transmission loss.....	24
6.4 Sound power level of the flow noise (or regenerated sound)	24
6.5 Volume flow rate and pressure loss coefficient	25
7 Information to be recorded	29
7.1 Description of the test object.....	29
7.2 Instrumentation	29
7.3 Sound-source equipment.....	30
7.4 Test, substitution and transmission ducts.....	30
7.5 Transitions	30
7.6 Anechoic termination	30
7.7 Reverberation room.....	30
7.8 Acoustical test results.....	30
7.9 Measurement uncertainty.....	31
8 Information to be reported	31
Annex A (normative) Design of the sound field excitation equipment and qualification tests	32
Annex B (normative) Transmission element.....	34
Annex C (normative) Duct walls and limiting insertion loss	37
Annex D (normative) Conversion of one-third-octave-band attenuation values to octave-band attenuation values.....	40
Annex E (normative) Measurements on large parallel-baffle silencers	41
Annex F (normative) Test of longitudinal attenuation	43
Annex G (informative) Anechoic terminations.....	44
Annex H (informative) Examples of measurement arrangements	46
Bibliography	48

ISO 7235:2003(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7235 was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

This second edition cancels and replaces the first edition (ISO 7235:1991), which has been technically revised.

ITEH STANDARD PREVIEW

(standards.iteh.ai)

SIST EN ISO 7235:2009

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afacbc0dd/sist-en-iso-7235-2009>

Introduction

This International Standard specifies the substitution method for determining the insertion loss of ducted silencers and a method for determining the transmission loss of air-terminal units.

In the substitution method, the sound pressure level of the transmitted wave is first determined for the test object and then when the test object has been replaced by the substitution duct. The sound pressure level of the transmitted wave can be measured

- in a reverberation room,
- in a test duct after the silencer, or
- in an essentially free field.

The methods are listed in order of preference.

The acoustic performance of silencers depends on the modal composition of the sound field at the inlet and on reflections at the outlet side, on flanking transmission and on level differences between signals and flow noise (or regenerated sound).

This International Standard describes configurations at the inlet side providing for a predominant fundamental mode that suffers the least attenuation. For the outlet side, it describes anechoic terminations and measurement procedures which are not sensitive to reflections or which allow for specified corrections. Furthermore, this International Standard gives guidance on the suppression of flanking transmission and noise signals.

[https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-](https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afachc0dd/sist-en-iso-7235-2009)

The transmission loss of an air-terminal unit is determined from the results of measurements in a reverberation room and theoretical reflection coefficients of a substitution duct.

The insertion loss of a silencer is generally affected by the airflow. The insertion loss is therefore preferably measured with superimposed airflow if the silencer is to be used in ducts with high flow velocity.

For absorptive silencers where the maximum internal flow velocity falls short of 20 m/s, the flow will hardly have an effect on the insertion loss. In practice, non-uniform flow distributions will occur. Therefore, the limit velocity of 20 m/s may correspond to a design velocity of 10 m/s to 15 m/s.

An airflow through a silencer regenerates noise. This flow noise (or regenerated sound) establishes the lowest sound pressure level that can be achieved after the silencer. It is, therefore, necessary to know the sound power level of the flow noise (or regenerated sound) behind the silencer. This is preferably determined in a reverberation room connected to the object via a transmission element.

In accordance with this International Standard, the total pressure loss of a silencer to be used with flow is to be determined. It is, therefore, useful to equip the test facility with the instruments and devices necessary for the determination of the total pressure loss.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 7235:2009

<https://standards.iteh.ai/catalog/standards/sist/193f615b-d115-4c5a-ae41-981afabc0dd/sist-en-iso-7235-2009>

Acoustics — Laboratory measurement procedures for ducted silencers and air-terminal units — Insertion loss, flow noise and total pressure loss

1 Scope

This International Standard specifies methods for determining

- the insertion loss, in frequency bands, of ducted silencers with and without airflow,
- the sound power level, in frequency bands, of the flow noise (or regenerated sound) generated by ducted silencers,
- the total pressure loss of silencers with airflow, and
- the transmission loss, in frequency bands, of air-terminal units.

The measurement procedures are intended for laboratory measurements at ambient temperature. Measurements on silencers *in situ* are specified in ISO 11820.

It is to be noted that the results determined in a laboratory according to this International Standard will not necessarily be the same as those obtained *in situ* (installation), as different sound and flow fields will yield different results. For example, the pressure loss will be lower under laboratory conditions than *in situ*, but will be comparable between different laboratories.

This International Standard is applicable to all types of silencer including silencers for ventilating and air-conditioning systems, air intake and exhaust of flue gases, and similar applications. Other passive air-handling devices, such as bends, air-terminal units or T-connectors, can also be tested using this International Standard.

This International Standard is not applicable to reactive silencers used for motor vehicles.

NOTE 1 Annex A specifies the sound field excitation equipment. Annex B gives requirements for the transition element. Annex C gives details of duct walls and limiting insertion loss. Annex D specifies how to convert one-third-octave band attenuation values to octave band values. Annex E gives requirements for measurements on large parallel-baffle silencers. Annex F specifies a test of longitudinal attenuation. Annex G gives guidelines on anechoic terminations and Annex H shows examples of measurement arrangements.

NOTE 2 Acoustic testing of air-terminal devices and fan-coil units is to be carried out as described for air-terminal units.

NOTE 3 Sound power measurements on air-terminal units are specified in ISO 5135. Measurements of the pressure loss of air-terminal units are described in EN 12238, EN 12239 and EN 12589.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3741:1999, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Precision methods for reverberation rooms*