

SLOVENSKI STANDARD

SIST EN ISO 17450-1:2012

01-marec-2012

Nadomešča:

SIST-TS CEN ISO/TS 17450-1:2008

SIST-TS CEN ISO/TS 17450-1:2008/AC:2008

Specifikacija geometrijskih veličin izdelka - Osnove - 1. del: Model za geometrijsko specifikacijo in preverjenje (ISO 17450-1:2011)

Geometrical product specifications (GPS) - General concepts - Part 1: Model for geometrical specification and verification (ISO 17450-1:2011)

iTeh STANDARD PREVIEW

Geometrische Produktspezifikation (GPS) - Grundlagen - Teil 1: Modell für die geometrische Spezifikation und Prüfung (ISO 17450-1:2011)

SIST EN ISO 17450-1:2012

Spécification géométrique des produits (GPS) - Concepts généraux - Partie 1: Modèle pour la spécification et la vérification géométriques (ISO 17450-1:2011)

Ta slovenski standard je istoveten z: EN ISO 17450-1:2011

ICS:

17.040.40	Specifikacija geometrijskih veličin izdelka (GPS)	Geometrical Product Specification (GPS)
-----------	---	---

SIST EN ISO 17450-1:2012

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 17450-1:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 17450-1

December 2011

ICS 17.040.01

Supersedes CEN ISO/TS 17450-1:2007

English Version

**Geometrical product specifications (GPS) - General concepts -
Part 1: Model for geometrical specification and verification (ISO
17450-1:2011)**

Spécification géométrique des produits (GPS) - Concepts
généraux - Partie 1: Modèle pour la spécification et la
vérification géométriques (ISO 17450-1:2011)

Geometrische Produktspezifikation (GPS) - Grundlagen -
Teil 1: Modell für die geometrische Spezifikation und
Prüfung (ISO 17450-1:2011)

This European Standard was approved by CEN on 10 December 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 17450-1:2012](https://standards.iteh.ai/catalog/standards/sist/54730cdf-1db9-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012)

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1db9-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>

Foreword

This document (EN ISO 17450-1:2011) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2012, and conflicting national standards shall be withdrawn at the latest by June 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 17450-1:2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

ITEH STANDARD PREVIEW
(standards.iteh.ai)
Endorsement notice

The text of ISO 17450-1:2011 has been approved by CEN as a EN ISO 17450-1:2011 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1dbe-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 17450-1:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>

INTERNATIONAL
STANDARD

ISO
17450-1

First edition
2011-12-15

**Geometrical product specifications
(GPS) — General concepts —**

Part 1:

**Model for geometrical specification and
verification**

iTeh STANDARD PREVIEW
Spécification géométrique des produits — Concepts généraux —
(standards.iteh.ai) Partie 1: Modèle pour la spécification et la vérification géométriques

SIST EN ISO 17450-1:2012

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>



Reference number
ISO 17450-1:2011(E)

© ISO 2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 17450-1:2012

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1db0-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Application and future prospects	11
5 General	11
6 Features.....	12
6.1 General	12
6.2 Ideal features	13
6.3 Non-ideal features	15
6.4 Relationships between geometrical feature terms	16
7 Characteristics.....	18
7.1 General	18
7.2 Intrinsic characteristics of ideal features	18
7.3 Situation characteristics between ideal features	19
7.4 Situation characteristics between non-ideal and ideal features	20
8 Operations.....	21
8.1 Feature operations	21
8.2 Evaluation	25
8.3 Transformation	26
9 Specification	26
9.1 General	26
9.2 Specification by dimension.....	26
9.3 Specification by zone.....	27
9.4 Deviation	27
10 Verification	28
Annex A (informative) Examples of applications to ISO 1101.....	29
Annex B (informative) Mathematical symbols and definitions.....	43
Annex C (informative) Comparison between tolerancing and metrology.....	55
Annex D (informative) Concept diagram for characteristics	57
Annex E (informative) Invariance classes	58
Annex F (informative) Relationship to the GPS matrix model.....	60
Bibliography.....	62
Alphabetical index.....	63

ISO 17450-1:2011(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17450-1 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

This first edition of ISO 17450-1 cancels and replaces ISO/TS 17450-1:2005, which has been technically revised. It also incorporates the Technical Corrigendum ISO/TS 17450-1:2005/Cor.1:2007.

ISO 17450 consists of the following parts, under the general title *Geometrical product specifications (GPS) — General concepts*:

- *Part 1: Model for geometrical specification and verification*
- *Part 2: Basic tenets, specifications, operators, uncertainties and ambiguities*

Introduction

This part of ISO 17450 is a geometrical product specification (GPS) document and is to be regarded as a global GPS document (see ISO/TR 14638). It influences all chain links of the chains of standards.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated. For more detailed information on the relationship of this part of ISO 17450 to other standards and to the GPS matrix model, see Annex F.

In a market environment of increased globalization, the exchange of technical product information is of high importance and the need to express unambiguously the geometry of mechanical workpieces of vital urgency. Consequently, codification associated with the macro- and micro-geometry of workpiece specifications needs to be unambiguous and complete if the functional geometrical variation of parts is to be limited; in addition, the language ought to be applicable to CAx systems.

The aim of ISO/TC 213 is to provide the tools for a global and “top-down” approach to GPS. These tools form the basis of new standards specifying a common language for geometrical definition. This language can be used by design (assemblies and individual workpieces), manufacturing and inspection, to describe the measurement procedure, regardless of the media (e.g. a paper drawing, numerical drawing or exchange file) used. The tools are based on the characteristics of features, as well as on the constraints between the features and on feature operations, used for the creation of different geometrical features.

[SIST EN ISO 17450-1:2012](https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012)

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 17450-1:2012

<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-bf91c7a40539/sist-en-iso-17450-1-2012>

Geometrical product specifications (GPS) — General concepts —

Part 1: Model for geometrical specification and verification

1 Scope

This part of ISO 17450 provides a model for geometrical specification and verification and defines the corresponding concepts. It also explains the mathematical basis of the concepts associated with the model and defines general terms for geometrical features of workpieces.

This part of ISO 17450 defines the fundamental concepts for the GPS system in order to:

- provide nonambiguous GPS language to be used in design, manufacturing and verification,
- identify features, characteristics and rules to provide the basis for specifications,
- provide a complete symbology language to indicate GPS specifications,
- provide simplified symbology by defining default rules and
- provide consistent rules for verification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC Guide 99 and the following apply.

3.1

real surface

(of a workpiece) set of features which physically exist and separate the entire workpiece from the surrounding medium

ISO 17450-1:2011(E)

3.2
surface model
 model representing the set of physical limits of the virtual or the real workpiece

NOTE 1 This model applies to all closed surfaces.

NOTE 2 The surface model allows the definition of single features, sets of features, and/or portions of features. The total product is modelled by a set of surface models corresponding to each workpiece.

3.2.1
nominal model
 (of a workpiece) model of the perfect shape defined by the designer

NOTE The nominal model represents the design intent.

3.2.2
non-ideal surface model
skin model
 (of a workpiece) model of the physical interface of the workpiece with its environment

NOTE See Clause 5.

3.3
geometrical feature
 point, line, surface, volume or a set of these items

NOTE 1 The non-ideal surface model is a particular type of geometrical feature, corresponding to the infinite set of points defining the interface between the workpiece and its surroundings.

NOTE 2 A geometrical feature can be an ideal feature or a non-ideal feature, and can be considered as either a single feature or a compound feature.

iTech STANDARD PREVIEW
 (standards.iteh.ai)
[SIST EN ISO 17450-1:2012](https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-b91c7a40539/sist-en-iso-17450-1-2012)
<https://standards.iteh.ai/catalog/standards/sist/54730cdf-1d8e-477c-a83c-b91c7a40539/sist-en-iso-17450-1-2012>

3.3.1
ideal feature
 feature defined by a parametrized equation

NOTE 1 The expression of the parametrized equation depends on the type of ideal feature and on its intrinsic characteristics.

NOTE 2 By default, an ideal feature is infinite. To change its nature, it is appropriate to specify this by adding the term "restricted" as in "restricted ideal feature".

3.3.1.1
attribute of an ideal feature
 property intrinsically attached to an ideal element

NOTE 1 Four levels of attributes can be defined for an ideal feature: 1) shape; 2) dimensional parameters from which a size can be defined in the case of dimensional feature; 3) situation feature; and 4) skeleton (when the size is set equal to zero).

NOTE 2 If the ideal feature is a feature of size, then one of parameters of the shape can be considered as a size.

3.3.1.1.1
dimensional parameter
 linear or angular dimension of an ideal feature used in the expression of its parametrized equation

NOTE A dimensional parameter can correspond to a size of a feature of size.

3.3.1.1.2
skeleton feature
 geometrical feature resulting from the reduction of a feature of size when its size is set equal to zero

NOTE 1 In the nominal model, the skeleton feature is a geometrical attribute of a nominal integral feature. A nominal integral feature and its skeleton belong to the same invariance class and have the same situation feature.

NOTE 2 In the non-ideal feature, several possible skeleton features exist for the same integral feature.

EXAMPLE In case of a torus, there are two dimensional parameters, one of which is a size (the small diameter of the torus). Its skeleton is a circle; its situation features are a plane (containing the circle) and a point (centre of the circle).

3.3.1.1.3

situation feature

point, straight line, plane or helix, from which the location and/or orientation of a geometrical feature can be defined

See Figures 1 to 4.

NOTE 1 A situation feature is a geometrical attribute of an ideal feature.

NOTE 2 No dimensional parameters are linked to a situation feature.

NOTE 3 In many cases, instead of using the situation helix, the axis of a situation helix is used.

EXAMPLE In the case of a torus, there are two dimensional parameters, one of which is a size (the small diameter of the torus). Its skeleton is a circle and its situation features are a plane (containing the circle) and a point (centre of the circle).



Figure 1 — Example of situation points




Figure 2 — Example of situation straight lines