
**Industrial automation systems and
integration — Product data representation
and exchange —**

Part 104:

**Integrated application resource: Finite
element analysis**

iTeh STANDARD PREVIEW

(standards.iteh.ai)

*Systèmes d'automatisation industrielle et intégration — Représentation
et échange de données de produits —*

*Partie 104: Ressources d'application intégrées: Analyse par éléments
finis*

<https://standards.iteh.ai/catalog/standards/sist/f6d91f40-fc7c-4395-a40b-70b3b032f247/iso-10303-104-2000>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 10303-104:2000](https://standards.iteh.ai/catalog/standards/sist/f6d91f40-fc7c-4395-a40b-70b3b032f247/iso-10303-104-2000)

<https://standards.iteh.ai/catalog/standards/sist/f6d91f40-fc7c-4395-a40b-70b3b032f247/iso-10303-104-2000>

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

| | | |
|--------|----------------------------------------------------------------------------|----|
| 1 | Scope | 1 |
| 1.1 | Analysis type scope | 1 |
| 1.2 | Structural response definition schema scope | 1 |
| 1.3 | Structural response representation schema scope | 2 |
| 1.4 | Finite element analysis control and result schema scope | 3 |
| 1.5 | Scalars, vectors, and tensors schema scope | 3 |
| 2 | Normative references | 4 |
| 3 | Terms, definitions, abbreviations, and symbols | 5 |
| 3.1 | Terms defined in ISO 10303-1 | 5 |
| 3.2 | Other terms and definitions | 5 |
| 3.3 | Symbols | 7 |
| 3.4 | Abbreviations | 7 |
| 4 | Structural response definition schema | 8 |
| 4.1 | Introduction | 8 |
| 4.2 | Fundamental concepts and assumptions | 8 |
| 4.3 | Structural response definition schema entity definitions | 8 |
| 4.3.1 | structural_response_property | 8 |
| 4.3.2 | fea_model_definition | 10 |
| 4.3.3 | node_definition | 10 |
| 4.3.4 | element_definition | 10 |
| 5 | Structural response representation schema | 12 |
| 5.1 | Introduction | 14 |
| 5.2 | Fundamental concepts and assumptions | 14 |
| 5.2.1 | Product relationship | 14 |
| 5.2.2 | Finite element analysis model relationships | 14 |
| 5.2.3 | Geometric founding and analysis space | 15 |
| 5.2.4 | Identifiers | 15 |
| 5.2.5 | Coordinate systems | 15 |
| 5.2.6 | Element matrix integration | 15 |
| 5.2.7 | Units and measures | 15 |
| 5.2.8 | Interface with the materials schema | 15 |
| 5.2.9 | Finite element analysis model, control, and result relationships | 16 |
| 5.2.10 | Use of element | 16 |
| 5.3 | Structural response representation schema type definitions | 16 |
| 5.3.1 | axi_or_plane | 16 |
| 5.3.2 | coordinate_system_type | 17 |
| 5.3.3 | element_order | 19 |
| 5.3.4 | plane_2d_element_purpose | 19 |
| 5.3.5 | enumerated_plane_2d_element_purpose | 19 |

ISO 10303-104:2000(E)

| | | |
|--------|-------------------------------------------------------------------------------------------------------|----|
| 5.3.6 | application_defined_element_purpose | 20 |
| 5.3.7 | volume_element_purpose | 20 |
| 5.3.8 | enumerated_volume_element_purpose | 21 |
| 5.3.9 | surface_element_purpose | 21 |
| 5.3.10 | enumerated_surface_element_purpose | 21 |
| 5.3.11 | curve_element_purpose | 22 |
| 5.3.12 | enumerated_curve_element_purpose | 23 |
| 5.3.13 | volume_3d_element_shape | 24 |
| 5.3.14 | element_2d_shape | 24 |
| 5.3.15 | matrix_property_type | 25 |
| 5.3.16 | enumerated_matrix_property_type | 25 |
| 5.3.17 | application_defined_matrix_property_type | 25 |
| 5.3.18 | surface_matrix_property_type | 26 |
| 5.3.19 | enumerated_surface_matrix_property_type | 26 |
| 5.3.20 | curve_matrix_property_type | 27 |
| 5.3.21 | enumerated_curve_matrix_property_type | 28 |
| 5.3.22 | matrix_symmetry | 29 |
| 5.3.23 | degree_of_freedom | 30 |
| 5.3.24 | enumerated_degree_of_freedom | 30 |
| 5.3.25 | application_defined_degree_of_freedom | 31 |
| 5.3.26 | curve_element_freedom | 31 |
| 5.3.27 | enumerated_curve_element_freedom | 32 |
| 5.3.28 | integration_rule | 32 |
| 5.3.29 | shape_function | 33 |
| 5.3.30 | volume_2d_element_representation | 33 |
| 5.3.31 | surface_2d_element_representation | 34 |
| 5.3.32 | curve_2d_element_representation | 34 |
| 5.3.33 | volume_2d_element_descriptor | 34 |
| 5.3.34 | surface_2d_element_descriptor | 35 |
| 5.3.35 | curve_2d_element_descriptor | 35 |
| 5.3.36 | volume_3d_element_coordinate_system | 35 |
| 5.3.37 | volume_2d_element_coordinate_system | 36 |
| 5.3.38 | surface_3d_element_coordinate_system | 36 |
| 5.3.39 | surface_2d_element_coordinate_system | 36 |
| 5.3.40 | curve_3d_element_coordinate_system | 37 |
| 5.3.41 | curve_element_end_coordinate_system | 37 |
| 5.3.42 | directionally_explicit_element_coordinate_system | 37 |
| 5.3.43 | element_aspect | 38 |
| 5.3.44 | element_volume | 38 |
| 5.3.45 | curve_edge | 39 |
| 5.3.46 | node_or_node_group | 39 |
| 5.3.47 | element_or_element_group | 39 |
| 5.4 | Structural response representation schema entity definitions: Finite element analysis model | 40 |
| 5.4.1 | fea_model | 40 |
| 5.4.2 | fea_model_3d | 41 |

| | | |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5.4.3 | fea_model_2d | 41 |
| 5.4.4 | structural_response_property_definition_representation | 42 |
| 5.4.5 | fea_representation_item | 43 |
| 5.5 | Structural response representation schema entity definitions: Node and element geometry, geometric coordinate systems, and geometric associativity | 44 |
| 5.5.1 | direction_node | 45 |
| 5.5.2 | fea_axis2_placement_2d | 47 |
| 5.5.3 | fea_axis2_placement_3d | 48 |
| 5.5.4 | node_set | 49 |
| 5.5.5 | analysis_item_within_representation | 49 |
| 5.5.6 | node_geometric_relationship | 50 |
| 5.5.7 | element_geometric_relationship | 51 |
| 5.6 | Structural response representation schema entity definitions: Node representation | 52 |
| 5.6.1 | node_representation | 52 |
| 5.6.2 | node | 53 |
| 5.6.3 | node_with_vector | 53 |
| 5.6.4 | node_with_solution_coordinate_system | 54 |
| 5.6.5 | dummy_node | 55 |
| 5.6.6 | geometric_node | 55 |
| 5.6.7 | substructure_node_relationship | 56 |
| 5.7 | Structural response representation schema entity definitions: Element representations | 56 |
| 5.7.1 | element_representation | 61 |
| 5.7.2 | volume_3d_element_representation | 62 |
| 5.7.3 | axisymmetric_volume_2d_element_representation | 64 |
| 5.7.4 | plane_volume_2d_element_representation | 66 |
| 5.7.5 | surface_3d_element_representation | 68 |
| 5.7.6 | axisymmetric_surface_2d_element_representation | 70 |
| 5.7.7 | plane_surface_2d_element_representation | 72 |
| 5.7.8 | curve_3d_element_representation | 75 |
| 5.7.9 | axisymmetric_curve_2d_element_representation | 77 |
| 5.7.10 | plane_curve_2d_element_representation | 79 |
| 5.7.11 | element_descriptor | 80 |
| 5.7.12 | volume_3d_element_descriptor | 81 |
| 5.7.13 | axisymmetric_volume_2d_element_descriptor | 82 |
| 5.7.14 | plane_volume_2d_element_descriptor | 82 |
| 5.7.15 | volume_3d_element_basis | 83 |
| 5.7.16 | volume_2d_element_basis | 84 |
| 5.7.17 | surface_3d_element_descriptor | 84 |
| 5.7.18 | axisymmetric_surface_2d_element_descriptor | 85 |
| 5.7.19 | plane_surface_2d_element_descriptor | 85 |
| 5.7.20 | surface_3d_element_basis | 86 |
| 5.7.21 | surface_2d_element_basis | 87 |
| 5.7.22 | curve_3d_element_descriptor | 87 |
| 5.7.23 | axisymmetric_curve_2d_element_descriptor | 88 |
| 5.7.24 | plane_curve_2d_element_descriptor | 88 |
| 5.7.25 | curve_3d_element_basis | 89 |

ISO 10303-104:2000(E)

| | | |
|---------|------------------------------------------------------------------------------------------|-----|
| 5.7.26 | curve_2d_element_basis | 90 |
| 5.7.27 | point_element_representation | 90 |
| 5.7.28 | point_element_matrix | 91 |
| 5.7.29 | stationary_mass | 92 |
| 5.7.30 | grounded_spring | 93 |
| 5.7.31 | grounded_damper | 93 |
| 5.7.32 | directionally_explicit_element_representation | 94 |
| 5.7.33 | system_and_freedom | 96 |
| 5.7.34 | directionally_explicit_element_coefficient | 96 |
| 5.7.35 | explicit_element_representation | 97 |
| 5.7.36 | explicit_element_matrix | 98 |
| 5.7.37 | substructure_element_representation | 99 |
| 5.8 | Structural response representation schema definitions: Element topologies | 99 |
| 5.9 | Structural response representation schema entity definitions: Element coordinate systems | 115 |
| 5.9.1 | aligned_axis_tolerance | 116 |
| 5.9.2 | arbitrary_volume_3d_element_coordinate_system | 117 |
| 5.9.3 | parametric_volume_3d_element_coordinate_system | 117 |
| 5.9.4 | arbitrary_volume_2d_element_coordinate_system | 119 |
| 5.9.5 | parametric_volume_2d_element_coordinate_system | 121 |
| 5.9.6 | aligned_surface_3d_element_coordinate_system | 122 |
| 5.9.7 | parametric_surface_3d_element_coordinate_system | 124 |
| 5.9.8 | constant_surface_3d_element_coordinate_system | 126 |
| 5.9.9 | aligned_surface_2d_element_coordinate_system | 127 |
| 5.9.10 | parametric_surface_2d_element_coordinate_system | 128 |
| 5.9.11 | aligned_curve_3d_element_coordinate_system | 129 |
| 5.9.12 | parametric_curve_3d_element_coordinate_system | 130 |
| 5.9.13 | parametric_curve_3d_element_coordinate_direction | 132 |
| 5.9.14 | curve_2d_element_coordinate_system | 132 |
| 5.9.15 | directionally_explicit_element_coordinate_system_arbitrary | 133 |
| 5.9.16 | directionally_explicit_element_coordinate_system_aligned | 134 |
| 5.9.17 | euler_angles | 134 |
| 5.10 | Structural response representation schema entity definitions: Element matrix integration | 135 |
| 5.10.1 | Volume 3D Element | 139 |
| 5.10.2 | Volume 2D Element | 139 |
| 5.10.3 | Curve 2D Element | 140 |
| 5.10.4 | Surface 3D or Curve Element | 140 |
| 5.10.5 | Surface 2D Element | 141 |
| 5.10.6 | volume_3d_element_integrated_matrix | 142 |
| 5.10.7 | volume_3d_element_integrated_matrix_with_definition | 142 |
| 5.10.8 | volume_3d_element_field_integration | 143 |
| 5.10.9 | element_integration_algebraic | 143 |
| 5.10.10 | volume_3d_element_field_integration_rule | 143 |
| 5.10.11 | volume_3d_element_field_integration_explicit | 144 |
| 5.10.12 | volume_position_weight | 144 |
| 5.10.13 | volume_2d_element_integrated_matrix | 145 |
| 5.10.14 | volume_2d_element_integrated_matrix_with_definition | 145 |

| | | |
|---------|---------------------------------------------------------------------------------------------------------------------|-----|
| 5.10.15 | volume_2d_element_field_integration | 146 |
| 5.10.16 | volume_2d_element_field_integration_rule | 146 |
| 5.10.17 | volume_2d_element_field_integration_explicit | 147 |
| 5.10.18 | surface_3d_element_integrated_matrix | 147 |
| 5.10.19 | surface_3d_element_integrated_matrix_with_definition | 148 |
| 5.10.20 | surface_3d_element_integration | 148 |
| 5.10.21 | surface_3d_element_field_integration | 149 |
| 5.10.22 | surface_section_integration | 149 |
| 5.10.23 | surface_3d_element_field_integration_rule | 149 |
| 5.10.24 | surface_3d_element_field_integration_explicit | 150 |
| 5.10.25 | surface_position_weight | 150 |
| 5.10.26 | surface_section_integration_rule | 151 |
| 5.10.27 | surface_section_integration_explicit | 151 |
| 5.10.28 | surface_section_position_weight | 152 |
| 5.10.29 | surface_2d_element_integrated_matrix | 152 |
| 5.10.30 | surface_2d_element_integrated_matrix_with_definition | 153 |
| 5.10.31 | surface_2d_element_integration | 153 |
| 5.10.32 | surface_2d_element_length_integration | 154 |
| 5.10.33 | surface_2d_element_length_integration_rule | 154 |
| 5.10.34 | surface_2d_element_length_integration_explicit | 155 |
| 5.10.35 | curve_3d_element_integrated_matrix | 155 |
| 5.10.36 | curve_3d_element_integrated_matrix_with_definition | 156 |
| 5.10.37 | curve_3d_element_integration | 156 |
| 5.10.38 | curve_3d_element_length_integration | 157 |
| 5.10.39 | curve_3d_element_length_integration_rule | 157 |
| 5.10.40 | curve_3d_element_length_integration_explicit | 158 |
| 5.10.41 | curve_3d_element_position_weight | 158 |
| 5.10.42 | curve_section_integration_explicit | 159 |
| 5.10.43 | curve_2d_element_integrated_matrix | 159 |
| 5.10.44 | curve_2d_element_integrated_matrix_with_definition | 160 |
| 5.10.45 | curve_2d_element_integration | 160 |
| 5.11 | Structural response representation schema entity definitions: Element locations | 161 |
| 5.11.1 | fea_parametric_point | 161 |
| 5.11.2 | volume_element_location | 162 |
| 5.11.3 | surface_volume_element_location | 162 |
| 5.11.4 | surface_element_location | 162 |
| 5.11.5 | surface_section_element_location | 163 |
| 5.11.6 | surface_section_element_location_absolute | 164 |
| 5.11.7 | surface_section_element_location_dimensionless | 164 |
| 5.11.8 | curve_volume_element_location | 165 |
| 5.11.9 | curve_element_location | 165 |
| 5.11.10 | curve_section_element_location | 166 |
| 5.12 | Structural response representation schema entity definitions: Finite element analysis material properties | 166 |
| 5.12.1 | element_material | 168 |
| 5.12.2 | fea_material_property_geometric_relationship | 168 |

| | | |
|---------|--------------------------------------------------------------------------------------------|-----|
| 5.12.3 | fea_material_property_representation | 169 |
| 5.12.4 | fea_material_property_representation_item | 170 |
| 5.12.5 | fea_linear_elasticity | 171 |
| 5.12.6 | fea_mass_density | 172 |
| 5.12.7 | fea_area_density | 172 |
| 5.12.8 | fea_tangential_coefficient_of_linear_thermal_expansion | 173 |
| 5.12.9 | fea_secant_coefficient_of_linear_thermal_expansion | 174 |
| 5.12.10 | fea_moisture_absorption | 175 |
| 5.12.11 | fea_shell_membrane_stiffness | 176 |
| 5.12.12 | fea_shell_bending_stiffness | 177 |
| 5.12.13 | fea_shell_membrane_bending_coupling_stiffness | 178 |
| 5.12.14 | fea_shell_shear_stiffness | 178 |
| 5.13 | Structural response representation schema entity definitions: Element properties | 179 |
| 5.13.1 | Surface element properties | 180 |
| 5.13.2 | Curve element properties | 185 |
| 5.13.3 | surface_element_property | 187 |
| 5.13.4 | surface_section_field | 188 |
| 5.13.5 | surface_section_field_constant | 189 |
| 5.13.6 | surface_section_field_varying | 189 |
| 5.13.7 | surface_section | 190 |
| 5.13.8 | uniform_surface_section | 191 |
| 5.13.9 | uniform_surface_section_layered | 191 |
| 5.13.10 | fea_surface_section_geometric_relationship | 192 |
| 5.13.11 | curve_3d_element_property | 192 |
| 5.13.12 | curve_element_interval | 193 |
| 5.13.13 | curve_element_interval_constant | 194 |
| 5.13.14 | curve_element_interval_linearly_varying | 194 |
| 5.13.15 | curve_2d_element_property | 195 |
| 5.13.16 | curve_element_section_definition | 196 |
| 5.13.17 | curve_element_section_derived_definitions | 196 |
| 5.13.18 | fea_curve_section_geometric_relationship | 198 |
| 5.13.19 | curve_element_end_offset | 199 |
| 5.13.20 | curve_element_end_release | 199 |
| 5.13.21 | curve_element_end_release_packet | 200 |
| 5.13.22 | axisymmetric_2d_element_property | 200 |
| 5.13.23 | plane_2d_element_property | 201 |
| 5.13.24 | simple_plane_2d_element_property | 201 |
| 5.14 | Structural response representation schema entity definitions: Groups | 201 |
| 5.14.1 | fea_group | 201 |
| 5.14.2 | element_group | 202 |
| 5.14.3 | node_group | 203 |
| 5.14.4 | fea_group_relation | 203 |
| 5.14.5 | volume_3d_element_group | 204 |
| 5.14.6 | volume_2d_element_group | 204 |
| 5.14.7 | surface_3d_element_group | 205 |
| 5.14.8 | surface_2d_element_group | 205 |

| | | |
|---------|--------------------------------------------------------------------|-----|
| 5.14.9 | curve_3d_element_group | 206 |
| 5.14.10 | curve_2d_element_group | 206 |
| 5.15 | Structural response representation schema function definitions | 207 |
| 5.15.1 | required_0d_nodes | 207 |
| 5.15.2 | required_1d_nodes | 207 |
| 5.15.3 | required_2d_nodes | 208 |
| 5.15.4 | required_3d_nodes | 210 |
| 5.15.5 | number_of_terms | 212 |
| 5.15.6 | valid_parametric_coordinate | 213 |
| 5.15.7 | build_direction_node | 213 |
| 5.15.8 | consistent_geometric_reference | 215 |
| 5.15.9 | consistent_element_or_group_reference | 216 |
| 5.15.10 | consistent_element_reference | 217 |
| 6 | Finite element analysis control and result schema | 220 |
| 6.1 | Introduction | 222 |
| 6.2 | Fundamental concepts and assumptions | 222 |
| 6.2.1 | Control | 222 |
| 6.2.2 | Control process | 222 |
| 6.2.3 | Result | 224 |
| 6.2.4 | Analysis step | 224 |
| 6.2.5 | State | 224 |
| 6.2.6 | State definition | 225 |
| 6.2.7 | Units and measures | 225 |
| 6.3 | Finite element analysis control and result schema type definitions | 225 |
| 6.3.1 | model_or_control_element | 226 |
| 6.3.2 | cylindrical_harmonic_number | 226 |
| 6.3.3 | volume_3d_face | 226 |
| 6.3.4 | volume_2d_face | 227 |
| 6.3.5 | volume_3d_edge | 227 |
| 6.3.6 | volume_2d_edge | 228 |
| 6.3.7 | surface_3d_face | 228 |
| 6.3.8 | surface_3d_edge | 229 |
| 6.3.9 | surface_2d_face | 230 |
| 6.3.10 | surface_2d_edge | 230 |
| 6.3.11 | field_value | 231 |
| 6.3.12 | unspecified_value | 231 |
| 6.3.13 | measure_or_unspecified_value | 232 |
| 6.3.14 | boundary_variable | 232 |
| 6.3.15 | boundary_aggregated_variable | 232 |
| 6.3.16 | volume_variable | 233 |
| 6.3.17 | volume_aggregated_variable | 233 |
| 6.3.18 | surface_element_variable | 233 |
| 6.3.19 | boundary_edge_variable | 234 |
| 6.3.20 | curve_element_variable | 234 |
| 6.3.21 | curve_scalar_variable | 235 |

| | | |
|--------|-------------------------------------------------------------------------------------------|-----|
| 6.3.22 | surface_scalar_variable | 236 |
| 6.3.23 | volume_scalar_variable | 236 |
| 6.3.24 | boundary_curve_scalar_variable | 237 |
| 6.3.25 | boundary_surface_scalar_variable | 237 |
| 6.3.26 | aggregated_scalar_variable | 238 |
| 6.3.27 | volume_angular_variable | 238 |
| 6.3.28 | aggregated_angular_variable | 239 |
| 6.3.29 | application_defined_scalar_variable | 239 |
| 6.3.30 | curve_vector_2d_variable | 240 |
| 6.3.31 | surface_vector_2d_variable | 242 |
| 6.3.32 | application_defined_vector_2d_variable | 243 |
| 6.3.33 | curve_vector_3d_variable | 243 |
| 6.3.34 | surface_vector_3d_variable | 243 |
| 6.3.35 | volume_vector_3d_variable | 244 |
| 6.3.36 | boundary_curve_vector_3d_variable | 245 |
| 6.3.37 | boundary_surface_vector_3d_variable | 245 |
| 6.3.38 | aggregated_vector_3d_variable | 246 |
| 6.3.39 | application_defined_vector_3d_variable | 246 |
| 6.3.40 | surface_tensor2_2d_variable | 246 |
| 6.3.41 | application_defined_tensor2_2d_variable | 248 |
| 6.3.42 | volume_tensor2_3d_variable | 249 |
| 6.3.43 | aggregated_tensor2_3d_variable | 250 |
| 6.3.44 | application_defined_tensor2_3d_variable | 250 |
| 6.3.45 | message_level | 251 |
| 6.3.46 | surface_3d_state_coordinate_system | 251 |
| 6.3.47 | surface_2d_state_coordinate_system | 252 |
| 6.3.48 | curve_3d_state_coordinate_system | 252 |
| 6.3.49 | curve_2d_state_coordinate_system | 252 |
| 6.3.50 | action_type | 253 |
| 6.3.51 | volume_3d_element_output_reference | 253 |
| 6.3.52 | volume_2d_element_output_reference | 254 |
| 6.3.53 | surface_3d_element_output_reference | 254 |
| 6.3.54 | surface_2d_element_output_reference | 255 |
| 6.3.55 | curve_3d_element_output_reference | 255 |
| 6.3.56 | curve_2d_element_output_reference | 256 |
| 6.3.57 | node_output_reference | 256 |
| 6.4 | Finite element analysis control and result entity definitions: Analysis control | 257 |
| 6.4.1 | control | 257 |
| 6.4.2 | analysis_step | 258 |
| 6.4.3 | control_analysis_step | 258 |
| 6.4.4 | symmetry_control | 259 |
| 6.4.5 | no_symmetry_control | 259 |
| 6.4.6 | cylindrical_symmetry_control | 260 |
| 6.4.7 | control_linear_static_analysis_step | 260 |
| 6.4.8 | control_linear_static_analysis_step_with_harmonic | 260 |
| 6.4.9 | control_linear_modes_and_frequencies_analysis_step | 261 |

| | | |
|--------|-------------------------------------------------------------------------------------------|-----|
| 6.4.10 | constraint_element | 262 |
| 6.4.11 | single_point_constraint_element | 262 |
| 6.4.12 | linear_constraint_equation_element | 263 |
| 6.4.13 | linear_constraint_equation_nodal_term | 264 |
| 6.4.14 | freedom_and_coefficient | 265 |
| 6.4.15 | nodal_dof_reduction | 265 |
| 6.4.16 | point_constraint | 266 |
| 6.4.17 | curve_constraint | 267 |
| 6.4.18 | surface_constraint | 267 |
| 6.4.19 | solid_constraint | 268 |
| 6.4.20 | control_process | 269 |
| 6.4.21 | control_linear_static_load_increment_process | 270 |
| 6.4.22 | control_linear_modes_and_frequencies_process | 270 |
| 6.4.23 | element_sequence | 271 |
| 6.4.24 | node_sequence | 272 |
| 6.5 | Finite element analysis control and result entity definitions: Analysis results | 272 |
| 6.5.1 | result | 272 |
| 6.5.2 | result_analysis_step | 273 |
| 6.5.3 | result_linear_static_analysis_sub_step | 274 |
| 6.5.4 | result_linear_modes_and_frequencies_analysis_sub_step | 274 |
| 6.5.5 | control_result_relationship | 275 |
| 6.6 | Finite element analysis control and result entity definitions: Model state | 275 |
| 6.6.1 | state | 276 |
| 6.6.2 | state_with_harmonic | 276 |
| 6.6.3 | specified_state | 277 |
| 6.6.4 | calculated_state | 277 |
| 6.6.5 | linearly_superimposed_state | 277 |
| 6.6.6 | state_component | 278 |
| 6.6.7 | output_request_state | 278 |
| 6.6.8 | state_relationship | 279 |
| 6.7 | Finite element analysis control and result entity definitions: State definition | 280 |
| 6.7.1 | state_definition | 280 |
| 6.7.2 | field_variable_definition | 282 |
| 6.7.3 | field_variable_element_definition | 282 |
| 6.7.4 | volume_3d_element_field_variable_definition | 283 |
| 6.7.5 | volume_3d_element_location_point_variable_values | 284 |
| 6.7.6 | volume_3d_element_value_and_location | 284 |
| 6.7.7 | volume_3d_whole_element_variable_value | 285 |
| 6.7.8 | volume_3d_element_constant_specified_variable_value | 286 |
| 6.7.9 | volume_3d_element_nodal_specified_variable_values | 287 |
| 6.7.10 | volume_3d_element_boundary_location_point_variable_values | 288 |
| 6.7.11 | volume_3d_element_boundary_whole_face_variable_value | 289 |
| 6.7.12 | volume_3d_element_boundary_constant_specified_variable_value | 290 |
| 6.7.13 | volume_3d_element_boundary_nodal_specified_variable_values | 291 |
| 6.7.14 | volume_3d_element_boundary_edge_location_point_volume_variable_values | 292 |
| 6.7.15 | volume_3d_element_boundary_edge_whole_edge_variable_value | 293 |

| | | |
|--------|----------------------------------------------------------------------------|-----|
| 6.7.16 | volume_3d_element_boundary_edge_constant_specified_volume_variable_value | 294 |
| 6.7.17 | volume_3d_element_boundary_edge_nodal_specified_variable_values | 295 |
| 6.7.18 | volume_2d_element_field_variable_definition | 296 |
| 6.7.19 | volume_2d_element_location_point_variable_values | 296 |
| 6.7.20 | volume_2d_element_value_and_location | 297 |
| 6.7.21 | volume_2d_whole_element_variable_value | 298 |
| 6.7.22 | volume_2d_element_constant_specified_variable_value | 299 |
| 6.7.23 | volume_2d_element_nodal_specified_variable_values | 300 |
| 6.7.24 | volume_2d_element_boundary_location_point_variable_values | 301 |
| 6.7.25 | volume_2d_element_boundary_whole_face_variable_value | 302 |
| 6.7.26 | volume_2d_element_boundary_constant_specified_variable_value | 303 |
| 6.7.27 | volume_2d_element_boundary_nodal_specified_variable_values | 304 |
| 6.7.28 | volume_2d_element_boundary_edge_location_point_volume_variable_values | 305 |
| 6.7.29 | volume_2d_element_boundary_edge_whole_edge_variable_value | 306 |
| 6.7.30 | volume_2d_element_boundary_edge_constant_specified_volume_variable_value | 307 |
| 6.7.31 | volume_2d_element_boundary_edge_nodal_specified_variable_values | 308 |
| 6.7.32 | surface_3d_element_field_variable_definition | 309 |
| 6.7.33 | surface_3d_element_location_point_volume_variable_values | 310 |
| 6.7.34 | surface_3d_element_value_and_location | 310 |
| 6.7.35 | surface_3d_element_value_and_volume_location | 311 |
| 6.7.36 | surface_3d_element_location_point_variable_values | 312 |
| 6.7.37 | surface_3d_whole_element_variable_value | 313 |
| 6.7.38 | surface_3d_element_constant_specified_variable_value | 314 |
| 6.7.39 | surface_3d_element_constant_specified_volume_variable_value | 315 |
| 6.7.40 | surface_3d_element_nodal_specified_variable_values | 316 |
| 6.7.41 | surface_3d_element_boundary_location_point_surface_variable_values | 317 |
| 6.7.42 | surface_3d_element_boundary_whole_face_variable_value | 318 |
| 6.7.43 | surface_3d_element_boundary_constant_specified_surface_variable_value | 319 |
| 6.7.44 | surface_3d_element_boundary_constant_specified_variable_value | 320 |
| 6.7.45 | surface_3d_element_boundary_nodal_specified_variable_values | 321 |
| 6.7.46 | surface_3d_element_boundary_edge_location_point_surface_variable_values | 322 |
| 6.7.47 | surface_3d_element_boundary_edge_location_point_variable_values | 323 |
| 6.7.48 | surface_3d_element_boundary_edge_whole_edge_variable_value | 324 |
| 6.7.49 | surface_3d_element_boundary_edge_constant_specified_surface_variable_value | 325 |
| 6.7.50 | surface_3d_element_boundary_edge_constant_specified_variable_value | 326 |
| 6.7.51 | surface_3d_element_boundary_edge_nodal_specified_variable_values | 327 |
| 6.7.52 | surface_2d_element_field_variable_definition | 328 |
| 6.7.53 | surface_2d_element_location_point_volume_variable_values | 329 |
| 6.7.54 | surface_2d_element_value_and_location | 329 |
| 6.7.55 | surface_2d_element_value_and_volume_location | 330 |
| 6.7.56 | surface_2d_element_location_point_variable_values | 331 |
| 6.7.57 | surface_2d_whole_element_variable_value | 332 |
| 6.7.58 | surface_2d_element_constant_specified_variable_value | 333 |
| 6.7.59 | surface_2d_element_constant_specified_volume_variable_value | 334 |
| 6.7.60 | surface_2d_element_nodal_specified_variable_values | 335 |
| 6.7.61 | surface_2d_element_boundary_location_point_surface_variable_values | 336 |

| | | |
|---------|------------------------------------------------------------------------------|-----|
| 6.7.62 | surface_2d_element_boundary_whole_face_variable_value | 337 |
| 6.7.63 | surface_2d_element_boundary_constant_specified_surface_variable_value . . . | 338 |
| 6.7.64 | surface_2d_element_boundary_constant_specified_variable_value | 339 |
| 6.7.65 | surface_2d_element_boundary_nodal_specified_variable_values | 340 |
| 6.7.66 | surface_2d_element_boundary_edge_location_point_surface_variable_values . . | 341 |
| 6.7.67 | surface_2d_element_boundary_edge_location_point_variable_values | 342 |
| 6.7.68 | surface_2d_element_boundary_edge_whole_edge_variable_value | 343 |
| 6.7.69 | surface_2d_element_boundary_edge_constant_specified_surface_variable_value | 344 |
| 6.7.70 | surface_2d_element_boundary_edge_constant_specified_variable_value | 345 |
| 6.7.71 | surface_2d_element_boundary_edge_nodal_specified_variable_values | 346 |
| 6.7.72 | curve_3d_element_field_variable_definition | 347 |
| 6.7.73 | curve_3d_element_location_point_volume_variable_values | 347 |
| 6.7.74 | curve_3d_element_value_and_location | 348 |
| 6.7.75 | curve_3d_element_value_and_volume_location | 349 |
| 6.7.76 | curve_3d_element_location_point_variable_values | 350 |
| 6.7.77 | curve_3d_whole_element_variable_value | 351 |
| 6.7.78 | curve_3d_element_constant_specified_variable_value | 352 |
| 6.7.79 | curve_3d_element_constant_specified_volume_variable_value | 353 |
| 6.7.80 | curve_3d_element_nodal_specified_variable_values | 354 |
| 6.7.81 | curve_2d_element_field_variable_definition | 354 |
| 6.7.82 | curve_2d_element_location_point_volume_variable_values | 355 |
| 6.7.83 | curve_2d_element_value_and_location | 356 |
| 6.7.84 | curve_2d_element_value_and_volume_location | 356 |
| 6.7.85 | curve_2d_element_location_point_variable_values | 357 |
| 6.7.86 | curve_2d_whole_element_variable_value | 358 |
| 6.7.87 | curve_2d_element_constant_specified_variable_value | 359 |
| 6.7.88 | curve_2d_element_constant_specified_volume_variable_value | 360 |
| 6.7.89 | field_variable_element_group_value | 361 |
| 6.7.90 | field_variable_whole_model_value | 362 |
| 6.7.91 | field_variable_node_definition | 362 |
| 6.7.92 | volume_3d_node_field_variable_definition | 363 |
| 6.7.93 | volume_2d_node_field_variable_definition | 364 |
| 6.7.94 | surface_3d_node_field_variable_definition | 365 |
| 6.7.95 | surface_3d_node_field_section_variable_values | 365 |
| 6.7.96 | surface_3d_node_field_aggregated_variable_values | 366 |
| 6.7.97 | surface_2d_node_field_variable_definition | 367 |
| 6.7.98 | surface_2d_node_field_section_variable_values | 367 |
| 6.7.99 | surface_2d_node_field_aggregated_variable_values | 368 |
| 6.7.100 | curve_3d_node_field_variable_definition | 369 |
| 6.7.101 | curve_3d_node_field_section_variable_values | 369 |
| 6.7.102 | curve_3d_node_field_aggregated_variable_values | 370 |
| 6.7.103 | curve_2d_node_field_variable_definition | 371 |
| 6.7.104 | curve_2d_node_field_section_variable_values | 371 |
| 6.7.105 | curve_2d_node_field_aggregated_variable_values | 372 |
| 6.7.106 | nodal_freedom_and_value_definition | 373 |
| 6.7.107 | nodal_freedom_values | 374 |

ISO 10303-104:2000(E)

| | | |
|---------|---------------------------------------------------------------------------------------------------------------------|-----|
| 6.7.108 | nodal_freedom_action_definition | 374 |
| 6.7.109 | element_nodal_freedom_actions | 375 |
| 6.7.110 | element_nodal_freedom_terms | 375 |
| 6.7.111 | point_freedom_and_value_definition | 376 |
| 6.7.112 | point_freedom_values | 377 |
| 6.7.113 | point_freedom_action_definition | 377 |
| 6.7.114 | curve_freedom_and_value_definition | 378 |
| 6.7.115 | curve_freedom_values | 379 |
| 6.7.116 | curve_freedom_action_definition | 379 |
| 6.7.117 | surface_freedom_and_value_definition | 379 |
| 6.7.118 | surface_freedom_values | 380 |
| 6.7.119 | surface_freedom_action_definition | 381 |
| 6.7.120 | solid_freedom_and_value_definition | 381 |
| 6.7.121 | solid_freedom_values | 382 |
| 6.7.122 | solid_freedom_action_definition | 382 |
| 6.7.123 | freedoms_list | 383 |
| 6.7.124 | linear_constraint_equation_element_value | 383 |
| 6.7.125 | single_point_constraint_element_values | 384 |
| 6.7.126 | analysis_message | 384 |
| 6.7.127 | whole_model_analysis_message | 385 |
| 6.7.128 | whole_model_modes_and_frequencies_analysis_message | 385 |
| 6.7.129 | element_analysis_message | 386 |
| 6.7.130 | node_analysis_message | 386 |
| 6.7.131 | element_group_analysis_message | 387 |
| 6.7.132 | volume_3d_substructure_element_reference | 387 |
| 6.7.133 | volume_2d_substructure_element_reference | 388 |
| 6.7.134 | surface_3d_substructure_element_reference | 388 |
| 6.7.135 | surface_2d_substructure_element_reference | 389 |
| 6.7.136 | curve_3d_substructure_element_reference | 389 |
| 6.7.137 | curve_2d_substructure_element_reference | 390 |
| 6.7.138 | substructure_node_reference | 390 |
| 6.8 | Finite element analysis control and result schema function definitions | 391 |
| 6.8.1 | necessary_value_coordinate_system | 391 |
| 6.8.2 | consistent_set_values | 392 |
| 6.8.3 | consistent_list_values | 393 |
| 6.8.4 | consistent_value | 394 |
| 6.8.5 | variable_value_type | 394 |
| 6.8.6 | appropriate_set_value_existence | 396 |
| 6.8.7 | appropriate_list_value_existence | 397 |
| 6.8.8 | appropriate_value_existence | 398 |
| 7 | FEA scalar vector tensor schema | 399 |
| 7.1 | Introduction | 399 |
| 7.2 | Fundamental concepts and assumptions | 399 |
| 7.3 | FEA scalar vector tensor schema type definitions: The FEA representation of scalars, vectors, and tensors | 399 |

| | | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------|-----|
| 7.3.1 | angular_value | 400 |
| 7.3.2 | scalar | 400 |
| 7.3.3 | tensor1 | 400 |
| 7.3.4 | tensor1_2d | 401 |
| 7.3.5 | tensor1_3d | 401 |
| 7.3.6 | symmetric_tensor2_2d | 402 |
| 7.3.7 | anisotropic_symmetric_tensor2_2d | 402 |
| 7.3.8 | symmetric_tensor2_3d | 403 |
| 7.3.9 | isotropic_symmetric_tensor2_3d | 403 |
| 7.3.10 | orthotropic_symmetric_tensor2_3d | 404 |
| 7.3.11 | anisotropic_symmetric_tensor2_3d | 404 |
| 7.3.12 | symmetric_tensor4_2d | 405 |
| 7.3.13 | anisotropic_symmetric_tensor4_2d | 405 |
| 7.3.14 | tensor_type | 406 |
| 7.4 | FEA scalar vector tensor schema type definitions: The FEA representation of a fourth order material response tensor | 407 |
| 7.4.1 | symmetric_tensor4_3d | 407 |
| 7.4.2 | anisotropic_symmetric_tensor4_3d | 409 |
| 7.4.3 | fea_isotropic_symmetric_tensor4_3d | 410 |
| 7.4.4 | fea_iso_orthotropic_symmetric_tensor4_3d | 411 |
| 7.4.5 | fea_transverse_isotropic_symmetric_tensor4_3d | 412 |
| 7.4.6 | fea_column_normalised_orthotropic_symmetric_tensor4_3d | 413 |
| 7.4.7 | fea_column_normalised_monoclinic_symmetric_tensor4_3d | 415 |
| 7.5 | FEA scalar vector tensor schema entity definitions: Tensor representation | 418 |
| 7.5.1 | tensor_representation_item | 418 |
| Annex A (normative) | Short names of entities | 419 |
| Annex B (normative) | Information object registration | 430 |
| B.1 | Document identification | 430 |
| B.2 | Schema identification | 430 |
| B.2.1 | structural_response_definition_schema identification | 430 |
| B.2.2 | structural_response_representation_schema identification | 430 |
| B.2.3 | finite_element_analysis_control_and_result_schema identification | 430 |
| B.2.4 | fea_scalar_vector_tensor_schema identification | 431 |
| Annex C (informative) | Computer-interpretable listings | 432 |
| Annex D (informative) | EXPRESS-G diagrams | 433 |
| Annex E (informative) | Finite element multi-disciplinary and nonlinear analysis extensions | 519 |
| Index | | 522 |

Figures

| | | |
|----------|-----------------------------------------------|---|
| Figure 1 | FEA schema level model in EXPRESS-G | 2 |
|----------|-----------------------------------------------|---|