
**Industrial automation systems and
integration — Product data representation
and exchange —**

Part 27:

**Implementation methods: Java™
programming language binding to the
standard data access interface with
Internet/Intranet extensions**

<https://standards.iso.org/standards/catalog/iso/10303-27-2000>
ISO/TS 10303-27:2000
*Systèmes d'automatisation industrielle et intégration — Représentation et
échange de données de produits —*

*Partie 27: Méthodes de mise en application: Liaison de langage de
programmation Java™ à l'interface d'accès aux données normales avec
extensions Internet/Intranet*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TS 10303-27:2000

<https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000>

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

1	Scope	1
2	Normative references.....	2
3	Terms, definitions, and abbreviations	3
3.1	Terms defined in ISO 10303-1	3
3.2	Terms defined in ISO 10303-11	3
3.3	Terms defined in ISO 10303-22	4
3.4	Terms defined in The Java Language Specification	5
3.5	Other definitions	5
3.6	Abbreviations	6
4	General characteristics.....	7
4.1	Entity Attribute and Aggregate Member access.....	8
4.2	Dynamic SdaiRepositories.....	9
4.3	Packages and EXPRESS schema.....	10
4.4	Aggregates	10
4.5	Conformance requirements	11
4.6	Agglomerate domain	11
4.7	Date and time	11
5	Mapping of the SDAI_parameter_data_schema.....	12
5.1	String_value	12
5.2	Binary_value	12
5.3	Integer_value	12
5.4	Real_value	12
5.5	Number_value	12
5.6	Boolean_value	13
5.7	Logical_value	13
5.8	Query_source	13
5.9	Iterator	13
5.10	Entity_instance	13
5.11	Attribute_value.....	13
5.12	Select_value.....	13
5.13	Select_aggregate_instance	13
5.14	Enumeration_value	14
5.15	Aggregate_instance	14
5.16	Non_persistent_list_instance.....	14
6	SDAI Session classes	14
6.1	SdaiSession.....	15
6.1.1	Open session	15
6.1.2	Close session.....	15
6.1.3	Start transaction read-write access.....	16
6.1.4	Start transaction read-only access.....	16
6.1.5	Get complex entity definition.....	16
6.1.6	Link repository.....	16
6.1.7	Create repository	17
6.1.8	Import clear text encoding.....	17
6.2	Implementation	17
6.3	SdaiRepository	18
6.3.1	Create SDAI-model.....	19

6.3.2	Create schema instance.....	19
6.3.3	Open repository	19
6.3.4	Close repository.....	19
6.3.5	Get session identifier.....	19
6.3.6	SDAI query	19
6.3.7	Export clear text encoding.....	20
6.3.8	Delete repository	20
6.3.9	Unlink repository	20
6.4	ASdaiRepository	21
6.5	SdaiTransaction.....	21
6.5.1	Commit	21
6.5.2	Abort	21
6.5.3	End transaction access and commit.....	21
6.5.4	End transaction access and abort.....	21
6.6	SchemaInstance	22
6.6.1	getValidationDateLong	22
6.6.2	Delete schema instance.....	22
6.6.3	Rename schema instance.....	22
6.6.4	Add SDAI-model	23
6.6.5	Remove SDAI-model	23
6.6.6	SDAI query	23
6.6.7	Validate global rule.....	23
6.6.8	Validate uniqueness rule.....	23
6.6.9	Validate instance reference domain.....	23
6.6.10	Validate schema instance.....	23
6.6.11	Is validation current.....	23
6.7	ASchemaInstance.....	23
6.7.1	getAssociatedModels.....	24
6.8	SdaiModel.....	24
6.8.1	getMode	25
6.8.2	Delete SDAI-model.....	25
6.8.3	Rename SDAI-model.....	26
6.8.4	Start read-only access.....	26
6.8.5	Promote SDAI-model to read-write.....	26
6.8.6	Reduce SDAI-model to read-only.....	26
6.8.7	End read-only access.....	26
6.8.8	Start read-write access.....	26
6.8.9	End read-write access.....	26
6.8.10	Get entity definition.....	27
6.8.11	Create entity instance	27
6.8.12	Copy application instance.....	27
6.8.13	copyInstances	27
6.8.14	Undo changes.....	27
6.8.15	Save changes	27
6.8.16	SDAI query	27
6.8.17	Get instances	27
6.8.18	Get exact instances.....	28
6.8.19	substituteInstance.....	28
6.8.20	Get defined schema.....	29
6.9	ASdaiModel.....	29

STANDARD PREVIEW
(standards.iteh.ai)

6.10	EntityExtent.....	29
6.11	AEntityExtent.....	30
6.12	LOGICAL.....	30
7	Late binding.....	30
7.1	Late binding base types.....	31
7.2	Select data types for late binding.....	31
7.3	EEntity.....	32
7.3.1	Get attribute.....	33
7.3.2	Get inverse attribute.....	33
7.3.3	Test attribute.....	33
7.3.4	Find entity instance SDAI-model.....	34
7.3.5	Get instance type.....	34
7.3.6	Is instance of.....	34
7.3.7	Is kind of.....	34
7.3.8	Find entity instance users.....	34
7.3.9	Find entity instance usedin.....	34
7.3.10	Get attribute value bound.....	34
7.3.11	Find instance roles.....	35
7.3.12	Find instance data types.....	35
7.3.13	Delete application instance.....	35
7.3.14	Put attribute.....	35
7.3.15	Unset attribute value.....	35
7.3.16	Create aggregate instance.....	35
7.3.17	Get persistent label.....	35
7.3.18	Get description.....	35
7.3.19	Validate where rule.....	36
7.3.20	Validate required explicit attributes assigned.....	36
7.3.21	Validate inverse attributes.....	36
7.3.22	Validate explicit attributes references.....	36
7.3.23	Validate aggregates size.....	36
7.3.24	Validate aggregates uniqueness.....	36
7.3.25	Validate array not optional.....	36
7.3.26	Validate string width.....	36
7.3.27	Validate binary width.....	36
7.3.28	Validate real precision.....	37
7.3.29	compareValueBoolean.....	37
7.3.30	compareValueLogical.....	37
7.3.31	toString.....	37
7.4	Aggregate.....	37
7.4.1	Get aggregation type.....	39
7.4.2	Get member count.....	39
7.4.3	Is member.....	39
7.4.4	Create iterator.....	39
7.4.5	Attach iterator.....	40
7.4.6	Get lower bound.....	40
7.4.7	Get upper bound.....	40
7.4.8	SDAI query.....	40
7.4.9	Get by index.....	40
7.4.10	Get value bound by index.....	40
7.4.11	Put by index.....	40

7.4.12	Create aggregate instance by index.....	40
7.4.13	Test by index for late binding.....	41
7.4.14	Get lower index.....	41
7.4.15	Get upper index.....	41
7.4.16	Unset value by index.....	41
7.4.17	Reindex array.....	41
7.4.18	Reset array index.....	41
7.4.19	Add by index.....	41
7.4.20	Add aggregate instance by index.....	41
7.4.21	Remove by index.....	42
7.4.22	Add unordered.....	42
7.4.23	Create aggregate instance unordered.....	42
7.4.24	Remove unordered.....	42
7.4.25	Test current member.....	42
7.4.26	Get current member.....	42
7.4.27	Create aggregate instance as current member.....	43
7.4.28	Put current member.....	43
7.4.29	Add before current member.....	43
7.4.30	Add after current member.....	43
7.4.31	Create aggregate instance before current member.....	43
7.4.32	Create aggregate instance after current member.....	43
7.4.33	Clear.....	43
7.4.34	toString.....	44
7.5	SdaiIterator.....	44
7.5.1	Beginning.....	44
7.5.2	Next.....	44
7.5.3	Get value bound by iterator.....	44
7.5.4	Remove current member.....	45
7.5.5	End.....	45
7.5.6	Previous.....	45
7.5.7	Unset value current member.....	45
7.6	Aggregates of basic types.....	45
7.6.1	AEntity.....	45
7.6.2	A_string.....	46
7.6.3	Aa_string.....	46
7.6.4	A_double.....	46
7.6.5	Aa_double.....	47
7.6.6	A_integer.....	47
7.6.7	Aa_integer.....	47
7.6.8	A_enumeration.....	48
7.6.9	Aa_enumeration.....	48
7.6.10	A_boolean.....	48
7.6.11	Aa_boolean.....	49
7.6.12	A_binary.....	49
7.6.13	Aa_binary.....	49
8	Early binding.....	50
8.1	Naming conventions.....	50
8.2	Schema package.....	50
8.3	Schema class.....	50
8.4	Defined type interface.....	51

iTech STANDARD PREVIEW
(standards.itech.ai)

8.5	ENUMERATION class	51
8.6	Select data types.....	52
8.7	Java types for entity attributes and aggregate elements	54
8.8	Access methods for entity attributes.....	55
8.9	Entity Interface	55
8.9.1	Test attribute	56
8.9.2	Get attribute	56
8.9.3	Unset attribute value	56
8.9.4	Put attribute.....	56
8.9.5	Create aggregate instance.....	56
8.10	Entity class.....	57
8.10.1	Field definition.....	57
8.10.2	Get attribute definition.....	57
8.10.3	Find entity instance used in.....	58
8.11	Aggregate class	58
8.11.1	Is member.....	58
8.11.2	Test by index.....	59
8.11.3	Get by index.....	59
8.11.4	Put by index.....	59
8.11.5	Create aggregate instance by index.....	59
8.11.6	Add by index.....	60
8.11.7	Add aggregate instance by index	60
8.11.8	Test current member.....	60
8.11.9	Get current member.....	60
8.11.10	Put current member	61
8.11.11	Create aggregate instance as current member.....	61
8.11.12	Add before current member.....	61
8.11.13	Create aggregate instance before current member.....	61
8.11.14	Add after current member	61
8.11.15	Create aggregate instance after current member	62
8.11.16	Add unordered.....	62
8.11.17	Create aggregate instance unordered.....	62
8.11.18	Remove unordered	62
9	Error handling.....	62
9.1	SdaiException.....	63
10	SDAI dictionary	67
10.1	Entity_definition	68
10.1.1	Is subtype of.....	68
10.1.2	Is domain equivalent with	68

Annex A (normative)	Information object registration.....	69
Annex B (normative)	Mapping between Part-21 and SDAI.....	70
Annex C (informative)	Events	71
Annex D (informative)	Examples.....	73
D.1	Mass measure schema.....	73
D.1.1	SMass_measure_schema.java	74
D.1.2	EMeasured_mass.java.....	74
D.1.3	EComputed_mass.java	74
D.1.4	EEstimated_mass.java.....	74
D.1.5	EWeight.java	74
D.1.6	EFloatingnumber.java.....	74
D.1.7	ENotanumber.java.....	75
D.1.8	ESteel_bar.java.....	75
D.1.9	CSteel_bar.java	76
D.2	Mass measure schema - early binding access.....	76
D.3	Mass measure schema - late binding access.....	79
D.4	XList schema.....	82
D.4.1	SXlist_schema.java	83
D.4.2	EXx.java	83
D.4.3	CXx.java	83
D.4.4	AXx.java.....	84
D.4.5	AaXa.java	84
D.4.6	EXlist1.java.....	84
D.4.7	EXlist2.java.....	84
D.4.8	EXxlist.java.....	85
D.4.9	AXselect.java	85
D.4.10	EYy.java	86
D.4.11	CYy.java.....	87
D.4.12	AYy.java.....	87
D.5	XList schema - late binding access.....	88
Annex E (informative)	Select path generator	90
Index	97

ITC STANDARD PREVIEW
 (standards.iteh.ai)

[ISO/TS 10303-27:2000](https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000)
standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed every three years with a view to deciding whether it can be transformed into an International Standard.

Attention is drawn to the possibility that some of the elements of this part of ISO 10303 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 10303-27 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC 4, *Industrial data*.

ISO 10303 consists of the following parts under the general title *Industrial automation systems and integration* — *Product data representation and exchange*:

- Part 1, Overview and fundamental principles;
- Part 11, Description methods: The EXPRESS language reference manual;
- Part 12, Description methods: The EXPRESS-I language reference manual;
- Part 14, Description methods: The EXPRESS-X language reference manual;

- Part 21, Implementation methods: Clear text encoding of the exchange structure;
- Part 22, Implementation method: Standard data access interface specification;
- Part 23, Implementation method: C++ language binding to the standard data access interface;
- Part 24, Implementation method: C language binding to the standard data access interface;
- Part 26, Implementation method: Interface definition language binding to the standard data access interface;
- Part 27, Implementation method: Java™ programming language binding to the standard data access interface with Internet/Intranet extensions;
- Part 28, Implementation method: XML representation for EXPRESS-driven data;
- Part 29, Implementation method: Lightweight Java programming language binding to the standard data access interface with Internet/Intranet extensions;
- Part 31, Conformance testing methodology and framework: General concepts;
- Part 32, Conformance testing methodology and framework: Requirements on testing laboratories and clients;
- Part 34, Conformance testing methodology and framework: Abstract test methods;
- Part 35, Conformance testing methodology and framework: Abstract test methods for standard data access interface implementations;
- Part 41, Integrated generic resources: Fundamentals of product description and support;
- Part 42, Integrated generic resources: Geometric and topological representation;
- Part 43, Integrated generic resources: Representation structures;
- Part 44, Integrated generic resources: Product structure configuration;
- Part 45, Integrated generic resource: Materials;
- Part 46, Integrated generic resources: Visual presentation;
- Part 47, Integrated generic resource: Shape variation tolerances;
- Part 49, Integrated generic resource: Process structure and properties;
- Part 50, Integrated generic resource: Mathematical construct;
- Part 101, Integrated application resource: Draughting;
- Part 104, Integrated application resource: Finite element analysis;

ITC STANDARD PREVIEW

(standards.iteh.ai)

ISO/TS 10303-27:2000

map/testing-methodology-and-framework/Abstract-test-methods-for-standard-data-access-interface-implementations

783194b5e075/iso-ts-10303-27-2000

- Part 105, Integrated application resource: Kinematics;
- Part 106, Integrated application resource: Building construction core model;
- Part 107, Integrated application resource: Engineering analysis core application reference model (EA C-ARM);
- Part 108, Integrated application resource: Parameterization and constraints for explicit geometric product models;
- Part 201, Application protocol: Explicit draughting;
- Part 202, Application protocol: Associative draughting;
- Part 203, Application protocol: Configuration controlled 3D designs of mechanical parts and assemblies;
- Part 204, Application protocol: Mechanical design using boundary representation;
- Part 205, Application protocol: Mechanical design using surface representation;
- Part 207, Application protocol: Sheet metal die planning and design;
- Part 208, Application protocol: Life cycle management - Change process;
- Part 209, Application protocol: Composite and metallic structural analysis and related design;
- Part 210, Application protocol: Electronic assembly, interconnect, and packaging design;
- Part 212, Application protocol: Electrotechnical design and installation;
- Part 213, Application protocol: Numerical control process plans for machined parts;
- Part 214, Application protocol: Core data for automotive mechanical design processes;
- Part 215, Application protocol: Ship arrangement;
- Part 216, Application protocol: Ship moulded forms;
- Part 217, Application protocol: Ship piping;
- Part 218, Application protocol: Ship structures;
- Part 221, Application protocol: Functional data and their schematic representation for process plant;
- Part 223, Application protocol: Exchange of design and manufacturing product information for casting parts;

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TS 10303-27:2000](https://standards.iteh.ai/catalog/standards/sist/793194b5e075/iso-ts-10303-27-2000)

[793194b5e075/iso-ts-10303-27-2000](https://standards.iteh.ai/catalog/standards/sist/793194b5e075/iso-ts-10303-27-2000)

- Part 224, Application protocol: Mechanical product definition for process plans using machining features;
- Part 225, Application protocol: Building elements using explicit shape representation;
- Part 226, Application protocol: Ship mechanical systems;
- Part 227, Application protocol: Plant spatial configuration;
- Part 230, Application protocol: Building structural frame: Steelwork;
- Part 231, Application protocol: Process engineering data: Process design and process specification of major equipment;
- Part 232, Application protocol: Technical data packaging core information and exchange;
- Part 233, Application Protocol: Systems engineering data representation;
- Part 234, Application protocol: Ship Operational logs, records, and messages;
- Part 235, Application Protocol: Materials information for the design and verification of products;
- Part 236, Application Protocol: Furniture product data and project data;
- Part 301, Abstract test suite: Explicit draughting;
- Part 302, Abstract test suite: Associative draughting;
- Part 303, Abstract test suite: Configuration controlled design;
- Part 304, Abstract test suite: Mechanical design using boundary representation;
- Part 305, Abstract test suite: Mechanical design using surface representation;
- Part 307, Abstract test suite: Sheet metal die planning and design;
- Part 308, Abstract test suite: Life cycle management --- Change process;
- Part 309, Abstract test suite: Composite and metallic structural analysis and related design;
- Part 310, Abstract test suite: Electronic assembly, interconnect, and packaging design;
- Part 312, Abstract test suite: Electrotechnical design and installation;
- Part 313, Abstract test suite: Numerical control process plans for machined parts;
- Part 314, Abstract test suite: Core data for automotive mechanical design processes;
- Part 315, Abstract test suite: Ship arrangement;

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TS 10303-27:2000](https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000)

<https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000>

- Part 316, Abstract test suite: Ship moulded forms;
- Part 317, Abstract test suite: Ship piping;
- Part 318, Abstract test suite: Ship structures;
- Part 321, Abstract test suite: Functional data and schematic representation for process plant;
- Part 322, Abstract test suite: Exchange of product data for composite structures;
- Part 323, Abstract test suite: Exchange of design and manufacturing product information for cast parts;
- Part 324, Abstract test suite: Mechanical product definition for process plans using machining features;
- Part 325, Abstract test suite: Building elements using explicit shape representation;
- Part 326, Abstract test suite: Ship mechanical systems;
- Part 327, Abstract test suite: Plant spatial configuration;
- Part 329, Abstract test suite: Exchange of design and manufacturing product information for forged parts;
- Part 330, Abstract test suite: Building structural frame; Steelwork;
- Part 331, Abstract test suite: Process engineering data; Process design and process specification of major equipment;
- Part 332, Abstract test suite: Technical data packaging core information and exchange;
- Part 333, Abstract test suite: Systems engineering data representation;
- Part 334, Abstract test suite: Ship Operational logs, records, and messages;
- Part 335, Abstract test suite: Materials information for the design and verification of products;
- Part 336, Abstract test suite: Furniture product data and project data;
- Part 501, Application interpreted construct: Edge-based wireframe;
- Part 502, Application interpreted construct: Shell-based wireframe;
- Part 503, Application interpreted construct: Geometrically bounded 2D wireframe;
- Part 504, Application interpreted construct: Draughting annotation;
- Part 505, Application interpreted construct: Drawing structure and administration;

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-70c6911e3177/iso-10303-27-2000>

- Part 506, Application interpreted construct: Draughting elements;
- Part 507, Application interpreted construct: Geometrically bounded surface;
- Part 508, Application interpreted construct: Non-manifold surface;
- Part 509, Application interpreted construct: Manifold surface;
- Part 510, Application interpreted construct: Geometrically bounded wireframe;
- Part 511, Application interpreted construct: Topologically bounded surface;
- Part 512, Application interpreted construct: Faceted boundary representation;
- Part 513, Application interpreted construct: Elementary boundary representation;
- Part 514, Application interpreted construct: Advanced boundary representation;
- Part 515, Application interpreted construct: Constructive solid geometry;
- Part 517, Application interpreted construct: Mechanical design geometric presentation;
- Part 518, Application interpreted construct: Mechanical design shaded presentation;
- Part 519, Application interpreted construct: Geometric tolerances;
- Part 520, Application interpreted construct: Associative draughting elements;
- Part 1001, Application module: Appearance assignment;
- Part 1002, Application Module: Colour;
- Part 1003, Application module: Curve appearance;
- Part 1004, Application module: Elemental shape;
- Part 1005, Application module: Elemental topological shape;
- Part 1006, Application module: Foundation representation;
- Part 1007, Application module: General surface appearance;
- Part 1008, Application Module: Layer assignment;
- Part 1009, Application Module: Shape appearance and layers;

The structure of this International Standard is described in ISO 10303-1. The numbering of the parts of the International Standard reflects its structure:

- Parts 11 to 14 specify the description methods,

- Parts 21 to 29 specify the implementation methods,
- Parts 31 to 35 specify the conformance testing methodology and framework,
- Parts 41 to 50 specify the integrated generic resources,
- Parts 101 to 108 specify the integrated application resources,
- Parts 201 to 236 specify the application protocols,
- Parts 301 to 336 specify the abstract test suites,
- Parts 501 to 520 specify the application interpreted constructs,
- Parts 1001 to 1009 specify the application module

Should further parts of ISO 10303 be published, they will follow the same numbering pattern.

Annexes A and B form a normative part of this part of ISO 10303. Annexes C to E are for information only.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[ISO/TS 10303-27:2000](https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000)

<https://standards.iteh.ai/catalog/standards/sist/a1ca703f-4caf-40c4-9b18-793194b5e075/iso-ts-10303-27-2000>