



# SLOVENSKI STANDARD SIST ETS 300 770-2:1998

01-september-1998

ü]fc\_cdUgcj bc`X][ ]HJbc`ca fYy`Y`n`]bhY[ f]fUbj]a ]`glcf]hj Ua ]`f6 !=G8 BŁ!`Dfc]c\_c`  
X][ ]HJbY`bUfc b]y`Y`g][ bU]nUWY`Y`yH`&fB GG&Ł!`8cdc`b]bUglcf]hj .`nUdf]Ug\_i d]bU  
i dcfUVb]\_cj `f7 I ; Ł!`&`"XY. :`nUj U`c`g`\_`UXbcgh]`]nj YXVY`dfc]c\_c`UfD=7 GŁ!  
DfcZ`fa UgdYWZ`\_UWY`

Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Closed User Group (CUG) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 770-2:1998](https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998>

**Ta slovenski standard je istoveten z: ETS 300 770-2 Edition 1**

**ICS:**

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

**SIST ETS 300 770-2:1998** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 770-2:1998](#)

<https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 770-2**

May 1998

Source: SPS

Reference: DE/SPS-05100-2

ICS: 33.020

**Key words:** B-ISDN, DSS2, supplementary service, CUG, PICS

**Broadband Integrated Services Digital Network (B-ISDN);  
Digital Subscriber Signalling System No. two (DSS2) protocol;  
Closed User Group (CUG) supplementary service;  
Part 2: Protocol Implementation Conformance Statement (PICS)  
proforma specification**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**Internet:** secretariat@etsi.fr - <http://www.etsi.fr> - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998. All rights reserved.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 770-2:1998](https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998>

## Contents

Foreword .....	5
1 Scope .....	7
2 Normative references .....	7
3 Definitions .....	8
4 Abbreviations .....	8
5 Conformance .....	8
Annex A (normative): PICS proforma .....	9
A.1 Instructions for completing the PICS proforma .....	9
A.1.1 Identification of the implementation .....	9
A.1.2 Global statement of conformance .....	9
A.1.3 Explanation of PICS proforma subclauses .....	9
A.1.4 Symbols, abbreviations and terms .....	10
A.2 Identification of the implementation .....	10
A.2.1 Date of the statement .....	10
A.2.2 Implementation Under Test (IUT) identification .....	10
A.2.3 System Under Test (SUT) identification .....	10
A.2.4 Product supplier .....	11
A.2.5 Client .....	11
A.2.6 PICS contact person .....	12
A.3 PICS/System Conformance Statement (SCS) .....	12
A.4 Identification of the protocol .....	12
A.5 Global statement of conformance .....	13
A.6 Roles .....	13
A.7 User .....	14
A.7.1 Major capabilities .....	14
A.7.2 Subsidiary capabilities .....	14
A.7.3 Protocol data units .....	14
A.7.4 Protocol data unit parameters .....	14
A.7.5 Timers .....	15
A.7.6 Call states .....	15
A.8 Network .....	16
A.8.1 Type of implementation .....	16
A.8.2 Major capabilities .....	16
A.8.3 Subsidiary capabilities .....	16
A.8.4 Protocol data units .....	17
A.8.5 Protocol data unit parameters .....	17
A.8.6 Timers .....	18
A.8.7 Call states .....	18
Annex B (normative): Requirements list .....	19
B.1 User .....	19

B.1.1	Requirements on items used in the basic call PICS .....	19
B.2	Network.....	19
B.2.1	Requirements on items used in the basic call PICS .....	19
History	.....	20

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 770-2:1998](https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998>

## Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is part 2 of a multi-part standard covering the Digital Subscriber Signalling System No. two (DSS2) protocol specification for the Broadband Integrated Services Digital Network (B-ISDN) Closed User Group (CUG) supplementary service, as described below:

Part 1: "Protocol specification";

**Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";**

Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";

Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";

Part 5: "TSS&TP specification for the network";

Part 6: "ATS and partial PIXIT proforma specification for the network".

NOTE: The final structure of the parts containing the test specifications is currently under study.

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a given Open Systems Interconnection (OSI) protocol. Such a statement is called a Protocol Implementation Conformance Statement (PICS).

ITeH STANDARD PREVIEW  
(standards.iteh.ai)

Transposition dates		
Date of adoption of this ETS:	<a href="#">SIST ETS 300 770-2:1998</a>	22 May 1998
Date of latest announcement of this ETS (doa):	<a href="https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-25d6f0c4d032/ets-300-770-2-1998">https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-25d6f0c4d032/ets-300-770-2-1998</a>	31 August 1998
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):		28 February 1999
Date of withdrawal of any conflicting National Standard (dow):		28 February 1999

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 770-2:1998](https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-29de16f1ca00/sist-ets-300-770-2-1998>



## 1 Scope

This second part of ETS 300 770 is applicable to the stage three of the Closed User Group (CUG) supplementary service for the pan-European Broadband Integrated Services Digital Network (B-ISDN) as provided by European public telecommunications operators at the  $T_B$  reference point or coincident  $S_B$  and  $T_B$  reference point (as defined in ITU-T Recommendation I.413 [7]) by means of the Digital Subscriber Signalling System No. two (DSS2) protocol. Stage three identifies the protocol procedures and switching functions needed to support a telecommunications service (see CCITT Recommendation I.130 [6]).

This ETS provides the Protocol Implementation Conformance Statement (PICS) proforma for the B-ISDN DSS2 CUG supplementary service protocol as specified in ETS 300 770-1 [3] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [5].

The supplier of a protocol implementation which is claimed to conform to ETS 300 770-1 [3] is required to complete a copy of the PICS proforma provided in annex A of this ETS and is required to provide the information necessary to identify both the supplier and the implementation.

## 2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 443-1: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol, B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 1: Protocol specification [ITU-T Recommendation Q.2931 (1995), modified]".
- [2] ETS 300 443-2: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
- [3] ETS 300 770-1: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Closed User Group (CUG) supplementary service; Part 1: Protocol specification [ITU-T Recommendation Q.2955.1 (1996), modified]".
- [4] ISO/IEC 9646-1: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [5] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [6] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".
- [7] ITU-T Recommendation I.413 (1993): "B-ISDN user-network interfaces".

### 3 Definitions

For the purposes of this ETS, the following definitions apply, in addition to those given in ETS 300 770-1 [3]:

**Protocol Implementation Conformance Statement (PICS):** A statement made by the supplier of an Open Systems Interconnection (OSI) implementation or system, stating which capabilities have been implemented for a given OSI protocol (see ISO/IEC 9646-1 [4]).

**PICS proforma:** A document, in the form of a questionnaire, designed by the protocol specifier or conformance test suite specifier, which, when completed for an OSI implementation or system becomes the PICS (see ISO/IEC 9646-1 [4]).

**static conformance review:** A review of the extent to which the static conformance requirements are met by the Implementation Under Test (IUT), accomplished by comparing the PICS with the static conformance requirements expressed in the relevant standard(s) (see ISO/IEC 9646-1 [4]).

### 4 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

AND	Boolean "and"
B-ISDN	Broadband Integrated Services Digital Network
C	Conditional requirement (to be observed if the relevant conditions apply)
CUG	Closed User Group
DSS2	Digital Subscriber Signalling System No. two
IER	Information Elements Received
IET	Information Elements Transmitted
IUT	Implementation Under Test
M	Mandatory requirement (to be observed in all cases)
MC	Major Capabilities
N/A	Not applicable, not supported or the conditions for status are not met
No	not supported
NOT	Boolean "not"
O	Option (may be selected to suit the implementation, provided that any requirements applicable to the option are observed)
O.n	Options, but support required for either at least one or only one of the options in the group labelled with the same numeral "n"
OR	Boolean "or"
OSI	Open Systems Interconnection
P	Parameters
PICS	Protocol Implementation Conformance Statement
R	Role
SC	Subsidiary Capabilities
SCS	System Conformance Statement
SUT	System Under Test
TI	Type of Implementation
Yes	supported

### 5 Conformance

A PICS proforma which conforms to this PICS proforma specification shall be technically equivalent to annex A, and shall preserve the numbering and ordering of the items in annex A.

A PICS which conforms to this PICS proforma specification shall:

- describe an implementation which claims to conform to ETS 300 770-1 [3];
- be a conforming ICS proforma which has been completed in accordance with the instructions for completion given in clause A.1;
- include the information necessary to uniquely identify both the supplier and the implementation.

**Annex A (normative): PICS proforma**

Notwithstanding the provisions of the copyright clause related to the text of this ETS, ETSI grants that users of this ETS may freely reproduce the PICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed PICS.

**A.1 Instructions for completing the PICS proforma****A.1.1 Identification of the implementation**

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS should be named as the contact person.

The SCS as defined in ISO/IEC 9646-1 [4] is a document supplied by the client or product supplier that summarizes which OSI International Standards, ITU-T (CCITT) Recommendations, ETSs or other standards are implemented and to which conformance is claimed. The PICS/SCS subclause should describe the relationship of the PICS to the SCS.

**A.1.2 Global statement of conformance**

If the answer to the statement in this subclause is "Yes", all subsequent subclauses should be completed to facilitate selection of test cases for optional functions.

If the answer to the statement in this subclause is "No", all subsequent subclauses should be completed, and all non-supported mandatory capabilities should be identified and explained. Explanations may be entered in the comments field at the bottom of each table or on attached sheets of paper.

<https://standards.iteh.ai/catalog/standards/sist/930d5e44-7b4e-499d-9d97-770-2-1998>

**A.1.3 Explanation of PICS proforma subclauses**

The PICS proforma contains a Roles clause and thereafter is presented in two parts (for user and network) with the following subclauses, as required:

- major capabilities;
- subsidiary capabilities;
- protocol data unit support;
- protocol data unit parameters;
- timers;
- call states.

The User clause shall only be completed for user implementations (including private network implementations) while the Network clause shall only be completed for network implementations. The Roles subclause shall be completed for all implementations.

The relationship between this PICS proforma and other related PICS proforma (e.g. the basic call PICS proforma) is expressed in the requirements list contained in annex B. This provides the additional restrictions placed on the related proforma (different conditions, different status, etc.).