



SLOVENSKI STANDARD

SIST ISO 18055-1:2011

01-julij-2011

Fotografija in upodabljanje - Mediji za kapljični tisk: klasifikacija, nomenklatura in dimenzije - 1. del: Mediji za tisk fotografij (papir in film)

Photography and imaging - Inkjet media: Classification, nomenclature and dimensions - Part 1: Photo-grade media (paper and film)

iTeh STANDARD PREVIEW

Photographie et image - Milieux encreurs: Classification, nomenclature et dimensions - Partie 1: Milieux de qualité photographique (papier et film)

[SIST ISO 18055-1:2011](https://standards.iteh.ai/catalog/standards/sist/f5a07397-3ff7-461e-adbf-0599506cc434/sist-iso-18055-1-2011)

Ta slovenski standard je istoveten z: ISO 18055-1:2004

ICS:

37.040.20	Fotografski papir, filmi in fotografske plošče. Filmski zvitki	Photographic paper, films and cartridges
-----------	--	--

SIST ISO 18055-1:2011

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 18055-1:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/f5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>

INTERNATIONAL
STANDARD

ISO
18055-1

First edition
2004-06-01

**Photography and imaging — Inkjet
media: Classification, nomenclature and
dimensions —**

Part 1:
Photo-grade media (paper and film)

iTeh STANDARD PREVIEW

*Photographie et image — Milieux encres: Classification,
nomenclature et dimensions —*

Partie 1: Milieux de qualité photographique (papier et film)

[SIST ISO 18055-1:2011](https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>



Reference number
ISO 18055-1:2004(E)

© ISO 2004

ISO 18055-1:2004(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 18055-1:2011

<https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	1
4 Nomenclature and classification of types of inkjet medium	2
5 Conditions for measurement of dimensions and thicknesses	3
6 Dimensions	3
7 Thicknesses and grammages	6
8 Squareness and edge straightness (sheet media)	6
9 Core size (roll media).....	6
10 Winding parameters (roll media)	7
11 Package marking.....	7
Annex A (informative) Recommended roll lengths.....	9
Annex B (informative) Dimensional stability	10
Annex C (informative) Quantity packaging (sheet media).....	11
Annex D (informative) Grammage.....	12
Annex E (informative) Inkjet inks, printers and processing.....	13
Bibliography	14

ISO 18055-1:2004(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 18055-1 was prepared by Technical Committee ISO/TC 42, *Photography*.

ISO 18055 consists of the following parts, under the general title *Photography and imaging — Inkjet media: Classification, nomenclature and dimensions*:

— *Part 1: Photo-grade media (paper and film)*

Non-photo-grade media (paper, film and other bases) will be the subject of a future Part 2.

STANDARD PREVIEW
(standards.iteh.ai)
SIST ISO 18055-1:2011
<https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>

Introduction

Within the rapidly developing field of inkjet media, there is a need to establish clear and unambiguous classifications with regard to descriptions of product types, formats/sizes, thicknesses/grammages and general nomenclature. It is important that all participants in the inkjet market, i.e. producers, processing industries, trade and end-users, achieve an agreed, consistent understanding of all these elements of the market.

It is the aim of this part of ISO 18055 to establish such an understanding, in respect of photo-grade media.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 18055-1:2011](https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 18055-1:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/f5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>

Photography and imaging — Inkjet media: Classification, nomenclature and dimensions —

Part 1: Photo-grade media (paper and film)

1 Scope

This part of ISO 18055 establishes a classification of photo-grade inkjet papers and films with regard to nomenclature, formats and thickness/grammage.

It does not include non-photo-grade media, non-paper/film media, or media intended solely for laser printing.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1:2002, *Geometrical Product Specification (GPS) — Standard reference temperature for geometrical product specification and verification*

ISO 216:1975, *Writing paper and certain classes of printed matter — Trimmed sizes — A and B series*

ISO 554:1976, *Standard atmospheres for conditioning and/or testing — Specifications*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

inkjet printing

process of building up an image on a receiving layer by non-contact application of droplets of ink, usually microscopic

3.2

inkjet medium

liquid-permeable or -impermeable base (paper or film), the surface of which is rendered capable of receiving and retaining an inkjet image, either by chemical treatment or by means of a suitable receiver layer

NOTE *Inkjet media* is the plural form of this term.

3.3

preferred size

industry standard size, as determined by most frequent user demand (number of units) and product volume (square metres)

NOTE Designers of new equipment are encouraged to use preferred sizes whenever possible.

ISO 18055-1:2004(E)**3.4****recognized size**

size that is significant in the industry, but not so generally used that it is selected as preferred size

NOTE This category assists the reader to understand the requirements for certain sizes that may have been once preferred and are becoming less popular, or are new and are becoming more popular.

3.5**nominal size**

size reference that appears on product labels and in catalogues

3.6**core**

physical mass, which serves as the central part of a wound roll of paper or film, that has no fixed flanges at its ends and is generally cylindrical

NOTE A *flanged*, cylindrical core for roll paper or film is called a “spool”.

3.7**resin coated****RC**

coated on both sides of the base (usually paper) with a “resin”, usually polyethylene, to render it water-impermeable

NOTE The designation PE (polyethylene) is sometimes used synonymously with RC.

3.8**cast coated**

coated on the image-receiving side of the paper base with a highly viscous mixture of inorganic metal oxides and gelatine or a similar polymer, the whole being then pressed on a highly polished drum for gloss, to give a water-permeable image-receiving layer

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ISO 18055-1:2011
<https://standards.iteh.ai/catalog/standards/sist/5a07397-3ff2-461e-adbf-05995068c434/sist-iso-18055-1-2011>

3.9**barrier coated**

water-impermeable polymer layer contained in the base between the paper and ink-receiving layers

NOTE The barrier layer is often composed of latexes, and is impermeable only to liquid water and dyes; water vapour and solvents may slowly penetrate into the paper pulp.

4 Nomenclature and classification of types of inkjet medium**4.1 Photo-grade medium**

A photo-grade medium is either paper or film with an image-receiving layer that, when printed on, can produce image quality comparable with conventional photography, in terms of resolution, graininess, sharpness, tone reproduction and colour reproduction. A photo-grade medium has physical characteristics comparable with conventional photographic media including stiffness, mass, texture and durability, and is generally intended for inkjet printing of photographic images in high-quality and demanding applications.

NOTE 1 The above list of physical characteristics is not necessarily exhaustive, and does not preclude other characteristics becoming important in future products.

NOTE 2 The image-receiving layer is usually coated only on one side, and fully retains high volumes of ink without loss of image quality or functionality. An anti-curl layer may be coated on the reverse side.

Photo-grade media can be classified into one of the following categories.

- a) **Resin-coated photo-grade paper** (RC photo-grade paper) has a water-impermeable resin layer under an imaging layer. Its surface appearance ranges from high gloss to dead matt.
- b) **Barrier-coated photo-grade paper** has a water-impermeable barrier layer under imaging layer. Its surface appearance ranges from high gloss to dead matt.
- c) **Coated photo-grade paper** has a water-permeable layer under imaging layer. It can be cast-coated or micro-ceramic. Its surface appearance ranges from high gloss to dead matt.
- d) **Photo-grade film** consists of a generally polymeric, water-impermeable base (substrate) (e.g. polyester, vinyl), coated on one side with an image-receiving layer. It may be coated on the reverse side with an anti-curl layer. There are three categories of photo-grade film as follows.
 - 1) **Opaque film** (white film) has a substrate that is pigmented white (pigment dispersion, voided, or coated with a pigmented layer). It is intended for applications involving reflected illumination. Its surface appearance is usually glossy, but can range from glossy to matt.
 - 2) **Translucent film** (back-lit film) has either a translucent base (achieved by lower pigment loading) or a clear base with slight pigmentation of the imaging layer. It is intended for applications involving transmitted illumination. It can be front-coated (intended for illumination from the non-imaged side) or reverse-coated (intended for illumination from the imaged side). Its surface appearance is usually glossy, but can range from glossy to matt
 - 3) **Transparent film** (clear film or transparency) has an unpigmented substrate, that freely transmits incident illumination. It is intended for viewing by either direct (e.g. back-lit through a diffuser) or indirect (e.g. by projection onto a viewing surface) transmitted light. Its surface appearance is usually glossy, but can range from glossy to matt.

SIST ISO 18055-1:2011

4.2 Non-photo-grade medium

A non-photo-grade medium is generally of less high quality than a photo-grade medium, and more suitable for less demanding applications. Some such materials are not even specifically designed for inkjet use. Non-photo-grade media are outside the scope of this International Standard, but have been included here for comparative purposes.

5 Conditions for measurement of dimensions and thicknesses

The dimensions and tolerances specified in this part of ISO 18055 apply at the time of manufacture, measured under atmospheric conditions of $(23 \pm 2)^\circ\text{C}$ and $(50 \pm 5)\%$ relative humidity, as specified in ISO 554:1976 (see Annex B).

All measuring instrument calibrations shall be conducted at a temperature of 20°C (as specified in ISO 1) and a relative humidity of 50 %.

6 Dimensions

6.1 Sheet dimensions

Aim and tolerance values for preferred dimensions of sheets shall conform to specifications given in Table 1.

Aim and tolerance values for recognized dimensions of sheets shall conform to specifications given in Table 2.