

Designation: D1909 - 04

Standard Table of Commercial Moisture Regains for Textile Fibers¹

This standard is issued under the fixed designation D1909; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This table lists the commercial moisture regains commonly used for a number of textile fibers. Such moisture regain values are intended primarily for determining the commercial weight of a specific fiber when the fiber is bought or sold on this basis. These regain values also are used in calculating the linear density of yarn in procedures employing such factors and in the quantitative analysis of fiber blends.

2. Referenced Documents

2.1 ASTM Standards:²

D123 Terminology Relating to Textiles

D2118 Practice for Assigning a Standard Commercial Moisture Content for Wool and its' Products

D2720 Practice for Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions

¹ This table is under the jurisdiction of ASTM Committee D13 on Textiles and is the direct responsibility of Subcommittee D13.51 on Chemical Conditioning and Performance Test Methods.

Current edition approved March 1, 2004. Published March 2004. Originally approved in 1961. Last previous edition approved in 2001 as D1909 – 96(2001). DOI: 10.1520/D1909-04.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document summary page on the ASTM website.

3. Terminology

3.1 Definitions:

3.1.1 *commercial moisture regain (CMR)*, *n*—a formally adopted, arbitrary value, to be used with the oven-dried mass of textile fibers, when calculating the commercial mass of a shipment or delivery.

3.1.2 For definitions of other textile terms used, refer to Terminology D123.

4. Significance and Use

4.1 The value listed for the commercial moisture regain of a specific fiber type is not an experimentally determined quantity but a purely arbitrary value arrived at for commercial purposes by interested parties. The actual moisture regain values of textile materials, when in moisture equilibrium with the standard atmosphere for testing, bear no consistent relation to the commercial moisture regain values listed herein. Equilibrium moisture regain values depend upon the previous history of the material.

5. Table of Commercial Moisture Regain Values

5.1 Commercial moisture regain values for specified fibers are listed in Table 1.

6. Keywords

6.1 moisture regain; textile fiber

Copyright © ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States.