



# SLOVENSKI STANDARD

## SIST EN 301 842-5 V1.1.1:2015

01-oktober-2015

---

**Radijska oprema za digitalno povezavo VHF zrak-tla, 4. način - Tehnične karakteristike in merilne metode za talno opremo - 5. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE**

VHF air-ground Digital Link (VDL) Mode 4 radio equipment; Technical characteristics and methods of measurement for ground-based equipment; Part 5: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 842-5 V1.1.1:2015](https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015)

[https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-](https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015)

[b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015](https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015)

**Ta slovenski standard je istoveten z: EN 301 842-5 V1.1.1**

---

**ICS:**

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
49.090	Oprema in instrumenti v zračnih in vesoljskih plovilih	On-board equipment and instruments

**SIST EN 301 842-5 V1.1.1:2015**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 301 842-5 V1.1.1:2015

<https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015>

# ETSI EN 301 842-5 V1.1.1 (2015-07)



**VHF air-ground Digital Link (VDL) Mode 4 radio equipment;  
Technical characteristics and methods of measurement  
for ground-based equipment;  
Part 5: Harmonised EN covering the essential requirements of  
article 3.2 of the R&TTE Directive**

SIST EN 301 842-5 V1.1.1:2015  
http://standards.globalspec.com/stdn/7281000/301842-5  
b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015

## Reference

---

DEN/ERM-JTFEA-029-5

## Keywords

---

aeronautical, digital, radio, testing, VHF**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 301 842-5 V1.1.1:2015<https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae77000/sist-301-842-5-v1-1-1-2015>**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
Modal verbs terminology.....	6
Introduction .....	6
1 Scope .....	7
2 References .....	7
2.1 Normative references .....	7
2.2 Informative references.....	7
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.1.1 Basic reference model definitions.....	8
3.1.2 Service conventions definitions .....	9
3.1.3 General definitions.....	9
3.2 Abbreviations .....	10
4 Technical requirements specifications .....	10
4.1 Environmental profile.....	10
4.2 Conformance requirements .....	11
4.2.1 Receiver requirements .....	11
4.2.1.0 Reference Signal .....	11
4.2.1.1 Sensitivity .....	11
4.2.1.2 Adjacent Channel Rejection.....	11
4.2.1.3 Co-channel interference .....	11
4.2.1.4 Conducted spurious emission.....	11
4.2.1.4.1 Definition.....	11
4.2.1.4.2 Limits .....	11
4.2.1.5 In-band Intermodulation.....	11
4.2.1.5.1 Definition.....	11
4.2.1.5.2 Limits .....	11
4.2.1.6 Cabinet radiation .....	12
4.2.1.6.1 Definition.....	12
4.2.1.6.2 Limits .....	12
4.2.2 Transmitter requirements .....	12
4.2.2.1 Manufacturer's declared output power .....	12
4.2.2.1.1 Definition.....	12
4.2.2.1.2 Limits .....	12
4.2.2.2 RF power rise time .....	12
4.2.2.2.1 Definition.....	12
4.2.2.2.2 Limits .....	12
4.2.2.3 RF power release time.....	12
4.2.2.3.1 Definition.....	12
4.2.2.3.2 Limits .....	12
4.2.2.4 Conducted Spurious emissions.....	12
4.2.2.4.1 Definition.....	12
4.2.2.5 Adjacent channel power .....	12
4.2.2.5.1 Definition.....	12
4.2.2.5.2 Limits .....	12
4.2.2.6 Wide-band noise .....	13
4.2.2.6.1 Definition.....	13
4.2.2.6.2 Limits .....	13
4.2.2.7 Frequency Error .....	13
4.2.2.7.1 Definition.....	13
4.2.2.7.2 Limits .....	13
4.2.2.8 Load VSWR capability .....	13
4.2.2.8.1 Definition.....	13

4.2.2.8.2	Limits .....	13
4.2.2.9	Cabinet radiation .....	13
4.2.2.9.1	Definition.....	13
4.2.2.9.2	Limits .....	13
4.2.3	Transceiver requirements.....	13
4.2.3.1	Receiver to transmitter turnaround time.....	13
4.2.3.1.1	Definition.....	13
4.2.3.1.2	Limits .....	13
4.2.3.2	Transmitter to receiver turnaround time.....	13
4.2.3.2.1	Definition.....	13
4.2.3.2.2	Limits .....	14
5	Testing for compliance with technical requirements.....	14
5.1	Environmental conditions for testing .....	14
5.2	Interpretation of the measurement results .....	14
5.3	Essential radio test suites.....	15
5.3.1	Tests on the Receiver.....	15
5.3.1.1	Sensitivity .....	15
5.3.1.2	Adjacent Channel Rejection.....	15
5.3.1.3	Co-channel interference .....	15
5.3.1.4	Conducted spurious emission.....	15
5.3.1.5	In-band Intermodulation.....	15
5.3.2	Tests on the Transmitter .....	15
5.3.2.1	Manufacturer's declared output power .....	15
5.3.2.2	RF power rise time .....	15
5.3.2.3	RF power release time.....	16
5.3.2.4	Conducted Spurious emissions.....	16
5.3.2.5	Adjacent channel power.....	16
5.3.2.6	Wide-band noise .....	16
5.3.2.7	Frequency Error .....	16
5.3.2.8	Load VSWR capability .....	16
5.4	Other test suites .....	16
5.4.1	Receiver Cabinet Radiation .....	16
5.4.2	Transmitter Cabinet Radiation.....	16
5.4.3	Transceiver: Receiver to transmitter turn-around time .....	16
5.4.4	Transceiver: Transmitter to receiver turn-around time .....	16
<b>Annex A (normative):</b>	<b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b>	<b>17</b>
History .....		19

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web radiserver) which are, or may be, or may become, essential to the present document.

## Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandate M/405 from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.2].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonised Standard under the Directive 1999/5/EC [i.3].

The requirements relevant to Directive 1999/5/EC [i.3] are summarized in annex A.

The present document provides the technical procedures and limits for compliance with article 3.2 of the R&TTE directive for the ground equipment only. The present document is part 5 of a multi-part deliverable covering the VHF air-ground Digital Link (VDL) Mode 4 radio equipment; Technical characteristics and methods of measurement for ground-based equipment, as identified below:

- Part 1: "EN for ground equipment"; [SIST EN 301 842-5 V1.1.1:2015](https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015)
- Part 2: "General description and data link layer"; <https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015>
- Part 3: "Additional broadcast aspects";
- Part 4: "Point-to-point functions";
- Part 5: "Harmonised EN covering the essential requirements of article 3.2 of the R&TTE Directive".**

National transposition dates	
Date of adoption of this EN:	16 July 2015
Date of latest announcement of this EN (doa):	31 October 2015
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2016
Date of withdrawal of any conflicting National Standard (dow):	30 April 2017

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.3]. The modular structure is shown in ETSI EG 201 399 [i.4].

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 842-5 V1.1.1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/47677283-3d26-4b85-b183-264c0ae1b95e/sist-en-301-842-5-v1-1-1-2015>

---

# 1 Scope

The present document applies to Very High Frequency (VHF) Digital Link (VDL) Mode 4 ground-based radio transmitters and receivers for air-ground communications operating in the VHF band, using Gaussian-filtered Frequency Shift Keying (GFSK) Modulation with 25 kHz channel spacing and capable of tuning to any of the 25 kHz channels from 112,000 MHz to 136,975 MHz as defined in ICAO VHF Digital Link (VDL) Standards and Recommended Practices (SARPs) [i.5].

Manufacturers should note that in future the tuning range for the ground transceivers may also cover any 25 kHz channel from 108,000 MHz to 111,975 MHz.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.3] (R&TTE Directive), article 3.2, which states that "..... *radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference*".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of Article 3 of the R&TTE Directive [i.3] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

Compliance with relevant aviation regulations may also be required before equipment within the scope of the present document can enter into service.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 842-1 (V1.4.0) (12-2014): "VHF air-ground Digital Link (VDL) Mode 4 radio equipment; Technical characteristics and methods of measurement for ground-based equipment; Part 1: EN for ground equipment".
- [2] ETSI EN 300 113-1 (V1.7.1) (11-2011): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land mobile service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Part 1: Technical characteristics and methods of measurement".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations and of rules on Information Society services.
- [i.2] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.3] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.4] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonised Standards for application under the R&TTE Directive".
- [i.5] ICAO Annex 10 to the Convention on International Civil Aviation: "Aeronautical Telecommunications, Volume III: Communication Systems, Part I: Digital Data Communication Systems, Chapter 6", inc. Amendment 88-A (applicable from 14/11/2013).
- [i.6] ISO/IEC 7498-1 (1994): "Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model".
- [i.7] ISO/IEC 10731 (1994): "Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services".
- [i.8] ETSI TR 100 028 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.9] ETSI TR 100 028-2 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics Part 2".
- [i.10] ETSI EN 301 842 (all parts): "VHF air-ground Digital Link (VDL) Mode 4 radio equipment; Technical characteristics and methods of measurement for ground-based equipment".

---

## 3 Definitions and abbreviations

### 3.1 Definitions

#### 3.1.1 Basic reference model definitions

The present document is based on the concepts developed in the open systems interconnect basic reference model and makes use of the following terms defined in ISO/IEC 7498-1 [i.6]:

- layer,
- sublayer,
- entity,
- service,
- service access point,
- service data unit,
- physical layer,
- data link layer.

### 3.1.2 Service conventions definitions

The present document makes use of the following terms defined in ISO/IEC 10731 [i.7]:

- service provider,
- service user,
- service primitive,
- request,
- indication,
- confirm.

### 3.1.3 General definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.3] and the following apply:

**adjacent channel power:** amount of the modulated RF signal power which falls within a given adjacent channel

NOTE: Adjacent channel power includes discrete spurious, signal sidebands, and noise density (including phase noise) at the transmitter output.

**Automatic Dependent Surveillance-Broadcast (ADS-B):** surveillance application transmitting parameters, such as position, track and ground speed, via a broadcast mode data link for use by any air and ground users requiring it

NOTE: ADS-B is a surveillance service based on aircraft self-determination of position/velocity/time and automatic, periodic or random broadcast of this information along with auxiliary data such as aircraft identity (ID), communications control parameters, etc. ADS-B is intended to support multiple high-level applications and associated services such as cockpit display of traffic information, traffic alert and collision avoidance functionality, enhanced traffic management in the air and on the ground, search and rescue support and others.

**Bit Error Rate (BER):** ratio between the number of erroneous bits received and the total number of bits received

**data rate:** maximum amount of data that can be transmitted in a specified amount of time, typically expressed as bits per second

NOTE: The nominal data rate for VDL Mode 4 is 19 200 bits/s.

**environmental profile:** range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

**ground base station:** aeronautical station equipment, in the aeronautical mobile service, for use with an external antenna and intended for use at a fixed location

**integral antenna equipment:** radio communications equipment with an antenna integrated into the equipment without the use of an external connector and considered to be part of the equipment

NOTE: An integral antenna may be internal or external to the equipment. In equipment of this type, a 50  $\Omega$  RF connection point is provided for test purposes.

**non-integral antenna equipment:** radio communications equipment with a connector intended for connection to an antenna

**reference signal level:** signal level used in the receiver performance specifications except otherwise stated

**station:** VDL Mode 4 Specific Services (VSS)-capable entity

NOTE: A station may be either a mobile station or a ground station. A station is a physical entity that transmits and receives bursts over the RF interface (either A/G or A/A) and comprises, at a minimum: a physical layer, media access control sublayer, and a unique VSS address. A station which is also a DLS station has the same address.