



**SLOVENSKI STANDARD**  
**SIST EN 300 392-3-3 V1.3.1:2012**

**01-februar-2012**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsistemskega vmesnika (ISI) - 3. poddel: Dodatna omrežna funkcija: skupinski klic (ANF-ISIGC)**

Terrestrial Trunked Radio (TETRA) - Voice plus Data (V+D) - Part 3: Interworking at the Inter-System Interface (ISI) - Sub-part 3: Additional Network Feature Group Call (ANF-ISIGC)

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 392-3-3 V1.3.1:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/0bfccad72-c7a3-4f87-8729-7c44ef49ee5c/sist-en-300-392-3-3-v1-3-1-2012>

**Ta slovenski standard je istoveten z: EN 300 392-3-3 Version 1.3.1**

---

**ICS:**

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	------------------------------------	--------------------------------------

**SIST EN 300 392-3-3 V1.3.1:2012**      **en**

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 300 392-3-3 V1.3.1:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/0bfcad72-c7a3-4f87-8729-7c44ef49ee5c/sist-en-300-392-3-3-v1-3-1-2012>

# ETSI EN 300 392-3-3 V1.3.1 (2011-11)



Terrestrial Trunked Radio (TETRA);  
Voice plus Data (V+D);  
iTel STANDARD PREVIEW

**Part 3: Interworking at the Inter-System Interface (ISI);  
Sub-part 3: Additional Network Feature**

SIST EN 300 392-3-3 V1.3.1:2012  
<https://standards.etsi.org/standards-and-activities/standards/tetra/300-392-3-3-v1-3-1-2012>

## Reference

REN/TETRA-03207

## Keywords

interworking, radio, TETRA, V+D

***ETSI***

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse 06 N° 7303/88

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 392-3-3 V1.3.1:2012](#)  
<https://standards.iteh.ai/catalog/standards/sist/0bfcad72-c7a3-4f87-8729-7c44ef49ee5?fileType=PDF&version=v1.3-1-2012>  
**Important notice**

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
[http://portal.etsi.org/chaircor/ETSI\\_support.asp](http://portal.etsi.org/chaircor/ETSI_support.asp)

---

### **Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Contents

Intellectual Property Rights .....	9
Foreword.....	9
1 Scope .....	11
2 References .....	12
2.1 Normative references .....	12
2.2 Informative references.....	13
3 Definitions and abbreviations.....	13
3.1 Definitions.....	13
3.2 Abbreviations .....	14
4 ANF-ISIGC stage 1 specification.....	15
4.1 Description .....	15
4.1.1 General description .....	15
4.1.2 Qualifications on applicability to TETRA basic services .....	16
4.2 Procedures .....	16
4.2.1 Provision/withdrawal .....	16
4.2.2 Normal procedures.....	16
4.2.2.1 Activation/deactivation/registration/interrogation .....	16
4.2.2.2 Invocation and operation.....	16
4.2.2.3 ANF-ISIGC, the service provider.....	16
4.2.2.3.1 Establishing the group call at the originating and controlling TETRA SwMI .....	17
4.2.2.3.2 Establishing the group call at a participating TETRA SwMI .....	18
4.2.2.3.3 Delaying the group call .....	20
4.2.2.3.4 Control of call time-out timers .....	20
4.2.2.3.5 Acknowledged group call procedures.....	21
4.2.2.3.6 Colliding calls.....	21
4.2.2.3.7 Maintenance of the group call.....	22
4.2.2.3.8 Termination of the group call .....	25
4.2.3 Exceptional procedures .....	25
4.2.3.1 Activation/deactivation/registration/interrogation .....	25
4.2.3.2 Invocation and operation.....	25
4.3 Interaction with other PISN supplementary services and PISN ANFs .....	26
4.4 Interaction with TETRA supplementary services and other TETRA ANFs .....	26
4.4.1 Calling Line Identification Presentation (SS-CLIP) .....	26
4.4.2 Connected Line Identification Presentation (SS-COLP) .....	26
4.4.3 Calling/Connected Line Identification Restriction (SS-CLIR).....	26
4.4.4 Call Report (SS-CR) .....	26
4.4.5 Talking Party Identification (SS-TPI).....	27
4.4.6 Call Forwarding Unconditional (SS-CFU) .....	27
4.4.7 Call Forwarding on Busy (SS-CFB) .....	27
4.4.8 Call Forwarding on No Reply (SS-CFNRY) .....	27
4.4.9 Call Forwarding on Not Reachable (SS-CFNRC) .....	27
4.4.10 List Search Call (SS-LSC) .....	27
4.4.11 Call Authorized by Dispatcher (SS-CAD).....	27
4.4.12 Short Number Addressing (SS-SNA) .....	27
4.4.13 Area Selection (SS-AS) .....	27
4.4.14 Access Priority (SS-AP) .....	27
4.4.15 Priority Call (SS-PC) .....	28
4.4.16 Call Waiting (SS-CW) .....	28
4.4.17 Call Hold (SS-HOLD) .....	28
4.4.18 Call Completion to Busy Subscriber (SS-CCBS) .....	28
4.4.19 Late Entry (SS-LE) .....	28
4.4.20 Transfer of Control (SS-ToC) .....	28
4.4.21 Pre-emptive Priority Call (SS-PPC).....	28
4.4.22 Include Call (SS-IC) .....	29

4.4.23	Advice of Charge (SS-AoC) .....	29
4.4.24	Barring of Outgoing Calls (SS-BOC) .....	29
4.4.25	Barring of Incoming Calls (SS-BIC) .....	29
4.4.26	Discreet Listening (SS-DL) .....	29
4.4.27	Ambience Listening (SS-AL) .....	29
4.4.28	Dynamic Group Number Assignment (SS-DGNA).....	29
4.4.29	Call Completion on No Reply (SS-CCNR) .....	29
4.4.30	Call Retention (SS-CRT) .....	29
4.4.31	Additional Network Features - Inter-System Interface Individual Call (ANF-ISIIC) .....	30
4.4.32	ISI Short Data (ANF-ISISD) .....	30
4.4.33	ISI Mobility Management (ANF-ISIMM) .....	30
4.5	Interworking considerations .....	30
4.6	Static description of ANF- ISIGC using attributes.....	31
4.7	Overall SDL .....	32
5	ANF-ISIGC stage 2 specification.....	45
5.1	Functional model.....	45
5.1.1	Functional model description.....	45
5.1.2	Description of functional entities.....	46
5.1.2.1	ISI group call originating entity, FE1 .....	46
5.1.2.2	Originating SwMI CC application functional entity, FE1' .....	47
5.1.2.3	ISI group call controlling entity, FE2.....	47
5.1.2.4	Controlling SwMI CC application functional entity, FE2' .....	48
5.1.2.5	ISI group call participating entity, FE3 .....	48
5.1.2.6	Participating SwMI CC application functional entity, FE3' .....	49
5.1.2.7	ISI Calling MS Database entity (ITSI), FE4 .....	49
5.1.2.8	ISI Called Group Database entity (GTSI), FE5 .....	49
5.1.3	Relationship of functional model to PSS basic call functional model.....	50
5.2	Information flow .....	50
5.2.1	Information flow diagrams .....	50
5.2.1.1	Successful group call set-up over ISI using ANF-ISIGC .....	51
5.2.1.2	Acknowledged group call set-up over ISI using ANF-ISIGC .....	64
5.2.1.3	Partial group call set-up over ISI using ANF-ISIGC .....	65
5.2.1.4	Delay of group call set-up over ISI using ANF-ISIGC .....	68
5.2.1.5	Interaction with an active group call .....	72
5.2.1.6	Unsuccessful group call set-up over ISI using ANF-ISIGC .....	74
5.2.1.7	Call Maintenance procedures - Request to transmit.....	79
5.2.1.8	Call maintenance procedures - Cease transmission.....	88
5.2.1.9	Call Maintenance procedures - Withdraw/Continue from an active group call .....	92
5.2.1.10	Call Maintenance procedures - Information flow to participating SwMI(s) .....	94
5.2.1.11	Call Maintenance procedures - Group call restoration over ISI using ANF-ISIGC .....	94
5.2.1.12	Call Disconnection procedures - Controlling SwMI disconnects the call.....	101
5.2.1.13	Call Disconnection procedures - Participating SwMI disconnects from the call .....	102
5.2.1.14	Call Disconnection procedures - Call Owner disconnects the whole call.....	104
5.2.2	Definitions of information flows .....	105
5.2.2.1	ISI_CALL RESTORATION.....	105
5.2.2.2	ISI_CALL RESTORATION Reject.....	106
5.2.2.3	ISI_CONNECT .....	107
5.2.2.4	ISI_DISCONNECT .....	107
5.2.2.5	ISI_ORIGINATING SETUP .....	108
5.2.2.6	ISI_INFO .....	108
5.2.2.7	ISI_INTERACT .....	109
5.2.2.8	ISI_POLL .....	109
5.2.2.9	ISI_REJECT .....	110
5.2.2.10	ISI_RELEASE .....	110
5.2.2.11	ISI_REROUTE .....	111
5.2.2.12	ISI_RESOURCE .....	111
5.2.2.13	ISI_SETUP.....	112
5.2.2.14	ISI_TX-CEASED.....	113
5.2.2.15	ISI_TX-CONTINUE.....	113
5.2.2.16	ISI_TX-DEMAND.....	114
5.2.2.17	ISI_TX-GRANTED .....	114

5.2.2.18	ISI_TX-INTERRUPT .....	114
5.2.2.19	ISI_TX-WAIT .....	115
5.2.2.20	VERIFY_GROUP .....	115
5.2.2.21	VERIFY_INDIV .....	115
5.3	Functional Entity Actions (FEAs) .....	116
5.3.1	FEA of FE1 .....	116
5.3.2	FEA of FE1' .....	117
5.3.3	FEA of FE2 .....	117
5.3.4	Functional entity actions of FE2' .....	120
5.3.5	FEA of FE3 .....	121
5.3.6	Functional entity actions of FE3' .....	123
5.3.7	Functional entity actions of FE4 .....	124
5.3.8	Functional entity actions of FE5 .....	124
6	ANF-ISIGC stage 3 specification .....	125
6.1	ANF-ISIGC description .....	125
6.2	ANF-ISIGC operational requirements .....	125
6.2.1	PISN connection oriented call related connection .....	125
6.2.1.1	Requirements on the originating SwMI .....	125
6.2.1.1.1	PSS1 SETUP message .....	125
6.2.1.2	Requirements on the group home SwMI .....	126
6.2.1.2.1	PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message .....	126
6.2.1.3	Requirements on the controlling SwMI .....	126
6.2.1.3.1	PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message .....	126
6.2.1.3.2	PSS1 SETUP message .....	126
6.2.1.3.3	PSS1 CONNECT message .....	127
6.2.1.4	Requirements on the participating SwMI .....	127
6.2.1.4.1	PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message .....	127
6.2.1.4.2	PSS1 CONNECT message .....	128
6.2.1.5	Requirements on the originating SwMI with PSTN/ISDN/PISN incoming gateway .....	128
6.2.1.5.1	PSS1 SETUP message .....	128
6.2.2	PISN connection oriented, call independent connection .....	129
6.3	ANF-ISIGC coding requirements .....	130
6.3.1	TETRA ANF-ISIGC PDUs .....	130
6.3.1.1	PISN connection oriented call related connection .....	131
6.3.1.1.1	TETRA PDU giving complementary information in the PSS1 SETUP, PSS1 CONNECT or PSS1 FACILITY message .....	131
6.3.1.1.2	TETRA PDU giving complementary information in the PSS1 CONNECT or PSS1 FACILITY message .....	135
6.3.1.1.3	TETRA PDU giving complementary information in the PSS1 FACILITY message .....	137
6.3.1.1.4	TETRA PDU giving complementary information in the PSS1 DISCONNECT or PSS1 FACILITY message .....	145
6.3.1.1.5	TETRA PDU giving complementary information in the PSS1 DISCONNECT, PSS1 FACILITY or PSS1 RELEASE message .....	146
6.3.1.1.6	TETRA PDU giving complementary information in the PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message .....	147
6.3.1.2	PISN connection oriented, call independent connections .....	148
6.3.1.2.1	TETRA PDU sent by the participating SwMI of the migrated user - used to initiate call restoration .....	148
6.3.1.2.2	TETRA PDU sent by the controlling SwMI - used to confirm call restoration .....	149
6.3.1.2.3	TETRA PDU sent by the controlling SwMI - used to reject call restoration .....	149
6.3.2	TETRA PDU information element coding .....	149
6.3.2.1	Additional information to existing information element at the ISI .....	150
6.3.2.1.1	Call status .....	150
6.3.2.1.1a	Call time-out, set-up phase .....	150
6.3.2.1.2	Call time-out .....	150
6.3.2.1.3	Disconnect cause information element .....	151
6.3.2.1.4	Temporary group basic migration profile .....	151
6.3.2.1.5	PDU type .....	152
6.3.2.1.6	SS-migration profile .....	152
6.3.2.2	New information elements used at the ISI .....	153
6.3.2.2.1	Call amalgamation .....	153

6.3.2.2.1a	Call resource time-out .....	153
6.3.2.2.2	Call diverted to dispatcher.....	153
6.3.2.2.3	Call owner request.....	153
6.3.2.2.4	Calling group identifier .....	154
6.3.2.2.4a	Calling party information present.....	154
6.3.2.2.5	Connected party SSI and extension .....	154
6.3.2.2.6	Controlling/originating/participating SwMI MNI .....	154
6.3.2.2.7	Critical connected party/requesting party/restoring party/transmitting party SSI and extension...154	154
6.3.2.2.8	Critical user list.....	154
6.3.2.2.9	Disconnect type .....	155
6.3.2.2.10	Dispatcher acceptance .....	155
6.3.2.2.11	External group member identity .....	155
6.3.2.2.12	External subscriber number digits .....	155
6.3.2.2.13	External subscriber number length .....	156
6.3.2.2.14	External subscriber number parameter .....	156
6.3.2.2.15	Fail Cause .....	156
6.3.2.2.16	Group attachment indicator .....	157
6.3.2.2.16a	Group call SwMI type .....	157
6.3.2.2.17	Group information .....	157
6.3.2.2.17a	ISI-INFO type.....	158
6.3.2.2.17b	Linking group identifier.....	158
6.3.2.2.18	New calling party .....	158
6.3.2.2.19	Numbering plan identifier .....	159
6.3.2.2.20	Poll request type .....	159
6.3.2.2.21	Poll result identifier .....	159
6.3.2.2.22	Reject cause information element.....	159
6.3.2.2.23	Resource allocation.....	161
6.3.2.2.24	Resource indicator.....	161
6.3.2.2.25	Screening indicator.....	161
6.3.2.2.26	Security level at air interface/Security level used in other network.....	161
6.3.2.2.26a	Setup response time-out.....	161
6.3.2.2.27	Set-up type.....	162
6.3.2.2.28	Speech service chosen/requested/used/standards/sist/0bfccad72-c7a3-4f87-8729- <a href="http://www.3gpp.org/ftp/Specs/html/Les%20standards/sist/0bfccad72-c7a3-4f87-8729-">http://www.3gpp.org/ftp/Specs/html/Les%20standards/sist/0bfccad72-c7a3-4f87-8729-</a>	162
6.3.2.2.29	Speech services supported/ <a href="http://www.3gpp.org/ftp/Specs/html/Les%20standards/sist/0bfccad72-c7a3-4f87-8729-">http://www.3gpp.org/ftp/Specs/html/Les%20standards/sist/0bfccad72-c7a3-4f87-8729-</a> 162	162
6.3.2.2.30	SS-CLIR invoked for calling/transmitting/restoring/connected party .....	163
6.3.2.2.31	Temporary group member indication .....	163
6.3.2.2.32	Transmission Ceased .....	163
6.3.2.2.33	Type of number .....	164
6.3.3	PSS1 facility information element.....	164
6.4	ANF-ISIGC state definitions.....	165
6.4.1	States at the originating SwMI.....	165
6.4.1.1	IDLE .....	165
6.4.1.2	FORWARD CALL .....	165
6.4.1.3	WAIT CONNECT .....	165
6.4.1.4	DELAY ENTRY .....	166
6.4.1.5	DELAY GROUP CALL .....	166
6.4.1.6	CALL DISCONNECT .....	166
6.4.1.7	CALL RELEASE.....	167
6.4.2	States at the controlling SwMI.....	167
6.4.2.1	IDLE .....	167
6.4.2.2	GROUP CALL INITIATE.....	167
6.4.2.3	DELAY GROUP CALL .....	168
6.4.2.4	ACTIVE .....	168
6.4.2.5	Void.....	169
6.4.2.6	CALL RELEASE.....	169
6.4.3	States at the participating SwMI.....	169
6.4.3.1	IDLE .....	169
6.4.3.2	WAIT CONNECT .....	170
6.4.3.3	DELAY ENTRY .....	170
6.4.3.4	DELAY GROUP CALL .....	170
6.4.3.5	ACTIVE.....	171
6.4.3.6	CALL DISCONNECT .....	171

6.4.3.7	CALL RELEASE.....	171
6.5	ANF-ISIGC signalling procedures .....	172
6.5.1	Call set-up procedures .....	172
6.5.1.1	Forward set-up request and PISN called number sending.....	172
6.5.1.2	Group linking .....	172
6.5.1.3	Call request, information channel selection and PISN called number sending .....	172
6.5.1.4	Call confirmation and call characteristics notification by the originating and participating SwMI(s) .....	173
6.5.1.5	Call confirmation indication and call connected by the controlling SwMI.....	174
6.5.1.6	Delay of call set-up .....	174
6.5.1.7	Failure of call establishment .....	175
6.5.1.8	Multiple calling parties .....	175
6.5.1.8.1	A new calling party appears at a SwMI not currently in the group call.....	175
6.5.1.8.2	A new, compatible, calling party appears at a SwMI where a group call is active.....	175
6.5.1.8.3	A new, compatible, calling party appears at an OSwMI where a group call is still in the setup phase .....	175
6.5.1.8.4	A new, compatible, calling party appears at an PSwMI where a group call is still in the setup phase.....	175
6.5.1.8.5	A new calling party requesting an emergency call appears at a SwMI where the existing call is not at an emergency priority .....	176
6.5.1.8.6	A new, non compatible, calling party appears at a SwMI where a group call is already active .....	176
6.5.1.8.7	A new calling party appears at a CSwMI that only supports a single ISI-Originating-Setup.....	176
6.5.1.8.8	The sending of subsequent ISI-Originating-Setups to the CSwMI.....	176
6.5.1.9	Security level.....	177
6.5.2	Acknowledge group call .....	177
6.5.3	Call maintenance procedures .....	177
6.5.3.1	Transmission control procedures .....	177
6.5.3.2	Call modification and/or continuation.....	179
6.5.3.3	Call restoration.....	179
6.5.3.4	DTMF procedures .....	180
6.5.4	Call disconnection procedures .....	180
6.5.5	Call collisions .....	181
6.5.6	Mapping of PSS1/messages with ISI-PDUs.....	181
6.6	ANF-ISIGC impact from interworking with ISDN/PISN/ PSTN.....	183
6.6.1	Call set-up procedures .....	183
6.6.2	Call maintenance procedures .....	183
6.6.3	Call disconnection procedures .....	183
6.7	Protocol interaction between ANF-ISIGC and supplementary services and other ANFs .....	184
6.7.1	Call Forwarding Unconditional (SS-CFU) .....	184
6.7.2	Call Authorized by Dispatcher (SS-CAD).....	184
6.7.3	Area Selection (SS-AS) and selected area number .....	185
6.7.4	Priority Call (SS-PC) .....	185
6.7.5	Pre-emptive Priority Call (SS-PPC).....	185
6.7.6	Include Call (SS-IC) .....	185
6.7.7	Call Retention (SS-CRT).....	185
6.7.8	Interactions with other supplementary services .....	186
6.8	ANF-ISIGC parameter values (timers).....	186

<b>Annex A (normative):</b>	<b>Specification and Description Language (SDL) representation of procedures .....</b>	<b>187</b>
-----------------------------	--	------------

A.1	SDL representation of an ANF-ISIGC entity at FE1 .....	187
A.2	SDL representation of an ANF-ISIGC entity at FE2 .....	191
A.3	SDL representation of an ANF-ISIGC entity at FE3 .....	197

<b>Annex B (normative):</b>	<b>Stage 2 description of the interactions between ANF-ISIGC and SS-CAD when invoked for the called group.....</b>	<b>201</b>
-----------------------------	--	------------

B.1	Information flow diagrams.....	201
B.1.1	Group call set-up when SS-CAD is invoked for called group.....	201
B.2	Definition of information flows .....	212

B.2.1	ISI_THROUGH CONNECT .....	212
B.3	Functional Entity Actions (FEAs) .....	212
B.3.1	Functional entity actions of FE1.....	212
B.3.2	Functional entity actions of FE1'.....	213
B.3.3	Functional entity actions of FE2.....	213
B.3.4	Functional entity actions of FE2' .....	213
B.3.5	Functional entity actions of FE3.....	214
B.3.6	Functional entity actions of FE3' .....	214
<b>Annex C (informative):</b>	<b>Static description of the TETRA group call bearer service, using attributes.....</b>	<b>215</b>
<b>Annex D (informative):</b>	<b>Definition of the ISI ROSE operation .....</b>	<b>216</b>
<b>Annex E (informative):</b>	<b>Signalling Diagram Examples.....</b>	<b>217</b>
E.1	Call Setup .....	217
E.1.1	Single calling party, no queuing for resources .....	217
E.1.2	Single calling party, some queuing for resources .....	218
E.1.3	Single calling party, some queuing for resources, different connect strategy .....	219
E.1.4	Single calling party, some queuing for resources, showing multiple releasing .....	221
E.1.5	Multiple calling parties, a new calling party is on a SwMI not currently in the call .....	223
E.1.6	Multiple calling parties the second calling OSwMI is ready first. The new setup from the second OSwMI is received while the CSwMI is delaying the call.....	224
E.1.7	Multiple calling parties the second calling OSwMI is ready first. The new setup from the second OSwMI is received while the CSwMI is activating the call.....	226
E.1.8	Multiple calling parties the second calling OSwMI is ready first .....	228
E.1.9	Multiple calling parties the second calling OSwMI is ready first. Shows parties not connected into the call that could have been .....	230
E.1.10	Multiple calling parties the second calling OSwMI is ready first .....	231
E.1.11	Multiple calling parties an OSwMI transitions back into a PSwMI .....	233
E.1.12	Multiple calling parties and no PSwMI .....	234
E.1.13	Multiple calling parties at the same SwMI <a href="http://www.etsi.org/standards/sist/0bfccad72-c7a3-4f87-8729-">http://www.etsi.org/standards/sist/0bfccad72-c7a3-4f87-8729-</a> .....	235
E.1.14	Successful Group Call Establishment. The CSwMI does not accept more than one calling party.....	236
E.1.15	Late Entry .....	237
E.1.16	A SwMI joins with a Connected Call.....	237
E.1.17	An emergency priority call to a group that is already in an active, non-emergency, call .....	238
E.1.18	A call collision at startup .....	239
E.1.19	Partial successful group call establishment, call is not accepted by a PSwMI .....	240
E.1.20	Unsuccessful group call establishment rejected by an OswMI .....	240
E.1.21	Unsuccessful group call establishment, the CSwMI cannot accept some parameters, such as <i>resource allocation</i> , in the ISI SETUP ACKNOWLEDGE PDU from an OswMI .....	241
E.1.22	Unsuccessful Group Call Establishment, OSwMI or Party times out .....	242
E.1.23	Unsuccessful group call establishment rejected by the CswMI.....	242
E.2	Call maintenance .....	243
E.3	Call termination.....	245
E.3.1	The release of a SwMI from a call .....	245
E.3.2	Call disconnection, as a result of a PSwMI disconnecting .....	245
E.3.3	Call disconnection by the CswMI .....	246
<b>Annex F (informative):</b>	<b>Justification for the recommended call connection strategies and control of which parties are in the call.....</b>	<b>247</b>
<b>Annex G (informative):</b>	<b>Bibliography .....</b>	<b>248</b>
<b>Annex H (informative):</b>	<b>Change Requests.....</b>	<b>249</b>
History .....		251

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Terrestrial Trunked Radio (TETRA).

The present document is part 3, sub-part 3 of a multi-part deliverable covering the Voice plus Data (V+D), as identified below:

EN 300 392-1: "General network design";

EN 300 392-2: "Air Interface (AI)";

**EN 300 392-3: "Interworking at the Inter-System Interface (ISI)"**

EN 300 392-3-1: "General design";

iTeH STANDARD PREVIEW

(standards.iteh.ai)

EN 300 392-3-2: "Additional Network Feature Individual Call (ANF-ISIIC)";

**EN 300 392-3-3: "Additional Network Feature Group Call (ANF-ISIGC)"**

<https://standards.iteh.ai/catalog/standards/sist/0bfccad72-c7a3-4f87-8729-44a6e5ca3030>

EN 300 392-3-4: "Additional Network Feature Short Data Service (ANF-ISIDS)";

EN 300 392-3-5: "Additional Network Feature for Mobility Management (ANF-ISIMM)";

TS 100 392-3-6: "Speech format implementation for circuit mode transmission";

TS 100 392-3-7: "Speech Format Implementation for Packet Mode Transmission";

TS 100 392-3-8: "Generic Speech Format Implementation";

ETS 300 392-4: "Gateways basic operation";

EN 300 392-5: "Peripheral Equipment Interface (PEI)";

EN 300 392-7: "Security";

EN 300 392-9: "General requirements for supplementary services";

EN 300 392-10: "Supplementary services stage 1";

EN 300 392-11: "Supplementary services stage 2";

EN 300 392-12: "Supplementary services stage 3";

ETS 300 392-13: "SDL model of the Air Interface (AI)";

ETS 300 392-14: "Protocol Implementation Conformance Statement (PICS) proforma specification";

TS 100 392-15: "TETRA frequency bands, duplex spacings and channel numbering";

TS 100 392-16: "Network Performance Metrics";

TR 100 392-17: "TETRA V+D and DMO specifications";

TS 100 392-18: "Air interface optimized applications".

NOTE: Part 3, sub-parts 6 and 7 (Speech format implementation), part 4, sub-part 3 (Data networks gateway), part 10, sub-part 15 (Transfer of control), part 13 (SDL) and part 14 (PICS) of this multi-part deliverable are in status "historical" and are not maintained.

<b>National transposition dates</b>	
Date of adoption of this EN:	7 November 2011
Date of latest announcement of this EN (doa):	29 February 2012
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2012
Date of withdrawal of any conflicting National Standard (dow):	31 August 2012

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 392-3-3 V1.3.1:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/0bfccad72-c7a3-4f87-8729-7c44ef49ee5c/sist-en-300-392-3-3-v1-3-1-2012>

## 1 Scope

The present document defines the Terrestrial Trunked Radio system (TETRA) supporting Voice plus Data (V+D). It specifies:

- general design aspects (e.g. reference points, numbering and addressing, or protocol architecture);
- the interworking between TETRA networks;
- the interworking of TETRA networks with other networks, via gateways;
- the supplementary services applicable to the basic TETRA tele- or bearer services.

The TETRA V+D interworking - basic operation part defines the interworking between TETRA networks over the corresponding interface: the Inter-System Interface (ISI). It comprises the following sub-parts:

- ISI general design;
- Additional Network Feature - ISI Individual Call (ANF-ISIIC);
- Additional Network Feature - ISI Group Call (ANF-ISIGC);
- Additional Network Feature - ISI Short Data service (ANF-ISISD);
- Additional Network Feature - ISI Mobility Management (ANF-ISIMM);
- Speech Format Implementation for Circuit Mode Transmission;
- Speech Format Implementation for Packet Mode Transmission.

The present document is the ANF-ISIGC sub-part.

[SIST EN 300 392-3-3 V1.3.1:2012](#)

In analogy with ITU-T Recommendation I.130 [i.6], the stage one, stage two and stage three of the three level structure is used to describe the TETRA Inter-System Interface services as provided by European Private or Public Trunked Radio System operators:

- Stage 1, is an overall service description, from the service subscriber's and user's standpoint;
- Stage 2, identifies the functional capabilities and information flows needed to support the services described in stage 1; and

NOTE: The information flows in stage 2 have been drawn as Message Sequence Charts (MSC). Therefore PISN basic call information flows are also shown together with the ANF-ISIGC information flows.

- Stage 3, defines the signalling system protocols and switching functions needed to implement the services described in stage 1.

The present document details the Interworking Basic Operation of the Terrestrial Trunked Radio system (TETRA). Specifically this sub-part details the stage 1 aspects (overall service description) of the ANF-ISIGC as seen from the TETRA Switching and Maintenance Infrastructure point of view at the Inter-System Interface (ISI). It details the stage 2 aspects (functional partitioning) of ANF-ISIGC which includes the identification of the functional entities and the flows between them, and finally it details the stage 3 signalling protocols for the ANF-ISIGC services, i.e. the protocols at the relevant reference points between the functional entities defined in stage 2.

The ANF-ISIGC service specifies:

- TETRA Group Call Clear Speech over the ISI, acknowledged and unacknowledged;
- TETRA Group Call End-to-End Encrypted Speech over the ISI;
- TETRA Group Call Circuit Mode one slot data over the ISI;
- TETRA Group Call Circuit Mode one slot End-to-End Encrypted data over the ISI;

- TETRA Group Call Circuit Mode  $N \times 2,4$  kbit/s,  $N \times 4,8$  kbit/s or  $N \times 7,2$  kbit/s data, with  $N = 2, 3$  or  $4$ ;
- TETRA Group Call Circuit Mode  $N \times 2,4$  kbit/s  $N \times 4,8$  kbit/s or  $N \times 7,2$  kbit/s End-to-End Encrypted data, with  $N = 2, 3$  or  $4$ .

## 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

### 2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 172: "Private Integrated Services Network (PISN); Inter-exchange signalling protocol; Circuit-mode basic services [ISO/IEC 11572 (2000) modified]".
- [2] ETSI EN 300 392-1: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 1: General network design".
- [3] ETSI EN 300 392-2: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 2: Air Interface (AI)".
- [4] ETSI EN 300 392-3-1: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 1: General design".  
SIST EN 300 392-3-3 V1.3.1:2012  
<https://standards.iteb.ai/catalog-standards/sist0bfca4f-1-73-4f87-8729-7c4fe49ee5c/sist-en-300-392-3-3-v1-3-1-2012>
- [5] ETSI EN 300 392-3-2: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 2: Additional Network Feature Individual Call (ANF-ISIIC)".
- [6] ETSI EN 300 392-3-5: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 5: Additional Network Feature for Mobility Management (ANF-ISIMM)".
- [7] ETSI EN 300 392-7: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 7: Security".
- [8] ETSI EN 300 392-11-6: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 11: Supplementary services stage 2; Sub-part 6: Call Authorized by Dispatcher (CAD)".
- [9] ETSI EN/ETSI ETS 300 392-12 (all parts): "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 12: Supplementary services stage 3".
- [10] ETSI EN 300 395-2: "Terrestrial Trunked Radio (TETRA); Speech codec for full-rate traffic channel; Part 2: TETRA codec".
- [11] ISO/IEC 11572: "Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Circuit mode bearer services - Inter-exchange signalling procedures and protocol".
- [12] ISO/IEC 11574: "Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Circuit-mode 64 kbit/s bearer services - Service description, functional capabilities and information flows".

- [13] ISO/IEC 11582: "Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Generic functional protocol for the support of supplementary services - Inter-exchange signalling procedures and protocol".
- [14] ISO/IEC 11571: "Information technology - Telecommunications and information exchange between systems - Private Integrated Services Networks - Addressing".

## 2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EN 300 392-3-8: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 8: Generic Speech Format Implementation".
- [i.2] ETSI EN 300 392-9: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 9: General requirements for supplementary services".
- [i.3] ITU-T Recommendation I.140: "Attribute technique for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".
- [i.4] ITU-T Recommendation I.210: "Principles of telecommunication services supported by an ISDN and the means to describe them".
- [i.5] ITU-T Recommendation Z.100: "Specification and Description Language (SDL)".
- [i.6] ITU-T Recommendation I.130: "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".  
**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**
- [i.7] ITU-T Recommendation V.110: "Support by an ISDN of data terminal equipments with V-Series type interfaces".  
[SIST EN 300 392-3-3 V1.3.1:2012](#)
- [i.8] ITU-T Recommendation E.164: "The international public telecommunication numbering plan".  
[7c44ef49ee5c/sist-en-300-392-3-3-v1-3-1-2012](#)
- [i.9] ITU-T Recommendation X.121: "International numbering plan for public data networks".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

**controlling SwMI:** Switching and Management Infrastructure (SwMI) which sets up and maintains a call between two or more SwMIs

**foreign user:** user who is not a member of the called group

**group home:** home of the GTSI, i.e. the SwMI where the network code (MNC) is equal to that of the group (GTSI)

**individual home:** home of the MS's ITSI, i.e. the SwMI where the network code (MNC) is equal to that of the individual subscriber (ITSI)

**linking controlling SwMI:** SwMI that controls the linking of one of its own groups to one or more groups from other SwMIs

NOTE: The group linking controlling SwMI is the home SwMI of the linked groups.

**linking home SwMI:** See linking controlling SwMI.

**linking participating SwMI:** SwMI that participates in the group linking by linking (joining) one group to the group linking