

SLOVENSKI STANDARD SIST EN ISO 5395-3:2014

01-januar-2014

Nadomešča: SIST EN 836:1998+A4:2011 SIST ISO 5395:1995

Oprema za nego vrta - Varnostne zahteve za motorne vrtne kosilnice - 3. del: Kosilnice s sedežem za košnjo v sedečem položaju (ISO 5395-3:2013)

Garden equipment - Safety requirements for combustion-engine-powered lawnmowers - Part 3: Ride-on lawnmowers with seated operator (ISO 5395-3:2013)

iTeh STANDARD PREVIEW

Gartengeräte - Sicherheitsanforderungen für verbrennungsmotorisch angetriebene Rasenmäher - Teil 3: Rasenmäher mit Fahrersitz mit sitzendem Benutzer (ISO 5395-3:2013)

<u>SIST EN ISO 5395-3:2014</u> https://standards.iteh.ai/catalog/standards/sist/6f1795fd-a018-44b2-8a68-

Matériel de jardinage - Exigences de sécurité pour les tondeuses à gazon à moteur à combustion interne - Partie 3: Tondeuses à gazon à conducteur assis (ISO 5395-3:2013)

Ta slovenski standard je istoveten z: EN ISO 5395-3:2013

ICS:

65.060.70 Vrtnarska oprema

Horticultural equipment

SIST EN ISO 5395-3:2014

en,fr

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 5395-3

September 2013

ICS 65.060.70

Supersedes EN 836:1997+A4:2011

English Version

Garden equipment - Safety requirements for combustion-enginepowered lawnmowers - Part 3: Ride-on lawnmowers with seated operator (ISO 5395-3:2013)

Matériel de jardinage - Exigences de sécurité pour les tondeuses à gazon à moteur à combustion interne - Partie 3: Tondeuses à gazon à conducteur assis (ISO 5395-3:2013) Gartengeräte - Sicherheitsanforderungen für verbrennungsmotorisch angetriebene Rasenmäher - Teil 3: Rasenmäher mit Fahrersitz mit sitzendem Benutzer (ISO 5395-3:2013)

This European Standard was approved by CEN on 19 July 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav, Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2013 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 5395-3:2013: E

Contents	Page
Foreword	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC (PED)	4

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

This document (EN ISO 5395-3:2013) has been prepared by Technical Committee ISO/TC 23 "Tractors and machinery for agriculture and forestry" in collaboration with Technical Committee CEN/TC 144 "Tractors and machinery for agriculture and forestry" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2014, and conflicting national standards shall be withdrawn at the latest by September 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 836:1997+A4:2011.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/6f1795fd-a018-44b2-8a68fa139208ea£2/dörsement9fotice¹⁴

The text of ISO 5395-3:2013 has been approved by CEN as EN ISO 5395-3:2013 without any modification.

Annex ZA

(informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC (PED)

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 2006/42/EC amended by 2009/127/EC.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

NOTE Compliance with Part 3, together with Part 1, is necessary to achieve presumption of conformity with the Essential Requirements of Directive 2006/42/EC and associated EFTA regulations.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD



Second edition 2013-09-01

Garden equipment — Safety requirements for combustion-engine-powered lawnmowers —

Part 3: **Ride-on lawnmowers with seated operator** (standards.iteh.ai) Matériel de jardinage — Exigences de sécurité pour les tondeuses à gazonà moteur à combustion interne —

https://standards.iteh.p/artile 3:trondeuses a gazon a conducteur assis fa139208ea43/sist-en-iso-5395-3-2014



Reference number ISO 5395-3:2013(E) ISO 5395-3:2013(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 5395-3:2014 https://standards.iteh.ai/catalog/standards/sist/6f1795fd-a018-44b2-8a68fa139208ea43/sist-en-iso-5395-3-2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents

Page

Forew	ord		iv	
Introd	luction		V	
1	Scope			
2	Normative references			
3	Terms and definitions			
4		rements for ride-on lawnmowers		
4	4 .1	General		
	4.2	Controls		
	4.3	Operator presence control (OPC)		
	4.4	Brakes		
	4.5	Guards		
	4.6	Stability		
	4.7	Rollover protective structure (ROPS)		
	4.8	Seat belts		
	4.9	Seats and foot rests		
	4.10	Transport position of the cutting-means assembly		
	4.11	Separate fan for grass collection		
	4.12	Hot surfaces		
	4.13			
	4.14	Exhaust fumes Pressurized components of hydraulic systems. F. V. F. W		
	4.15	Liquid spillage		
	4.16	Liquid spillage Electrical system (standards.iteh.ai)		
	4.17	Electromagnetic immunity		
	4.18	Noise <u>SIST EN ISO 5395-3-2014</u>		
	4.19	Vibration//standards.iteh.ai/eatalog/standards/sist/6f1795fd-a018-44b2-8a68-		
5	Partic	ular requirements for ride ⁴ on rotary lawnmowers		
5	5.1	Cutting means	18	
	5.2	Impact of the cutting means		
	5.3	Cutting-means enclosure		
	5.4	Structural integrity		
	5.5	Thrown objects		
	5.6	Grass catchers		
6				
0		ular requirements for ride-on cylinder lawnmowers Cutting-means enclosure		
	6.1 6.2			
	6.3	Throw line		
7		nation for use		
	7.1	Instruction handbook		
	7.2	Markings and warnings		
Annex	A (nor	mative) Ride-on lawnmower stability test		
Annex	B (nor	mative) Determination of contact with moving power-driven components		
Annex C (informative) List of significant hazards				
Bibliography				
	С - г у			

ISO 5395-3:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 5395-3 was prepared by the European Committee for Standarization (CEN) Technical Committee CEN/TC 144, *Tractors and machinery for agriculture and forestry* in collaboration with ISO Technical Committee TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 13, *Powered lawn and garden equipment*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement); Teh STANDARD PREVIEW

This second edition of ISO 5395-3, together with ISO 5395-1 and ISO 5395-2, cancels and replaces ISO 5395:1990, which has been technically revised. These three parts also incorporate the Amendment ISO 5395:1990/Amd.1:1992.

SIST EN ISO 5395-3:2014

ISO 5395 consists of the following parts, under the general title Garden equipment Safety requirements for combustion-engine-powered lawnmowers 208ea43/sist-en-iso-5395-3-2014

- Part 1: Terminology and common tests
- Part 2: Pedestrian-controlled lawnmowers
- Part 3: Ride-on lawnmowers with seated operator

Introduction

This document is a type-C standard as stated in ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Garden equipment — Safety requirements for combustion-engine-powered lawnmowers —

Part 3: **Ride-on lawnmowers with seated operator**

1 Scope

1.1 This part of ISO 5395 specifies safety requirements and their verification for combustion-engine-powered ride-on (seated) rotary lawnmowers and cylinder lawnmowers (hereafter named "lawnmower"), and equipped with:

- metallic cutting means; and/or
- non-metallic cutting means with one or more cutting elements pivotally mounted on a generally circular drive unit, where these cutting elements rely on centrifugal force to achieve cutting, and have a kinetic energy for each single cutting element of 10 J or more.

This part of ISO 5395 does not apply to: NDARD PREVIEW

- robotic and remote-controlled lawnmowers, flail mowers, grassland mowers, sickle bar mowers, towed/semi-mounted grass-cutting machines, and scrub-clearing machines;
- cutting-means assembly when used in combination with an agricultural tractor;
- https://standards.iteh.ai/catalog/standards/sist/6f1795fd-a018-44b2-8a68-
- electrically powered and battery powered lawnmowers014

1.2 This part of ISO 5395 deals with all significant hazards, hazardous situations or events (see <u>Annex C</u>) relevant to lawnmowers when used as intended and under the conditions of misuse which are reasonably foreseeable by the manufacturer.

1.3 This part of ISO 5395 is not applicable to lawnmowers which are manufactured before the date of publication of this document.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61032:1997, Protection of persons and equipment by enclosures — Probes for verification

 $ISO\,3776-2:2013, Tractors and machinery for a griculture - Seat belts - Part 2: Anchorage strength requirements$

ISO 3776-3:2009, Tractors and machinery for agriculture — Seat belts — Part 3: Requirements for assemblies

ISO 5353, Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point

ISO 5395-1:2013, Garden equipment — Safety requirements for combustion-engine-powered lawnmowers — Part 1: Terminology and common tests

ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO 13849-1:2006, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design

ISO 5395-3:2013(E)

ISO 13857:2008, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs

ISO 14119:1998, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection

ISO 14982:1998, Agricultural and forestry machinery — Electromagnetic compatibility — Test methods and acceptance criteria

ISO 17398:2004, Safety colours and safety signs — Classification, performance and durability of safety signs

ISO 21299:2009, Powered ride-on turf care equipment — Roll-over protective structures (ROPS) — Test procedures and acceptance criteria

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100 and ISO 5395-1 apply.

4 Requirements for ride-on lawnmowers

4.1 General

The lawnmower shall comply with the safety requirements and/or protective measures of this clause. The lawnmower shall be marked and carry warnings according to 7.2 and shall be provided with an instruction handbook which complies with 7.1.

In addition, the lawnmower shall be designed according to the principles of ISO 12100 for relevant but not significant hazards which are not dealt with by this part of ISO 5395. An audible warning device (for example, a horn) is not required.

https://standards.iteh.ai/catalog/standards/sist/6f1795fd-a018-44b2-8a68-

Unless otherwise stated, all tests shall be carried out at an ambient temperature between 15 °C and 35 °C.

If not otherwise specified within this part of ISO 5395, the tests may be carried out in any order and on separate machines, cutting-means enclosures, and cutting-means components.

When the order in which tests should be carried out and the number of permitted machines are not defined in this part of ISO 5395, these conditions should be determined by agreement between the persons carrying out the tests and the manufacturer.

Where it is specified that the engine shall run during the test, it shall be operated at the maximum operating engine speed (see definition in ISO 5395-1). If the measured engine speed is not within the limits specified in the instruction handbook, the engine speed shall be adjusted in accordance with the manufacturer's instructions.

4.2 Controls

4.2.1 General

Separate controls shall be provided for the traction drive and cutting-means engagement.

Directional control mechanisms that cause forward and reverse propulsion as well as forward and reverse speed control shall have a neutral position.

Except for lever-steer lawnmowers, when released, a traction drive speed control shall automatically return to the neutral position or shall be capable of being overridden by the service brake.

Foot control pedals shall have slip-resistant surfaces or other means of minimizing the possibility of the operator's foot slipping off the control pedal.

Except for lever-steer lawnmowers, forward/reverse directional controls shall require at least one of the following:

- a) a distinct change in direction of the control actuation (for example, right angle to general path of control motion) at a point before a change in direction occurs; or
- b) a distinct change in force level at the point of entry into the selected direction; or
- c) a positive means of retarding machine acceleration, for example hydrostatic control with valves operated by rigid linkages.

The traction drive and cutting means shall automatically stop or disengage when the operator leaves the operating position.

Compliance shall be checked by functional test and inspection to demonstrate that it meets the above requirements.

The location of operator controls, to be operated from the operator's position during grass cutting, shall be within the zones of Figure 1 for an operator in the required operator position.

The operator control zone defined in <u>Figure 1</u> includes the maximum movement range of the controls but is not intended to represent preferred operator control positions.

For the seated operator, the operator control zone is established with the seat in the rear-most position.

NOTE ISO/TS 15079^[10] gives useful information about location and operation of operator controls.

For the purpose of this clause, the following shall not be considered as operator controls that are operated during grass cutting: (standards.iteh.ai)

- height-of-cut setting;
- SIST EN ISO 5395-3:2014
- fixed cutting-means/setting or adjustment/lards/sist/6f1795fd-a018-44b2-8a68-
- grass catcher discharge opening;
 fa139208ea43/sist-en-iso-5395-3-2014
- grass catcher discharge openin
- hydrostatic bypass valve;
- engine-starting controls which meet <u>4.2.3</u>;
- engine-stopping controls if separate from cutting-means stopping control;
- parking brake.

Compliance shall be checked by inspection and measurement.