

SLOVENSKI STANDARD SIST EN ISO 27107:2010

01-september-2010

Nadomešča: SIST EN ISO 27107:2009

Živalske in rastlinske maščobe in olja - Določevanje peroksidnega števila -Potenciometrijsko določanje končne točke (ISO 27107:2008, popravljena verzija 2009-05-15)

Animal and vegetable fats and oils - Determination of peroxide value - Potentiometric end-point determination (ISO 27107:2008, corrected version 2009-05-15)

iTeh STANDARD PREVIEW

Tierische und pflanzliche Fette und Öle - Bestimmung der Peroxidzahl -Potentiometrische Endpunktbestimmung (ISO 27107:2008, korrigierte Fassung 2009-05-15)

SIST EN ISO 27107:2010

https://standards.iteh.ai/catalog/standards/sist/46fc69d1-d848-4fa0-b25f-

Corps gras d'origines animale et Végétale⁴ Détermination de l'indice de peroxyde -Détermination avec point d'arrêt potentiométrique (ISO 27107:2008, version corrigée 2009-05-15)

Ta slovenski standard je istoveten z:

EN ISO 27107:2010

<u>ICS:</u>

67.200.10 Rastlinske in živalske maščobe in olja

Animal and vegetable fats and oils

SIST EN ISO 27107:2010

en



iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 27107:2010

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 27107

April 2010

ICS 67.200.10

Supersedes EN ISO 27107:2008

English Version

Animal and vegetable fats and oils - Determination of peroxide value - Potentiometric end-point determination (ISO 27107:2008, corrected version 2009-05-15)

Corps gras d'origines animale et végétale - Détermination de l'indice de peroxyde - Détermination avec point d'arrêt potentiométrique (ISO 27107:2008, version corrigée 2009-05-15) Tierische und pflanzliche Fette und Öle - Bestimmung der Peroxidzahl - Potentiometrische Endpunktbestimmung (ISO 27107:2008, korrigierte Fassung 2009-05-15)

This European Standard was approved by CEN on 13 March 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom. 9b7d33156754/sistem-iso-27107-2010



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 27107:2010 (E)

Contents

Page

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

The text of ISO 27107:2008, corrected version 2009-05-15 has been prepared by Technical Committee ISO/TC 34 "Food products" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 27107:2010 by Technical Committee CEN/TC 307 "Oilseeds, vegetable and animal fats and oils and their by-products - Methods of sampling and analysis" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2010, and conflicting national standards shall be withdrawn at the latest by October 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 27107:2008.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom: ARD PREVIEW



The text of ISO 27107:2008, corrected version 2009 05 15 has been approved by CEN as a EN ISO 27107:2010 without any modification hai/catalog/standards/sist/46fc69d1-d848-4fa0-b25f-9b7d33156754/sist-en-iso-27107-2010



iTeh STANDARD PREVIEW (standards.iteh.ai)



INTERNATIONAL STANDARD

ISO 27107

First edition 2008-03-01

Corrected version 2009-05-15

Animal and vegetable fats and oils — Determination of peroxide value — Potentiometric end-point determination

Corps gras d'origines animale et végétale — Détermination de l'indice de peroxyde — Détermination avec point d'arrêt potentiométrique

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 27107:2010 https://standards.iteh.ai/catalog/standards/sist/46fc69d1-d848-4fa0-b25f-9b7d33156754/sist-en-iso-27107-2010



Reference number ISO 27107:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 27107:2010 https://standards.iteh.ai/catalog/standards/sist/46fc69d1-d848-4fa0-b25f-9b7d33156754/sist-en-iso-27107-2010



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 27107 was prepared by Technical Committee ISO/TC 34, Food products, Subcommittee SC 11, Animal and vegetable fats and oils.

RD PREVIEW NDA This corrected version of ISO 27107:2008 incorporates the following corrections:

- Introduction, lines 9 and 10, "greater than" and "less than or equal to" replace ">" and "<", respectively;

SIST EN ISO 27107:201

— Introduction, line 11, "0 mmol to 15 mmol" has become "0 meg to 30 meg";

9b7d33156754/sist-en-iso-27107-2010

- 5.6, final sentence, has been reedited to correct details of blue colour formation;
- 6.5 now contains a readability figure of 0,000 1 g, not 0,001 g;
- 9.2.2, line 1, now refers to 0,001 g instead of 0,001 mg;
- 9.2.2, paragraph 4, now contains a reedited calculation of the factor, using symbol F rather than f,
- the heading "10.1 Calculation" has been deleted;
- Clause 10, paragraph 1, has been revised to incorporate factor, *F*, from the revised 9.2.2;
- In Figure A.1, "PV =" has become "PV:" (five times).

ISO 27107:2008(E)

Introduction

Over many years, various methods have been developed for the determination of peroxides in fats and oils. Their general principle is the liberation of iodine from potassium iodide in an acid medium. The method according to Wheeler (Reference [6]) was first adopted in standards more than 50 years ago by different bodies, and is widely used to control commodities by producers, receivers, and official laboratories. In national and international food legislation (including Codex Alimentarius), acceptable limits for peroxide values are often specified. Due to anomalies in the reproducibility of the results, it was noticed that there are slight differences between the standardized methods. A very important point is the dependence of the result on the amount of sample used for the determination. As the determination of the peroxide value (PV) is a highly empirical procedure, ISO/TC 34/SC 11 has decided to fix the sample mass at 5 g for PV greater than 1, and at 10 g for PV less than or equal to 1, and to limit the applicability of this method to animal and vegetable fats and oils with peroxide values from 0 meq to 30 meq of active oxygen per kilogram. The users of this International Standard should be aware that the results obtained can be slightly lower than with previous standards.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Animal and vegetable fats and oils — Determination of peroxide value — Potentiometric end-point determination

1 Scope

This International Standard specifies a method for the potentiometric end-point determination of the peroxide value, in milliequivalents of active oxygen per kilogram, of animal and vegetable fats and oils.

The method is applicable to all animal and vegetable fats and oils, fatty acids and their mixtures with peroxide values from 0 meq to 30 meq of active oxygen per kilogram. It is also applicable to margarines and fat spreads with varying water content. The method is not applicable to milk fats or lecithins.

NOTE A method for the iodometric (visual) determination of the peroxide value is given in ISO 3960. For milk fats, a method is specified in ISO 3976.

2 Normative references STANDARD PREVIEW

The following referenced documents are indispensable for the application of this document. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 661, Animal and vegetable fats and oils — Preparation of test sample. https://standards.iteh.a/catalog/standards/sist/46ic69d1-d848-4ia0-b25f-9b7d33156754/sist-en-iso-27107-2010

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 peroxide value PV

quantity of those substances in the sample, expressed in terms of active oxygen, that oxidize potassium iodide under the conditions specified in this International Standard

NOTE The peroxide value is usually expressed in milliequivalents of active oxygen per kilogram of oil, but it may also be expressed (in SI units) as millimoles of active oxygen per kilogram of oil. The value expressed in millimoles of active oxygen per kilogram. Multiplication of the peroxide value (milliequivalents of active oxygen per kilogram) by the equivalent mass of oxygen (equalling 8) gives the active oxygen mass fraction in milligrams per kilogram of oil.

4 Principle

The sample is dissolved in isooctane and glacial acetic acid, and potassium iodide is added. The iodide liberated by the peroxides is determined volumetrically with a sodium thiosulfate standard solution. The end-point of the titration is determined electrochemically.