



# SLOVENSKI STANDARD SIST ETS 300 415 E2:2003

01-december-2003

---

## Zasebno omrežje z integriranimi storitvami (PISN) – Izrazi in definicije

Private Integrated Services Network (PISN); Terms and definitions

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Ta slovenski standard je istoveten z: **ETS 300 415 Edition 2**

[SIST ETS 300 415 E2:2003](https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>

### **ICS:**

01.040.35	Informacijska tehnologija. Pisarniški stroji (Slovarji)	Information technology. Office machines (Vocabularies)
33.040.35	Telefonska omrežja	Telephone networks

**SIST ETS 300 415 E2:2003**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 415 E2:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 415**

October 1996

Second Edition

---

Source: ETSI TC-BTC

Reference: RE/BTC-01061

ICS: 33.020, 33.040.10

**Key words:** Vocabulary, PISN

**iTeh STANDARD PREVIEW**

(standards.iteh.ai)  
**Private Integrated Services Network (PISN);  
Terms and definitions**

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 415 E2:2003](https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>

## Contents

Foreword .....	5
1 Scope .....	7
2 Normative reference.....	7
3 Abbreviations.....	7
4 Terms and definitions.....	7
4.1 Public .....	7
4.2 Private.....	8
4.3 Private Integrated Services Network (PISN).....	8
4.4 Corporate telecommunication Network (CN).....	8
4.5 Private Integrated services Network eXchange (PINX).....	8
4.5.1 Integrated Services Private Branch eXchange (ISPBX).....	8
4.5.2 Integrated Services CenTralized eXchange (ISCTX).....	8
4.6 Call related PINX functionality .....	9
4.6.1 End-PINX functionality.....	9
4.6.2 Transit-PINX functionality.....	9
4.6.3 Gateway-PINX functionality.....	9
4.7 Terminal Equipment (TE).....	9
4.8 Link.....	9
4.8.1 Inter-PINX Link (IPL) .....	9
4.8.2 Access link.....	9
4.9 User .....	9
4.10 PISN administrator.....	10
4.11 InterVening Network (IVN).....	10
4.12 InterConnecting Network (ICN).....	10
4.13 Virtual Private Network (VPN).....	10
4.14 Connection.....	10
4.14.1 Dedicated connection.....	10
4.14.2 Semi-permanent connection .....	10
4.14.3 Switched connection .....	10
4.14.3.1 Switched connection, per call .....	11
4.14.3.2 Switched connection, long duration .....	11
4.15 Inter-PINX Connection (IPC) .....	11
4.16 Public Integrated Services Digital Network (public ISDN).....	11
4.17 (PISN) Service .....	11
4.18 Additional Network Feature (ANF).....	11
4.19 (PISN networking) Scenario.....	11
4.19.1 Overlay scenario.....	11
4.19.2 Integrated scenario.....	11
4.20 Numbering and addressing.....	11
4.20.1 Address .....	11
4.20.2 Number.....	11
4.20.2.1 Private Numbering Plan (PNP) number.....	12
4.20.2.2 PISN number .....	12
4.20.3 Numbering plan .....	12
4.20.3.1 ISDN numbering plan .....	12
4.20.3.2 Private Numbering Plan (PNP).....	12
4.20.3.3 Unknown numbering plan.....	12
4.20.3.4 PISN numbering plan.....	12
4.21 (PISN) Mobility .....	12
4.21.1 Authentication.....	12
4.21.2 Coverage area.....	12
4.21.3 Visitor area .....	12
4.21.4 Handover.....	13

4.21.5	Roaming .....	13
4.21.6	Home Data Base (HDB) .....	13
4.21.7	Visitor Data Base (VDB) .....	13
Annex A (informative):	Relationship between communication needs, service provision and connection establishment .....	14
Annex B (informative):	Additional information .....	15
B.1	Virtual Private Network (VPN) .....	15
B.2	Corporate telecommunication Network (CN).....	15
Annex C (informative):	Bibliography .....	16
Annex D (informative):	Index .....	17
History .....		18

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 415 E2:2003](https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>

## Foreword

This second edition European Telecommunication Standard (ETS) has been produced by the Business Telecommunications (BTC) Technical Committee of the European Telecommunications Standards Institute (ETSI).

The contents of this ETS supersede CEN/CENELEC ENV 41007-1 (1991) "Definition of terms in private telecommunication networks; Part 1: Definition of general terms". ENV 41007-1 should be regarded as obsolete.

Transposition dates	
Date of adoption of this ETS:	18 October 1996
Date of latest announcement of this ETS (doa):	31 January 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 July 1997
Date of withdrawal of any conflicting National Standard (dow):	31 July 1997

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 415 E2:2003](https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 415 E2:2003](https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003>



## 1 Scope

This second edition European Telecommunication Standard (ETS) defines terms commonly used in ETSs on the subject of Private Integrated Services Networks (PISNs). The purpose of defining terms and definitions is to guide the further specification of PISN capabilities and to permit consistency of interpretation between ETSs containing such specifications.

The terms and definitions given in this ETS apply to the technical aspects of PISNs. They do not address legal or regulatory issues.

An ETS shall be deemed to be in compliance with this ETS if it uses terms with the meanings as defined by this ETS.

Terms not defined here may be defined context-specific in the relevant standards or technical reports.

## 2 Normative reference

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

[1] CCITT Recommendation E.164 (1991): "Numbering plan for the ISDN era".

## 3 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

ANF	Additional Network Feature
CN	Corporate telecommunication Network
HDB	Home Data Base
ICN	InterConnecting Network
IPC	Inter-PINX Connection
IPL	Inter-PINX Link
ISCTX	Integrated Services CenTralized eXchange
ISDN	Integrated Services Digital Network
ISPBX	Integrated Services Private Branch eXchange
IVN	InterVening Network
PINX	Private Integrated services Network eXchange
PISN	Private Integrated Services Network
PNP	Private Numbering Plan
PSTN	Public Switched Telephone Network
TE	Terminal Equipment
VDB	Visitor Data Base
VPN	Virtual Private Network

## 4 Terms and definitions

The following subclauses are arranged in logical order. An alphabetical index is to be found at the end of this ETS.

NOTE: Draft IEC 50(715) has been used as the basis for the preparation of this ETS. The suitability of other definitions of that document will be considered as a subject arises.

### 4.1 Public

An attribute indicating that the application of an item qualified by "public", e.g. a network, a unit of equipment, a service, is offered to the general public. This attribute does not indicate any aspects of ownership.

NOTE: This definition does not include legal or regulatory aspects.

## 4.2 Private

An attribute indicating that the application of an item qualified by "private", e.g. a network, a unit of equipment, a service, is offered to a pre-determined set of users. This attribute does not indicate any aspects of ownership.

NOTE: This definition does not include legal or regulatory aspects.

## 4.3 Private Integrated Services Network (PISN)

A network serving a pre-determined set of users (different from a public network which provides services to the general public). The attribute "private" does not indicate any aspects of ownership.

NOTE 1: This definition does not include legal or regulatory aspects.

NOTE 2: PISNs may extend over large geographical areas. This definition does not imply any specific implementation.

NOTE 3: In facilitating the evolution towards the consistent world-wide use of the term "PISN", the previously used term "Private telecommunication network (PTN)" is superseded by the term "PISN". This will not invalidate the scope of the services standardized by ETSI for PTNs.

## 4.4 Corporate telecommunication Network (CN)

The same definition as for subclause 4.3, "Private Integrated Services Network (PISN)", applies. Annex B provides additional information.

## 4.5 Private Integrated services Network eXchange (PINX)

A PISN nodal entity that provides automatic switching and call handling functions used for the provision of telecommunication services. The nodal entity can be implemented by one or more pieces of equipment located on the premises of the private network administrator or by equipment co-located with, or physically part of, a public network.

NOTE 1: If applicable, a PINX provides to users of the same and/or other private integrated services network exchanges:

- telecommunication services within its own area; and/or
- telecommunication services from the public ISDN; and/or
- telecommunication services from other public or private networks; and/or
- within the context of a PISN, telecommunication services from other PINXs.

NOTE 2: In facilitating the evolution towards the consistent world-wide use of the term "PINX", the previously used term "Private telecommunication network exchange (PTNX)" is superseded by the term "PINX". This will not invalidate the scope of the services standardized by ETSI for PTNs.

A PINX may perform the functions of one or more of the node types given in subclauses 4.5.1 and 4.5.2.

### 4.5.1 Integrated Services Private Branch eXchange (ISPBX)

The implementation of a PINX offering ISDN-like capabilities, separate from public network equipment.

NOTE: An ISPBX is usually located on the premises of a private network administrator.

### 4.5.2 Integrated Services CenTralized eXchange (ISCTX)

The implementation of a PINX offering ISDN-like capabilities, as part of public network equipment.

NOTE: An ISCTX is usually located on the premises of a public network operator.

## 4.6 Call related PINX functionality

In addition to other functionalities, a physical implementation of a PINX can contain one or more of the functionalities defined below. The use of the terms "end-PINX", "transit-PINX" and "gateway-PINX" depends on the particular context. Thus, these terms are not defined in this ETS.

NOTE: The involvement in the execution of services is described in the standards on the services concerned.

### 4.6.1 End-PINX functionality

Within the context of a call the functionality of a PINX required to provide attachment and servicing of terminals.

NOTE: This functionality can be further separated into originating (end-)PINX functionality (support of the calling user) and terminating (end-)PINX functionality (support of the called user).

### 4.6.2 Transit-PINX functionality

Within the context of a call the functionality of a PINX required to interconnect end-PINXs and/or other transit-PINXs and/or gateway-PINXs.

### 4.6.3 Gateway-PINX functionality

Within the context of a call the functionality of a PINX required to interconnect end-PINXs or transit-PINXs with nodes of other public or private networks.

NOTE: This functionality can be further separated into incoming gateway-PINX functionality (support of calls incoming to the PISN) and outgoing gateway-PINX functionality (support of calls outgoing from the PISN).

## 4.7 Terminal Equipment (TE)

[SIST ETS 300 415 E2:2003  
https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003](https://standards.iteh.ai/catalog/standards/sist/00e49fc1-52a9-4f1a-81cf-9b218dc6095d/sist-ets-300-415-e2-2003)

An item of equipment attached to a telecommunication network to provide access for a user to one or more services.

## 4.8 Link

A means of telecommunication with specified characteristics between two points.

### 4.8.1 Inter-PINX Link (IPL)

A link between two PINXs comprising the totality of signalling and user information transfer means.

NOTE: More than one inter-PINX link can be established between the same pair of PINXs.

### 4.8.2 Access link

A link between a TE and a PINX comprising the totality of signalling and user information transfer means.

NOTE 1: More than one access link can be established between the same TE and its PINX.

NOTE 2: Access links between several TEs and a PINX may share the same means of transmission.

## 4.9 User

An entity using the services of a network via terminal equipment.

NOTE: A user may be a person or an application process.