
**Industrial automation systems and
integration — Product data
representation and exchange —**

Part 227:

**Application protocol: Plant spatial
configuration**

iTeh STANDARD PREVIEW

(standards.iteh.ai)

*Systèmes d'automatisation industrielle et intégration — Représentation
et échange de données de produits —*

Partie 227: Protocole d'application: Configuration spatiale d'usine

<https://standards.iteh.ai/catalog/standards/sist/17671b36-fd0f-4e2d-b1b-95f193b08a36/iso-10303-227-2005>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 10303-227:2005](https://standards.iteh.ai/catalog/standards/sist/17671b36-fd0f-4e2d-b1f5-95f193b08a36/iso-10303-227-2005)

<https://standards.iteh.ai/catalog/standards/sist/17671b36-fd0f-4e2d-b1f5-95f193b08a36/iso-10303-227-2005>

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS	PAGE
Overview of this document	xii
Changes from the previous edition	xiv
1 Scope	1
2 Normative references	4
3 Terms, definitions, and abbreviations	5
3.1 Terms defined in ISO 10303-1	5
3.2 Terms defined in ISO 10303-31	5
3.3 Other definitions	6
3.4 Abbreviations	14
4 Information requirements	15
4.1 Units of functionality	16
4.1.1 associative_schematics UoF	16
4.1.2 cableway_component_characterization UoF	17
4.1.3 change_information UoF	18
4.1.4 connection UoF	20
4.1.5 connector UoF	20
4.1.6 hvac_component_characterization UoF	21
4.1.7 hvac_system_functional_characterization UoF	23
4.1.8 hybrid_shape_representation UoF	24
4.1.9 mechanical_component_characterization UoF	24
4.1.10 mechanical_system_functional_characterization UoF	25
4.1.11 piping_component_characterization UoF	26
4.1.12 piping_inspection UoF	29
4.1.13 piping_system_functional_characterization UoF	29
4.1.14 plant_characterization UoF	30
4.1.15 plant_csg_shape_representation UoF	31
4.1.16 plant_item_characterization UoF	32
4.1.17 shape UoF	35
4.1.18 site_characterization UoF	36
4.2 Application objects	37
4.3 Application assertions	234
5 Application interpreted model	270
5.1 Mapping specification	270
5.2 AIM EXPRESS short listing	1029
6 Conformance requirements	1184
6.1 Conformance class 1, piping system functional information	1185
6.2 Conformance class 2, equipment and component spatial information	1185
6.3 Conformance class 3, plant layout and piping design information along with HVAC, cableway, and mechanical system information	1185
6.4 Conformance class 4, piping fabrication and installation information	1188
6.5 Conformance class 5, piping inspection information	1188
6.6 Conformance class 6, HVAC system functional information	1189
6.7 Conformance class 7, HVAC spatial information	1190
6.8 Conformance class 8, cableway spatial information	1191

ISO 10303-227:2005(E)

6.9 Conformance class 9, piping and HVAC analysis information 1192

6.10 Conformance class 10, mechanical system functional information 1192

6.11 Conformance class 11, mechanical system spatial information 1192

6.12 Options within a conformance class 1193

Annex A (normative) AIM EXPRESS expanded listing 1212

Annex B (normative) AIM short names of entities 1384

Annex C (normative) Implementation method-specific requirements 1402

Annex D (normative) Protocol Information Conformance Statement (PICS) proforma 1403

Annex E (normative) Information object registration 1405

Annex F (informative) Application activity model 1406

Annex G (informative) Application reference model 1452

Annex H (informative) AIM EXPRESS-G 1500

Annex J (informative) AIM EXPRESS listing 1556

Annex K (informative) Application protocol usage guide 1557

Annex L (informative) Technical discussions 1558

Bibliography 1564

INDEX 1565

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Figures

<https://standards.iteh.ai/catalog/standards/sist/17671b36-fd0f-4e2d-b1f5-95ff93b08a36/iso-10303-227-2005>

Figure 1 — Data planning model xii

Figure 2 — Process plant life cycle activity coverage 1

Figure 3 — Base_elbow_support 40

Figure 4 — Base_line_support 41

Figure 5 — Bent_pipe 42

Figure 6 — Blind flange 43

Figure 7 — Boss 45

Figure 8 — Bushing 46

Figure 9 — Cap 49

Figure 10 — Pipe clamp 58

Figure 11 — Socket weld coupling 66

Figure 12 — Sleeve 67

Figure 13 — Butt-weld cross 67

Figure 14 — Cross_section_flat_oval 69

Figure 15 — Cross_section_radiused_corner 70

Figure 16 — Dummy_leg	74
Figure 17 — Eccentric_base_elbow_support	74
Figure 18 — Eccentric_reducer	75
Figure 19 — Elbow.....	76
Figure 20 — Expander_flange.....	80
Figure 21 — Female_end.....	83
Figure 22 — Ferrule.....	84
Figure 23 — Hole_straddle_centreline_orientation.....	86
Figure 24 — Flanged_end	87
Figure 25 — Raised face flange	88
Figure 26 — Flat face flange	88
Figure 27 — Ring type joint flange	88
Figure 28 — Male and female flange	88
Figure 29 — Tongue and groove flange	89
Figure 30 — Grooved_end	94
Figure 31 — Gusset	95
Figure 32 — Hangers both without_spring and with_spring.....	96
Figure 33 — Hvac_elbow_90deg_reducing	107
Figure 34 — Hvac_elbow_centred	108
Figure 35 — Hvac_elbow_mitre.....	109
Figure 36 — Hvac_offset_ogee_centred	116
Figure 37 — Transition - rectangular to round.....	124
Figure 38 — Transition - rectangle to round slanted.....	125
Figure 39 — Insert_fitting	127
Figure 40 — Lap_joint_flange.....	131
Figure 41 — Lap_joint_stub_end	131
Figure 42 — Lateral.....	133
Figure 43 — Lug.....	137
Figure 44 — Mitre_bend_pipe.....	147
Figure 45 — Nipple	148
Figure 46 — Olet	149
Figure 47 — Orifice_flange.....	151
Figure 48 — Orifice_plate	152

ISO 10303-227:2005(E)

Figure 49 — Pad	154
Figure 50 — Paddle_blank	155
Figure 51 — Paddle_spacer	155
Figure 52 — Perforated_cap	156
Figure 53 — Butt-weld Pipe Cap.....	158
Figure 54 — Plate	186
Figure 55 — Plug.....	187
Figure 56 — Reducer.....	190
Figure 57 — Reducing_flange.....	191
Figure 58 — Reinforcing_plate	192
Figure 59 — Reinforcing_ring.....	193
Figure 60 — Ring_spacer	194
Figure 61 — Forward and aft pointing ship's axes	203
Figure 62 — Shoe	205
Figure 63 — Slip_on_flange	208
Figure 64 — Slip_on_jacket_flange	209
Figure 65 — Socket	209
Figure 66 — Socket_weld_flange.....	210
Figure 67 — Spectacle_blind.....	212
Figure 68 — Stay	214
Figure 69 — Stopper.....	215
Figure 70 — Stub_in.....	219
Figure 71 — Tee	224
Figure 72 — Threaded	225
Figure 73 — Threaded_flange	226
Figure 74 — Trunnion	228
Figure 75 — Union	229
Figure 76 — Weld_neck_flange	231
Figure 77 — Weld_neck_jacket_flange	232
Figure 78 — Y_type_lateral	233
Figure F.1 — IDEF0 basic notation.....	1425
Figure F.2 — A-0: Process plants.....	1426
Figure F.3 — A0: Perform process plant life-cycle activities	1427

Figure F.4 — A1: Manage and plan project	1428
Figure F.5 — A2: Design and engineer plant	1429
Figure F.6 — A21: Produce conceptual process design	1430
Figure F.7 — A22: Produce conceptual plant design	1431
Figure F.8 — A23: Produce final process design	1432
Figure F.9 — A24: Produce final plant design	1433
Figure F.10 — A242: Finalize layout and spatial design.....	1434
Figure F.11 — A2426: Finalize piping.....	1435
Figure F.12 — A24262: Finalize 3D piping details.....	1436
Figure F.13 — A3: Procure goods and services	1437
Figure F.14 — A4: Construct and commission plant	1438
Figure F.15 — A42: Obtain construction services.....	1439
Figure F.16 — A423: Obtain piping systems	1440
Figure F.17 — A4233: Shop fabricate piping.....	1441
Figure F.18 — A42331: Prepare shop fabrication piping.....	1442
Figure F.19 — A42332: Shop fabricate piping.....	1443
Figure F.20 — A42333: Inspect shop fabricated piping.....	1444
Figure F.21 — A42334: Complete and ship shop fabricated piping.....	1445
Figure F.22 — A5: Manage, operate, and maintain plant.....	1446
Figure F.23 — A6: Decommission and dispose of plant.....	1447
Figure G.1 — Off-page connectors.....	1452
Figure G.2 — ARM diagram 1 of 47.....	1453
Figure G.3 — ARM diagram 2 of 47.....	1454
Figure G.4 — ARM diagram 3 of 47.....	1455
Figure G.5 — ARM diagram 4 of 47.....	1456
Figure G.6 — ARM diagram 5 of 47.....	1457
Figure G.7 — ARM diagram 6 of 47.....	1458
Figure G.8 — ARM diagram 7 of 47.....	1459
Figure G.9 — ARM diagram 8 of 47.....	1460
Figure G.10 — ARM diagram 9 of 47.....	1461
Figure G.11 — ARM diagram 10 of 47.....	1462
Figure G.12 — ARM diagram 11 of 47.....	1463
Figure G.13 — ARM diagram 12 of 47.....	1464

ISO 10303-227:2005(E)

Figure G.14 — ARM diagram 13 of 47.....	1465
Figure G.15 — ARM diagram 14 of 47.....	1466
Figure G.16 — ARM diagram 15 of 47.....	1467
Figure G.17 — ARM diagram 16 of 47.....	1468
Figure G.18 — ARM diagram 17 of 47.....	1469
Figure G.19 — ARM diagram 18 of 47.....	1470
Figure G.20 — ARM diagram 19 of 47.....	1471
Figure G.21 — ARM diagram 20 of 47.....	1472
Figure G.22 — ARM diagram 21 of 47.....	1473
Figure G.23 — ARM diagram 22 of 47.....	1474
Figure G.24 — ARM diagram 23 of 47.....	1475
Figure G.25 — ARM diagram 24 of 47.....	1476
Figure G.26 — ARM diagram 25 of 47.....	1477
Figure G.27 — ARM diagram 26 of 47.....	1478
Figure G.28 — ARM diagram 27 of 47.....	1479
Figure G.29 — ARM diagram 28 of 47.....	1480
Figure G.30 — ARM diagram 29 of 47.....	1481
Figure G.31 — ARM diagram 30 of 47.....	1482
Figure G.32 — ARM diagram 31 of 47.....	1483
Figure G.33 — ARM diagram 32 of 47.....	1484
Figure G.34 — ARM diagram 33 of 47.....	1485
Figure G.35 — ARM diagram 34 of 47.....	1486
Figure G.36 — ARM diagram 35 of 47.....	1487
Figure G.37 — ARM diagram 36 of 47.....	1488
Figure G.38 — ARM diagram 37 of 47.....	1489
Figure G.39 — ARM diagram 38 of 47.....	1490
Figure G.40 — ARM diagram 39 of 47.....	1491
Figure G.41 — ARM diagram 40 of 47.....	1492
Figure G.42 — ARM diagram 41 of 47.....	1493
Figure G.43 — ARM diagram 42 of 47.....	1494
Figure G.44 — ARM diagram 43 of 47.....	1495
Figure G.45 — ARM diagram 44 of 47.....	1496
Figure G.46 — ARM diagram 45 of 47.....	1497

Figure G.47 — ARM diagram 46 of 47.....	1498
Figure G.48 — ARM diagram 47 of 47.....	1499
Figure H.1 — AIM EXPRESS-G diagram 1 of 55.....	1501
Figure H.2 — AIM EXPRESS-G diagram 2 of 55.....	1502
Figure H.3 — AIM EXPRESS-G diagram 3 of 55.....	1503
Figure H.4 — AIM EXPRESS-G diagram 4 of 55.....	1504
Figure H.5 — AIM EXPRESS-G diagram 5 of 55.....	1505
Figure H.6 — AIM EXPRESS-G diagram 6 of 55.....	1506
Figure H.7 — AIM EXPRESS-G diagram 7 of 55.....	1507
Figure H.8 — AIM EXPRESS-G diagram 8 of 55.....	1508
Figure H.9 — AIM EXPRESS-G diagram 9 of 55.....	1509
Figure H.10 — AIM EXPRESS-G diagram 10 of 55.....	1510
Figure H.11 — AIM EXPRESS-G diagram 11 of 55.....	1511
Figure H.12 — AIM EXPRESS-G diagram 12 of 55.....	1512
Figure H.13 — AIM EXPRESS-G diagram 13 of 55.....	1513
Figure H.14 — AIM EXPRESS-G diagram 14 of 55.....	1514
Figure H.15 — AIM EXPRESS-G diagram 15 of 55.....	1515
Figure H.16 — AIM EXPRESS-G diagram 16 of 55.....	1516
Figure H.17 — AIM EXPRESS-G diagram 17 of 55.....	1517
Figure H.18 — AIM EXPRESS-G diagram 18 of 55.....	1518
Figure H.19 — AIM EXPRESS-G diagram 19 of 55.....	1519
Figure H.20 — AIM EXPRESS-G diagram 20 of 55.....	1520
Figure H.21 — AIM EXPRESS-G diagram 21 of 55.....	1521
Figure H.22 — AIM EXPRESS-G diagram 22 of 55.....	1522
Figure H.23 — AIM EXPRESS-G diagram 23 of 55.....	1523
Figure H.24 — AIM EXPRESS-G diagram 24 of 55.....	1524
Figure H.25 — AIM EXPRESS-G diagram 25 of 55.....	1525
Figure H.26 — AIM EXPRESS-G diagram 26 of 55.....	1526
Figure H.27 — AIM EXPRESS-G diagram 27 of 55.....	1527
Figure H.28 — AIM EXPRESS-G diagram 28 of 55.....	1528
Figure H.29 — AIM EXPRESS-G diagram 29 of 55.....	1529
Figure H.30 — AIM EXPRESS-G diagram 30 of 55.....	1530
Figure H.31 — AIM EXPRESS-G diagram 31 of 55.....	1531

ISO 10303-227:2005(E)

Figure H.32 — AIM EXPRESS-G diagram 32 of 55..... 1532

Figure H.33 — AIM EXPRESS-G diagram 33 of 55..... 1533

Figure H.34 — AIM EXPRESS-G diagram 34 of 55..... 1534

Figure H.35 — AIM EXPRESS-G diagram 35 of 55..... 1535

Figure H.36 — AIM EXPRESS-G diagram 36 of 55..... 1536

Figure H.37 — AIM EXPRESS-G diagram 37 of 55..... 1537

Figure H.38 — AIM EXPRESS-G diagram 38 of 55..... 1538

Figure H.39 — AIM EXPRESS-G diagram 39 of 55..... 1539

Figure H.40 — AIM EXPRESS-G diagram 40 of 55..... 1540

Figure H.41 — AIM EXPRESS-G diagram 41 of 55..... 1541

Figure H.42 — AIM EXPRESS-G diagram 42 of 55..... 1542

Figure H.43 — AIM EXPRESS-G diagram 43 of 55..... 1543

Figure H.44 — AIM EXPRESS-G diagram 44 of 55..... 1544

Figure H.45 — AIM EXPRESS-G diagram 45 of 55..... 1545

Figure H.46 — AIM EXPRESS-G diagram 46 of 55..... 1546

Figure H.47 — AIM EXPRESS-G diagram 47 of 55..... 1547

Figure H.48 — AIM EXPRESS-G diagram 48 of 55..... 1548

Figure H.49 — AIM EXPRESS-G diagram 49 of 55..... 1549

Figure H.50 — AIM EXPRESS-G diagram 50 of 55..... 1550

Figure H.51 — AIM EXPRESS-G diagram 51 of 55..... 1551

Figure H.52 — AIM EXPRESS-G diagram 52 of 55..... 1552

Figure H.53 — AIM EXPRESS-G diagram 53 of 55..... 1553

Figure H.54 — AIM EXPRESS-G diagram 54 of 55..... 1554

Figure H.55 — AIM EXPRESS-G diagram 55 of 55..... 1555

Figure L.1 — Relationship between logical connectivity and physical connectivity..... 1563

Tables

Table 1 — Plant_item_shape interference clash detection..... 183

Table 2 — Conformance classes..... 1195

Table 3 — Conformance class (1 –11) elements..... 1197

Table B. 1 — Short names of entities..... 1384

Table F.1 — AAM ICOM to ARM UoF/entity mapping..... 1449

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

Draft International Standards adopted by technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 10303-227 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC4, *Industrial data*.

This second edition of ISO 10303-227 cancels and replaces the first edition (ISO 10303-227:2001), of which it constitutes a technical revision.

This International Standard is organized as a series of parts, each published separately. The structure of this international standard is described in ISO 10303-1.

Each part of this International Standard is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the application protocols series.

A complete list of parts of ISO 10303 is available from the Internet:

http://www.tc184-sc4.org/titles/STEP_titles.htm

Should further parts of ISO 10303 be published, they will follow the same numbering pattern.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation of product information and for the exchange of product data. The objective is to provide a neutral mechanism capable of describing products throughout their life cycle. This mechanism is suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases, and as a basis for archiving.

Overview of this document

This part of ISO 10303 is a member of the application protocol series. This part of ISO 10303 specifies an application protocol (AP) for the exchange of the spatial configuration information of industrial facilities, for example, process plants, ships and their supporting systems. This information includes the shape, spatial arrangement and connection characteristics of piping, HVAC (heating, ventilation and air-conditioning), mechanical, and cableway system components as well as the shape and spatial arrangement characteristics of other related plant systems (for example, instrumentation and controls, and structural systems). Users of this standard should understand the basic principles and concepts of plant design, and piping, HVAC, cableway, and mechanical system design.




Figure 1 — Data planning model

This AP specifies requirements for the exchange of information required for the design, analysis, fabrication and installation of piping components and piping systems and information on the inspection of

fabricated piping. This AP specifies requirements for the exchange of information required for the design, analysis and installation of HVAC components and HVAC systems. This AP specifies requirements for the exchange of information required for the design, analysis and installation of mechanical components and mechanical systems. This AP specifies requirements for the exchange of information required for the design and installation of cableway components and cableway systems. This AP also specifies requirements for the exchange of functional characteristics for HVAC, mechanical, and piping components and systems. This AP also specifies requirements for the exchange of schematic representations of this data. A Piping and Instrumentation Diagram (P&ID) is a type of drawing that could be developed from the Associated Schematic representation.

The design information for a piping system may specify a pump capable of maintaining a pressure and flow rate. The design may also specify the shape limitations or requirements and the location of the pump in the system, but the design will not include sufficient information for the fabrication of the pump.

Figure 1 contains a data planning model that provides a high level description of the requirements for this application protocol, as well as the relationships between the basic data concepts. The data planning model illustrates that a plant consists of plant systems, plant systems consist of plant items and plant items may be connected to one another using connectors on the plant item. The shape and spatial arrangement of plant items are represented by the item shape. The shape representation may use constructive solid geometry (CSG), solid boundary representation (Brep) geometry, wireframe geometry, or combinations of these. The plant item shape may be represented at various levels of abstraction, from an encompassing envelope to a detailed design description. The data planning model further illustrates that the concept of change is a requirement for this application protocol. Change is applicable to each individual plant item, the relationships between plant items, and to groupings of plant items. It applies to all the concepts noted on the data planning model.

NOTE This part of ISO 10303 may be used in conjunction with ISO 13584 [13] to identify catalogue items and classifications.

This application protocol defines the context, scope, and information requirements for the exchange of design and layout information for a process plant, plant systems, ship systems, system components and equipment between different agents over the life cycle of the facility and specifies the integrated resources necessary to satisfy these requirements. The reasons for exchanging this information include:

- exchange of requirements from an owner to an engineering firm;
- exchange of cableway, HVAC, mechanical, piping and equipment designs between a design engineer and a system engineer;
- exchange of cableway, HVAC, mechanical, piping and equipment designs between a design engineer and a fabricator;
- exchange of changes to cableway, HVAC, mechanical, piping and equipment designs between a design engineer and a system engineer or a fabricator;
- exchange of piping fabrication information, fabricated piping inspection results and installation information between engineering, fabrication and construction firms;
- integration of designs created by different engineers;

ISO 10303-227:2005(E)

- detection of physical interferences of systems and components with components of other systems;
- exchange of cableway, HVAC, mechanical, and piping installation information between engineering and construction firms and with owner organizations;
- exchange of as-built facility and system configurations among owners, engineering firms and construction firms.

Application protocols provide the basis for developing implementations of ISO 10303 and an AP227 Edition 2 Usage Guide [16] has been developed to aid in the conformance testing of AP implementations.

Clause 1 defines the scope of the application protocol and summarizes the functionality and data covered by the AP. Clause 3 lists the words defined in this part of ISO 10303 and gives pointers to words defined elsewhere. An application activity model that is the basis for the definition of the scope is provided in annex F. The information requirements of the application are specified in clause 4 using terminology appropriate to the application. A graphical representation of the information requirements, referred to as the application reference model, is given in annex G.

Resource constructs are interpreted to meet the information requirements. This interpretation produces the application interpreted model (AIM). This interpretation, given in 5.1, shows the correspondence between the information requirements and the AIM. The short listing of the AIM specifies the interface to the integrated resources and is given in 5.2. Note that the definitions and EXPRESS provided in the integrated resources for constructs used in the AIM may include select list items and subtypes which are not imported into the AIM. The expanded listing given in annex A contains the complete EXPRESS for the AIM without annotation. A graphical representation of the AIM is given in annex H. Additional requirements for specific implementation methods are given in annex C.

Changes from the previous edition

This edition incorporates modifications that are upwardly compatible with the previous edition. Modifications to EXPRESS specification are upwardly compatible if:

- instances encoded according to ISO 10303-21, and that conform to an ISO 10303 application protocol based on the previous edition of this part, also conform to a revision of that application protocol based on this edition;
- interfaces that conform to ISO 10303-22 and to an ISO 10303 application protocol based on the previous edition of this part, also conform to a revision of that application protocol based on this edition;
- the mapping table of ISO 10303 application protocols based on the previous edition of this part remain valid in a revision of that application protocol based on this edition.

This edition provides an extension of ISO 10303-227:2001 to include the representation and exchange of piping configurations and properties specific to support prefabrication and inspection of piping assembled in a shop and the installation of the prefabricated piping. It extends the AP 227 support for information about HVAC (heating, ventilation, and air-conditioning) components and systems, mechanical components and systems, cableway spatial information, analysis data, and adds refinements to make AP 227 more useful to the general building and shipbuilding industries. It also extends AP227 to support the information required for a schematic representation of the distributed system.

Industrial automation systems and integration — Product data representation and exchange —

Part 227:

Application protocol: Plant spatial configuration

1 Scope

This part of ISO 10303 specifies the use of the integrated resources necessary for the scope and information requirements for the exchange of spatial configuration information of industrial facilities, for example, process plants, ships and their supporting systems. The spatial configuration information focuses on the shape and spatial arrangement of the components of the systems. The spatial configuration information principally supports the engineering, fabrication and installation life-cycle phases, but may be useful in the downstream life-cycle phases of operations and maintenance. This part accommodates the disciplines of plant design, system design, fabrication, inspection, installation and construction.

NOTE 1 The application activity model in annex F provides a graphical representation of the processes and information flows that are the basis for the definition of the scope of this part of ISO 10303.

NOTE 2 Figure 2 illustrates the basic life-cycle stages of a process plant. Plant life-cycle phases for which AP 227 is useful are enclosed in the rounded rectangles labeled “AP 227 ed2”.




Figure 2 — Process plant life cycle activity coverage

The following are within the scope of this part of ISO 10303:

— the shape and spatial arrangement of items in systems within a process plant or ship;