
**Barve in laki - Ugotavljanje prostorninskega deleža nehlapnih snovi - 1. del:
Metoda s premazano preskusno ploščo za ugotavljanje nehlapnih snovi in gostote
suhe plasti filma po Arhimedovem načelu (ISO 3233-1:2013)**

Paints and varnishes - Determination of the percentage volume of non-volatile matter -
Part 1: Method using a coated test panel to determine non-volatile matter and to
determine dry film density by the Archimedes principle (ISO 3233-1:2013)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Beschichtungsstoffe - Bestimmung des Volumens nichtflüchtiger Anteile - Teil 1:
Verfahren mit einem beschichteten Probenträger zum Bestimmen des nichtflüchtigen
Anteils und zum Bestimmen der Trockenfilmdichte nach dem Archimedes-Prinzip (ISO
3233-1:2013)

[SIST EN ISO 3233-1:2013](https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>

Peintures et vernis - Détermination du pourcentage en volume de matière non volatile -
Partie 1: Méthode utilisant un panneau d'essai revêtu pour déterminer la matière non
volatile et pour déterminer la masse volumique du feuil sec par le principe d'Archimède
(ISO 3233-1:2013)

Ta slovenski standard je istoveten z: EN ISO 3233-1:2013

ICS:

87.040

Barve in laki

Paints and varnishes

SIST EN ISO 3233-1:2013

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 3233-1:2013](#)

<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 3233-1

January 2013

ICS 87.040

English Version

Paints and varnishes - Determination of the percentage volume of non-volatile matter - Part 1: Method using a coated test panel to determine non-volatile matter and to determine dry film density by the Archimedes principle (ISO 3233-1:2013)

Peintures et vernis - Détermination du pourcentage en volume de matière non volatile - Partie 1: Méthode utilisant un panneau d'essai revêtu pour déterminer la matière non volatile et pour déterminer la masse volumique du feuil sec par le principe d'Archimède (ISO 3233-1:2013)

Beschichtungsstoffe - Bestimmung des Volumens nichtflüchtiger Anteile durch Bestimmung der Trockenfilmdichte (ISO 3233-1:2013)

This European Standard was approved by CEN on 28 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 3233-1:2013](https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>

Foreword

This document (EN ISO 3233-1:2013) has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" in collaboration with Technical Committee CEN/TC 139 "Paints and varnishes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2013, and conflicting national standards shall be withdrawn at the latest by July 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 3233-1:2013 has been approved by CEN as a EN ISO 3233-1:2013 without any modification.

[SIST EN ISO 3233-1:2013](https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013)
<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 3233-1:2013](#)

<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>

INTERNATIONAL
STANDARDISO
3233-1First edition
2013-01-15

**Paints and varnishes — Determination
of the percentage volume of non-
volatile matter —**

Part 1:

**Method using a coated test panel to
determine non-volatile matter and
to determine dry film density by the
Archimedes principle**

*Peintures et vernis — Détermination du pourcentage en volume de
matière non volatile —
Partie 1: Méthode utilisant un panneau d'essai revêtu pour déterminer
la matière non volatile et pour déterminer la masse volumique du feuil
sec par le principe d'Archimède*

Reference number
ISO 3233-1:2013(E)

© ISO 2013

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 3233-1:2013](https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
5 Apparatus and reagents	2
6 Sampling	5
7 Procedure	5
7.1 Number of determinations and preparation	5
7.2 Choice of receptacle	5
7.3 Determination of volume of uncoated receptacle	5
7.4 Application	6
7.5 Determination of volume of dry coating	7
7.6 Determination of density of the liquid coating material	7
8 Calculation	7
8.1 Calculation of the practical dry-film density, non-volatile-matter content and non-volatile matter by volume	7
8.2 Calculation of the spreading rate	8
9 Precision	8
9.1 Repeatability limit	8
9.2 Reproducibility limit	9
10 Test report	9
Annex A (informative) Examples of test conditions	10
Annex B (informative) Overview of the existing methods for determination of non-volatile-matter content and volume of non-volatile matter	11
Bibliography	12

ISO 3233-1:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3233-1 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

It cancels and replaces ISO 3233:1998, which has been technically revised. It also incorporates the Technical Corrigendum ISO 3233:1998/Cor.1:1999.

In addition to the change in number, the main changes are as follows:

- iTeh STANDARD PREVIEW**
(standards.iteh.ai)
- a) definitions of non-volatile matter, spreading rate and practical dry-film density have been added;
 - b) the determination is now carried out in triplicate rather than in duplicate;
 - c) a calculation of the spreading rate has been added;
 - d) the symbols have been harmonized with those used in ISO 23811;
 - e) in Annex A, an additional drying class (class 3) has been added for water-borne coating materials;
 - f) the text has been editorially revised and the normative references updated.

ISO 3233 consists of the following parts, under the general title *Paints and varnishes — Determination of percentage volume of non-volatile matter*:

- *Part 1: Method using a coated test panel to determine non-volatile matter and to determine dry film density by the Archimedes principle*
- *Part 2: Method using the determination of non-volatile-matter content in accordance with ISO 3251 and and determination of dry film density on coated test pannels by the Archimedes principle*
- *Part 3: Determination by calculation from the non-volatile-matter content determined in accordance with ISO 3251, the density of the coating material and the density of the solvent in the coating material¹⁾*

1) In preparation, replacing ISO 23811:2009.

Introduction

This method is used to measure the density and to determine the volume of a dry coating obtainable from a given volume of liquid paint. This volume is considered to be the most meaningful measure of the coverage (area of surface covered at a specified dry-film thickness per unit volume) of a paint, varnish or related product. The value obtained by this method might not be the same as that calculated on the basis of the addition of masses and volumes of the raw materials in a formulation. The volume occupied by a combination of resin and solvent can be the same as, greater than or less than the combined volume of the separate components, due to contraction or expansion of the resin and solvent. A second factor affecting the volume of a dry coating formulation is the degree to which the spaces between pigment particles are filled with binder. A third factor is the use of volatile components in reactive systems that, by their reaction, change into non-volatile film-building materials, i.e. amines and reactive solvents in high-build two-component coating materials.

Above and close to the critical pigment volume concentration, the volume of a dry paint film is greater than the theoretical volume, due to an increase in unfilled voids between pigment particles. The porosity of the film means that this method is unsuitable.

The values obtained for the non-volatile matter by volume are dependent on the temperature and time of heating, and these conditions should be carefully considered for the material being tested.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 3233-1:2013](https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/47bc8ce2-5e59-4d11-bc2c-3ad6c825a409/sist-en-iso-3233-1-2013>