NOTICE: This standard has either been superseded and replaced by a new version or withdrawn. Contact ASTM International (www.astm.org) for the latest information



Designation: B702 – 93 (Reapproved 2004)

Standard Specification for Copper-Tungsten Electrical Contact Material¹

This standard is issued under the fixed designation B702; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This specification covers electrical contact components made from copper tungsten by powder metallurgical procedures.

1.2 This specification covers compositions within the copper tungsten system normally specified by users of contacts.

1.3 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to become familiar with all hazards including those identified in the appropriate Material Data Safety Sheet for this product/material as provided by the manufacturer, to establish appropriate safety and health practices, and determine the applicability of regulatory limitations prior to use.

2. Referenced Documents

2.1 ASTM Standards:²

B328 Test Method for Density, Oil Content, and Interconnected Porosity of Sintered Metal Structural Parts and Oil-Impregnated Bearings³

3. Significance and Use

3.1 Proprietary methods for manufacture of these materials vary significantly among suppliers and these methods influence such properties as arc erosion, contact resistance, and tendency to weld in service. Since the performance of contacts in a device depends on numerous factors outside the contact itself (opening speed, closing speed, contact pressure, contact bounce, environmental variations, assembly technique and variations, etc.) this specification cannot ensure performance control in the application. As part of the qualification on initial samples it is recommended that the user functionally electrically test the materials for all devices applicable to the material's use. This specification will provide a means for the contact manufacturer and contact user to reach agreement on the details of material to be supplied for a specified use and reasonable assurance that future lots will be similar in properties and microstructure to the initial test or sample contacts supplied.

4. Ordering Information

4.1 Orders for this material under this specification shall include the following information:

4.1.1 Dimensions (see Section 8),

4.1.2 Chemical composition (see reference tables in Related Material as possible guideline),

4.1.3 Physical properties (see Section 6 and reference tables as guideline),

4.1.4 Certification (see Section 11), and

4.1.5 Other features as agreed upon between the vendor and the user.

5. Chemical Requirements

5.1 The material shall conform to composition limits as agreed upon between the manufacturer and the user.

5.2 The chemical analysis shall be made in accordance with the methods prescribed in the newest edition of *Annual Book of ASTM Standards*, or by any other approved method agreed upon between the manufacturer and the purchaser.

6. Other Properties

6.1 The manufacturer and the purchaser shall agree on qualification tests for determination of physical properties.

6.2 The tests shall be performed on production parts, wherever practical or applicable. (Small size contacts do not lend themselves to accurate conductivity measurement.)

6.3 The tests shall be determined after consideration of the function of the part.

6.4 The typical properties of five most common types of copper-tungsten contacts are given in Appendix X1.

Copyright © ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States.

¹ This specification is under the jurisdiction of ASTM Committee B02 on Nonferrous Metals and Alloys and is the direct responsibility of Subcommittee B02.05 on Precious Metals and Electrical Contact Materials.

Current edition approved May 1, 2004. Published May 2004. Originally approved in 1982. Last previous edition approved in 1993 as B702 – 93 (1998). DOI: 10.1520/B0702-93R04.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ Withdrawn. The last approved version of this historical standard is referenced on www.astm.org.