



**SLOVENSKI STANDARD**  
**oSIST prEN 13138-1:2012**  
**01-maj-2012**

---

**Plavajoči pripomočki za učenje plavanja - 1. del: Varnostne zahteve in preskusne metode za plavajoče pripomočke, ki se oblečejo**

Buoyant aids for swimming instruction - Part 1: Safety requirements and test methods for buoyant aids to be worn

Auftriebshilfen für das Schwimmenlernen - Teil 1: Sicherheitstechnische Anforderungen und Prüfverfahren für am Körper getragene Auftriebshilfen

Aides à la flottabilité pour l'apprentissage de la natation - Partie 1: Exigences de sécurité et méthodes d'essai pour les aides à la flottabilité portées au corps

**Ta slovenski standard je istoveten z: prEN 13138-1**

---

**ICS:**

13.340.70	Rešilni jopiči, vzgonska pomagala in plavajoči pripomočki	Lifejackets, buoyancy aids and floating devices
-----------	---	---

**oSIST prEN 13138-1:2012**

**en,fr,de**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**DRAFT**  
**prEN 13138-1**

March 2012

ICS 13.340.70; 97.220.40

Will supersede EN 13138-1:2008

English Version

## Buoyant aids for swimming instruction - Part 1: Safety requirements and test methods for buoyant aids to be worn

Aides à la flottabilité pour l'apprentissage de la natation -  
Partie 1: Exigences de sécurité et méthodes d'essai pour  
les aides à la flottabilité portées au corps

Auftriebshilfen für das Schwimmenlernen - Teil 1:  
Sicherheitstechnische Anforderungen und Prüfverfahren für  
am Körper getragene Auftriebshilfen

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 162.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	4
Introduction .....	5
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 Classification.....	9
5 Safety requirements .....	9
5.1 General.....	9
5.2 Buoyancy.....	10
5.2.1 Buoyancy characteristics of the complete device .....	10
5.2.2 Residual buoyancy .....	10
5.3 Design, fit and positioning.....	11
5.3.1 Adjustability - Class B devices.....	11
5.3.2 Buckles, zippers and other fixings .....	11
5.3.3 Retention of function.....	11
5.3.4 Edges, corners and points.....	12
5.3.5 Small parts.....	12
5.3.6 Migration of certain elements.....	12
5.4 Entire assembly and components .....	12
5.4.1 Integrity of the entire assembly of worn devices .....	12
5.4.2 Thread .....	13
5.4.3 Valves, stoppers and other protruding parts.....	13
5.5 Materials - mechanical properties.....	13
5.5.1 Seam strength and durability of inflatable devices.....	13
5.5.2 Resistance to puncturing.....	13
5.5.3 Resistance of foam and other inherent buoyant materials to compression .....	13
5.6 Materials and markings - Chemical properties.....	13
5.6.1 General.....	13
5.6.2 Resistance to chlorinated salt water .....	13
5.6.3 Resistance of the markings to saliva.....	14
5.6.4 Resistance of the markings to perspiration.....	14
5.6.5 Adhesion of markings .....	14
6 Test methods.....	14
6.1 Conditioning.....	14
6.2 Test methods.....	14
7 Warnings and markings .....	15
7.1 General.....	15
7.2 Warnings and markings on the product.....	15
7.3 Information supplied by the manufacturer .....	16
7.4 Consumer information at the point of sale .....	17
Annex A (normative) Procedures for testing resistance of markings to saliva .....	18
Annex B (normative) Procedures for testing efficiency of non-return valves of inflatable devices .....	19
Annex C (normative) Security of the pressure release of buckles .....	20
Annex D (normative) Procedures for testing adjustability, retention of function, edges, corners and points by assessment panel .....	21
D.1 General.....	21

<b>D.2</b>	<b>Assessment of Risks</b> .....	<b>21</b>
<b>D.3</b>	<b>Re-assessment of instructions supplied with the device</b> .....	<b>21</b>
<b>Annex E</b>	<b>(normative) Test procedures for seam strength and durability of inflatable devices</b> .....	<b>24</b>
<b>Annex F</b>	<b>(normative) Test procedures for determining the puncture resistance of inflatable devices</b> .....	<b>25</b>
<b>Annex G</b>	<b>(normative) Test procedures for integrity of the entire assembly</b> .....	<b>26</b>
<b>G.1</b>	<b>Test description</b> .....	<b>26</b>
<b>G.2</b>	<b>Test parameters</b> .....	<b>26</b>
<b>Annex H</b>	<b>(informative) Significant technical changes between this document and the previous edition EN 13138-1:2007</b> .....	<b>27</b>
<b>Annex ZA</b>	<b>(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 89/686/EEC</b> .....	<b>28</b>

## Figures

Figure 1	— Position of the device on the body .....	11
Figure 2	— Additional safety sign for armbands: swimming aid to be worn on upper arm .....	16
Figure 3	— Additional safety sign for devices comprising more than one component: do not omit parts to achieve full buoyancy .....	16
Figure C.1	— Example of test method for buckle security .....	20
Figure G.1	— Test procedures for assembly integrity .....	26

<https://standards.iteh.ai/catalog/standards/sist/c403a629-6b0d-43a9-8a40-74aaa0161a25/sist-en-13138-1-2014>

## Foreword

This document (prEN 13138-1:2012) has been prepared by Technical Committee CEN/TC 162 “Protective clothing including hand and arm protection and lifejackets”, the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 13138-1:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

Annex H provides details of significant technical changes between this European Standard and the previous edition EN 13138-1:2008.

This European Standard is one of a series consisting of three standards dealing with buoyant devices for swimming instructions for the various stages of the learning process:

- *Part 1: Safety requirements and test methods for buoyant aids to be worn*
- *Part 2: Safety requirements and test methods for buoyant aids to be held*
- *Part 3: Safety requirements and test methods for swim seats to be worn*

[SIST EN 13138-1:2014](https://standards.iteh.ai/catalog/standards/sist/c403a629-6b0d-43a9-8a40-74aaa0161a25/sist-en-13138-1-2014)

<https://standards.iteh.ai/catalog/standards/sist/c403a629-6b0d-43a9-8a40-74aaa0161a25/sist-en-13138-1-2014>

## Introduction

The entire process of learning to swim is considered to include two stages:

- getting familiar with the water environment and movements in it;
- acquiring skills in standard swimming strokes.

Buoyant devices for swimming instructions (in brief: swimming device(s)) are intended to assist users (in particular children) to learn to swim. The design and purpose of the devices are related to the above stages.

Swimming devices are intended to give the user positive buoyancy in the water whilst maintaining the correct body position for swimming. However, it should not be assumed that standard conformity of the devices will by itself eliminate the risk of drowning as this depends also on the behaviour of the user and any supervision.

Although this European Standard sets performance requirements to ensure that swimming devices perform appropriately, it is essential that the devices are used correctly and under constant and close supervision. It is important to ensure that they are securely fitted to the appropriate size of user and that when correctly fitted, they cannot become displaced. Swim seats however shall allow immediate escape in case of capsizing. Therefore the use of these devices is recommended to be restricted to water out of standing depth of the user.

The highest degree of protection against drowning can only be achieved by using lifejackets. It is essential that there is a clear distinction between devices intended to preserve life and those which are intended only to assist buoyancy for the user when learning to swim. As swimming devices are not life preservers, they should only be used in swimming pools and other situations free from current, tides and waves.

The bulk storage of some types of swimming devices could, under certain conditions, result in a potential fire hazard. The perceived risk of such a hazard was evaluated against the actual risk to the user from materials treated with certain known toxic fire retardant chemicals. However, the fire hazard is less of a problem to the user than the risk associated with the swimming devices being put in the mouth, especially by children. For this reason, flammability requirements are not included in this European Standard.

For the above reasons and to differentiate these devices from aquatic toys, advisory safety measures, including marking, warning notices and user instructions are included in this standard.

The range both of the design and function of swimming devices varies considerably and for this reason, the standard for swimming devices has been prepared in three parts, namely devices that are intended to allow the user to become familiar with water (passive user), devices that are worn (active user) and those devices that are held by the user to improve swimming strokes.

Part 1 of this European Standard is only for devices that are securely attached to the body (class B devices = for an active user). They are intended to introduce the user to the range of swimming strokes.

Part 2 of this European Standard is for devices that are held either in the hands or by the body (class C devices = for an active user) and are intended to assist with improving specific elements of the swimming stroke. For adult beginners or more advanced users they can also be used for further stages of the process to learn to swim.

Part 3 of this European Standard deals only with swim seats to assist children up to 36 months in their first attempts to learn to swim (i.e. to get familiar with the "in-water-environment" and moving through it). The child is positioned inside the buoyant structure, which provides buoyancy and lateral support to the body, thereby keeping the child's head above water level (class A devices = for a passive user).

**prEN 13138-1:2012 (E)**

Swim seats allow young children to experience the water environment and being moved through it. Movements of lower limbs and arms are possible. The use of swim seats does however not replicate any form of a correct swimming stroke.

Swim seats complying with this standard provide a stable, floating position for a child sitting in the swimseat and avoids entrapment in case of capsizing. Children in swim seats do however require very close parental supervision. Overload beyond specified body weight, breaking waves and violent external forces are remaining risks that can cause capsizing. Use of these devices in water that is of the child's standing depth will increase the risk of capsizing and will hinder or block the escape from the seat in case of emergency.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 13138-1:2014](https://standards.iteh.ai/catalog/standards/sist/c403a629-6b0d-43a9-8a40-74aaa0161a25/sist-en-13138-1-2014)

<https://standards.iteh.ai/catalog/standards/sist/c403a629-6b0d-43a9-8a40-74aaa0161a25/sist-en-13138-1-2014>



## 1 Scope

This European Standard specifies safety requirements for construction, performance, sizing, marking and information supplied by the manufacturer for swimming aids intended to assist beginners with movement through the water whilst learning to swim or whilst learning part of a swimming stroke. It also gives methods of test for verification of these requirements.

This part 1 of EN 13138 applies only to devices that are designed to be worn, to be securely attached to the body and which have either inherent buoyancy or can be inflated. It only applies to Class B devices intended to introduce the user to the range of swimming strokes. It does not apply to Class A or Class C devices, to swim rings, lifebuoys, buoyancy aids, lifejackets or aquatic toys.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 71-1, *Safety of toys — Part 1: Mechanical and physical properties*

EN 71-3, *Safety of toys — Part 3: Migration of certain elements*

EN 20105-A02, *Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour (ISO 105-A02)*

EN 15649-1:2010, *Floating leisure articles for use on and in the water — Part 1: Classification, materials, general requirements and test methods*

EN 15649-2:2010, *Floating leisure articles for use on and in the water — Part 2: Consumer Information*

EN ISO 105-E03:1996, *Textiles — Tests for colour fastness — Part E03: Colour fastness to chlorinated water (swimming-pool water) (ISO 105-E03:1994)*

EN ISO 105-E04, *Textiles — Tests for colour fastness — Part E04: Colour fastness to perspiration (ISO 105-E04)*

EN ISO 105-X12, *Textiles — Tests for colour fastness — Part X12: Colour fastness to rubbing (ISO 105-X12)*

EN ISO 3696:1995, *Water for analytical laboratory use — Specification and test methods (ISO 3696:1987)*

EN ISO 12402-9:2006, *Personal flotation devices — Part 9: Test methods (ISO 12402-9:2006)*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **buoyancy**

resultant upthrust of a swimming device when totally submerged in fresh water with its uppermost part just below the water surface

### 3.2

#### **inherent buoyancy**

upthrust provided by material which is less dense than water or by sealed chambers that are not inflatable and are filled with air or gas

## prEN 13138-1:2012 (E)

**3.3**  
**buoyant swimming device**  
 garment or device which when worn or held correctly will provide the buoyancy required to become familiar with movement through the water, assist with learning to swim or to improve swimming strokes

**3.4**  
**minimum buoyancy**  
 least buoyancy required by the standard

**3.5**  
**original buoyancy**  
 buoyancy provided by the complete device when first tested

**3.6**  
**class A device**  
 buoyant device in which the child is in contact with the water positioned inside the buoyant structure. This device is intended to allow the user to become familiar with the water environment.

Note 1 to entry: The device will keep the passive user in a stable floating position so that the base of the chin is at or above the surface of the water

**3.7**  
**class B device**  
 buoyant swimming device intended to be worn, to be securely attached to the body and to introduce the active user to the range of swimming strokes

**3.8**  
**class C device**  
 device intended to be held either in the hands or by the body and to assist with swimming strokes and/or improving specific elements of the strokes

**3.9**  
**device to be worn** <https://standards.iteh.ai/catalog/standards/sist/c403a629-6b0d-43a9-8a40->  
 device having either inherent buoyancy or may be inflated to provide buoyancy and which is securely attached to the body in such a way that it cannot be accidentally removed and so as to provide the user with positive buoyancy

**3.10**  
**device to be held**  
 device held either in the hands or by the body and provides buoyancy whilst it is being held by the user

**3.11**  
**conditioning**  
 process to which the complete device shall be submitted and comprising a number of cycles, to simulate the conditions to which the device is likely to be subjected in normal use and storage.

Note 1 to entry: The conditioning process includes immersion in chlorinated swimming pool water and storage in cold and hot conditions

**3.12**  
**component**  
 sub group of the entire device which contributes to either buoyancy, function or safety

**3.13**  
**swim seat**  
 buoyant device intended to introduce the user to the aquatic environment and to build water confidence as a pre-requisite to learning to swim. Swim seats provide safety for the user but do not guarantee protection against drowning

Note 1 to entry: Swim seats are learning aids and should not be mistaken with aquatic toys as defined in EN 71-1.

### 3.14

#### swim seat system

all integrated components (parts) of a swim seat which contribute to stable floating conditions and to safety during normal use or after an emergency capsizing

### 3.15

#### escape

complete separation between the test dummy and the swim seat in case of a deliberate capsizing of the swim seat or swim seat system

### 3.16

#### assessment panel

group of three people who are appointed by an accredited and notified test house, all of whom are experienced in assessing buoyant swimming devices

### 3.17

#### kick board

buoyant device designed to be held in the hands or by the arms in order to support the body in the water to assist the user to improve swimming strokes

## 4 Classification

Buoyant swimming devices shall be classified according to Table 1.

**Table 1 — Classification of buoyant devices**

Class	Definition
A	Buoyant device in which the child is in contact with the water positioned inside the buoyant structure. This device is intended to allow the user to become familiar with the water environment. The device will keep the passive user in a stable floating position so that the base of the chin is at or above the surface of the water
B	Buoyant swimming device intended to be worn, to be securely attached to the body and to introduce the active user to the range of swimming strokes.
C	Device intended to be held either in the hands or by the body and to assist with swimming strokes and/or improving specific elements of the strokes

## 5 Safety requirements

### 5.1 General

Construction of a buoyant swimming device shall be such that it corresponds in terms of design, dimensions, safety, strength and durability for its intended use. The requirements set out were chosen to ensure compliance with these considerations. Where buoyant swimming devices are provided in several components, the requirements apply to all components.

Buoyancy may be provided by inherent buoyancy materials, by inflatable chambers or by both. Where buoyancy is not inherent, devices shall have a minimum of two separate chambers safeguarding function and

## prEN 13138-1:2012 (E)

to allow the user to maintain the airway above water level at all times if one chamber fails. A device shall be only Class A or Class B or Class C.

These products shall be manufactured in bright colours that are in contrast to the water surface so as to be visible at all times and at any angle when in use. Wholly transparent or materials in any shade of undecorated blue in the visible areas when in use are not acceptable. For garments, these colour requirements apply only to the neck, shoulder and upper chest area.

For safety reasons and to assist in supervising children when in the water, the visible areas of these products when being used shall be clearly visible from the water's edge or the poolside when the water is crowded, moving or may not be clear.

NOTE When choosing a material for the device, consideration should be given to the eventual disposal of the device having regard to any possible impact on the environment.

## 5.2 Buoyancy

### 5.2.1 Buoyancy characteristics of the complete device

When tested in accordance with the procedures in EN ISO 12402-9, the device shall, with all of its buoyant components, have minimum buoyancy in accordance with Table 2. Where the Table shows a "dash" ( - ), this is intended to indicate that the device is not appropriate for the type of user.

**Table 2 — Buoyancy characteristics including illustration of class of device**

Category of user		Class of buoyant aid for swimming instruction				
Age <sup>a</sup> years	Mass range kg	Minimum buoyancy N				
		Garment	Collar	Arm bands per pair	Chest belt	Backpack
≤ 1	≤ 11	20	20	20	-	-
> 1 to 2	> 11 to 15	20	20	20	-	-
> 2 to 3	> 15 to 18	20	25	25	15	20
> 3 to 6	> 18 to 30	20	25	25	15	20
> 6 to 12	> 30 to 60	25	30	30	20	25
> 12	> 60	30	40	40	25	30

<sup>a</sup> Age groups are for orientation only. The correlation between the age and the body mass can vary considerably.

### 5.2.2 Residual buoyancy

Any device for swimming instruction providing buoyancy by inflation shall provide, when tested in accordance with 5.5.9 of EN ISO 12402-9:2006, a residual buoyancy of no less than 50% of the minimum buoyancy according to Table 2 after complete deflation of one chamber.

Where buoyancy is not provided by inherently buoyant material the device shall have at least two separate air chambers.

Where an inflatable device consists of two or more components, after deflating the one chamber most likely to fail in the component, this component shall provide at least 25 % of the total minimum buoyancy for the device set out in Table 2.