



SLOVENSKI STANDARD

SIST ISO 21107:2005

01-januar-2005

Kotalni ležaji in kroglasti drsni zgibi - Struktura za iskanje za elektronske medije – Merila za prepoznavanje na osnovi splošno rabljenega izrazja

Rolling bearings and spherical plain bearings -- Search structure for electronic media -- Characteristics and performance criteria identified by attribute vocabulary

iTeh STANDARD PREVIEW

Roulements et rotules lisses -- Structure de recherche pour supports électroniques -- Caractéristiques et critères de performance identifiés par un vocabulaire particulier

[SIST ISO 21107:2005](https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bf8c-6a0dd76ff718/sist-iso-21107-2005)

Ta slovenski standard je istoveten z: **ISO 21107:2004**

ICS:

21.100.01 Ležaji na splošno Bearings in general

SIST ISO 21107:2005

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 21107:2005

<https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bff718/sist-iso-21107-2005>

INTERNATIONAL STANDARD

ISO
21107

First edition
2004-05-01

Rolling bearings and spherical plain bearings — Search structure for electronic media — Characteristics and performance criteria identified by attribute vocabulary

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Roulements et rotules lisses — Structure de recherche pour supports
électroniques — Caractéristiques et critères de performance identifiés
par un vocabulaire particulier*

SIST ISO 21107:2005

<https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bff718/sist-iso-21107-2005>



Reference number
ISO 21107:2004(E)

© ISO 2004

ISO 21107:2004(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 21107:2005](https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bff718/sist-iso-21107-2005)

<https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bff718/sist-iso-21107-2005>

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Description and use of the search structure for electronic media	2
4.1 General	2
4.2 Layout of the search structure	2
5 Search structure for electronic media	5
5.1 Ball bearings	5
5.1.1 Deep groove ball bearings	5
5.1.2 Angular contact ball bearings	6
5.1.3 Thrust angular contact ball bearings	8
5.1.4 Thrust ball bearings	9
5.1.5 Self-aligning ball bearings	10
5.2 Roller bearings	11
5.2.1 Cylindrical roller bearings	11
5.2.2 Thrust cylindrical roller bearings	12
5.2.3 Needle roller bearings	13
5.2.4 Thrust needle roller bearings	14
5.2.5 Spherical roller bearings	15
5.2.6 Thrust spherical roller bearings	16
5.2.7 Tapered roller bearings	17
5.2.8 Thrust tapered roller bearings	18
5.3 Insert bearings	19
5.3.1 Insert bearings (bearing only)	19
5.3.2 Insert bearing units	20
5.3.3 Insert bearing housings	21
5.3.4 Insert bearing accessories	22
5.4 Combined bearings	23
5.4.1 Combined bearings of radial needle roller/thrust ball type or radial needle roller/thrust roller type	23
5.5 Rolling bearing components	24
5.5.1 Balls	24
5.5.2 Cylindrical rollers	24
5.5.3 Needle rollers	25
5.5.4 Thrust collars (L-shaped)	25
5.5.5 Aligning seat washers for thrust ball bearings	25
5.5.6 Inner rings for needle roller bearings (special execution)	26
5.6 Linear bearings	27
5.7 Bearing housings and housing accessories	27
5.7.1 Bearing housings	27
5.7.2 Accessories for bearing housings	28
5.7.3 Bearing housing units	28
5.8 Bearing accessories	29
5.8.1 Tapered sleeves	29
5.8.2 Locknuts and locking devices	30
5.9 Track rollers	31
5.9.1 Yoke-type track rollers	31

ISO 21107:2004(E)

5.9.2	Stud-type track rollers	32
5.9.3	Accessories for track rollers	33
5.10	Plain bearings	33
5.10.1	Spherical plain bearings	33
5.10.2	Thrust spherical plain bearings	34
5.10.3	Spherical plain bearing rod ends.....	35
Annex A	(informative) Example of usage of the search structure	37

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 21107:2005](https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bff718/sist-iso-21107-2005)

<https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bff718/sist-iso-21107-2005>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21107 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 21107:2005](https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bf718/sist-iso-21107-2005)

<https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6a6dd7bf718/sist-iso-21107-2005>

ISO 21107:2004(E)**Introduction**

Electronic media are used more and more when purchasing and selling products. This also applies to the rolling bearing industry, where it can be expected that a large proportion of sales will be processed via electronic media.

One potential problem when ordering bearings is that designations, especially designations for special executions and variants, differ from one bearing supplier to another. For the electronic media business there is, therefore, a need for customers and distributors to have available a system that makes it possible to identify a bearing quickly and easily when the bearing designation is not known.

This can be achieved using a computerized search structure. The user responds to specified simple questions on a computer screen about visual bearing components (dimensions, number of rolling element rows, cage, etc.) and, if needed, about performance criteria and other characteristics. Based on these input values, the computer provides possible bearing designations and other information.

In order to facilitate programming and provide the user with the same and consistent input vocabulary, independent of supplier, this International Standard provides a standardized search structure for electronic media with a vocabulary for identifying bearings, bearing components and accessories based on ISO 5593 and other ISO/TC 4 International Standards.

When creating their own search structures, some bearing manufacturers and/or distributors may decide they have a need to customize certain attributes or attribute options in order to refine the selection of the possible bearing designation(s) that will meet the purchaser's requirements. If this is done, then, where possible, it is recommended that the terminology of ISO 5593 and other appropriate ISO documents for rolling bearings be used.

[https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-](https://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bfdc-6c61d71b8718/sist-iso-21107-2005)

SI units are used in ISO International Standards, but it is recognized that the attributes in this document can also be used for inch dimension products.

Rolling bearings and spherical plain bearings — Search structure for electronic media — Characteristics and performance criteria identified by attribute vocabulary

1 Scope

This International Standard establishes a search structure and an attribute vocabulary for identifying rolling bearings, spherical plain bearings, bearing housings and accessories, primarily with the aid of electronic media, such as the Internet.

The methodology for using this International Standard in search programs is not included.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the reference document (including any amendments) applies.

ISO 199, *Rolling bearings — Thrust bearings — Tolerances*

[SIST ISO 21107:2005](#)

ISO 492, *Rolling bearings — Radial bearings — Tolerances*

[http://standards.iteh.ai/catalog/standards/sist/3d7c4992-2ba0-4793-bf6d-6a6dd7b718/sist-iso-21107-2005](#)

ISO 3290, *Rolling bearings — Balls — Dimensions and tolerances*

ISO 5593, *Rolling bearings — Vocabulary*

ISO 5753, *Rolling bearings — Radial internal clearance*

3 Terms and definitions

For the purposes of this document, the terms and definitions in ISO 199, ISO 492, ISO 3290, ISO 5593, ISO 5753 and the following apply.

3.1

noun

highest level of classification

3.2

modifier

sub-classification of a noun

3.3

attribute

characteristic or feature used to identify a product in detail

NOTE Product and component designations used in ISO/TC 4 International Standards have been used throughout this International Standard as the preferred choice.

ISO 21107:2004(E)

4 Description and use of the search structure for electronic media

4.1 General

When Internet and other electronic media are used for ordering products, a system is needed to define a product easily and correctly, even when a product specification is not complete or is missing. This International Standard is built up to meet this requirement and makes it possible to identify dimensions, characteristics and demands on performance of rolling bearings, spherical plain bearings, bearing housings and accessories with a standardized vocabulary.

Using the Internet, for instance, a purchaser can go to the “Home page” of a bearing manufacturer or a distributor and select a search program (individually established by each bearing manufacturer or distributor, but based on this International Standard). Then, by answering given questions (with specified alternative options), obtain a list of one or more product options with designations, availability, prices, etc.

The advantage of using a standardized search structure is that the purchaser always works with the same vocabulary, independent of manufacturer, and the risk of misunderstanding and confusion is reduced. As most attributes of interest are included in the search structure, this makes programming considerably easier.

4.2 Layout of the search structure

The layout of the search criteria follows the general structure as used in the Internet environment, i.e. an XML (extensible mark-up language) specification for defining the data structure.

The data structure is built up in the way shown below and illustrated in Figure 1 and Table 1.

There are three levels of classification – noun, modifier and attribute as defined in Clause 3.

Attributes and **Attribute options** to each attribute cover the information needed to define a product and are specified in 5.1 to 5.10. These attributes and attribute options are based on typical product ranges which can be found in manufacturers' catalogues and brochures.

NOTE In the Tables 2 to 94 the **Attributes** are shown in the row below the heading “Attributes and Attribute options”, and the **Attribute options** are shown in the rows with option numbers.

Each user of this International Standard can select the applicable attributes and attribute options from this International Standard, and add further attributes and attribute options if needed. Additional attribute options, either individually or as a group, can also be included under the attribute option **Other**. In general, the attribute option “Other” is not shown in the tables, except for the attributes “Tolerance” and “Clearance” with the only attribute option “Normal”.

It is possible to identify a product on the basis of noun, modifier, attributes and attribute options.

It is important to realise that the attribute options shown in 5.1 to 5.10 illustrate possible options of each attribute. All attribute options are, however, not always needed to cover the product range of a supplier. Besides, all attribute options of one attribute can sometimes not logically be used. Taking an example from 5.2.1 Cylindrical roller bearings, a one row bearing with two outer ring ribs is selected. Then the attribute option for selecting “Inner ring with two ribs” is to be excluded, as such a bearing is not a bearing type in regular production.

For the user this is, however, not a problem when selection is made from the attribute options presented in a search program. The supplier determines the product range attribute options, and the programmer has to consider the logic in the attribute options presented, so that combinations that are not possible are excluded during the selection process.

An example of how to use the search structure is shown in Annex A.




Figure 1 — Search structure

Table 1

Noun	Modifier
Ball bearing	Deep groove radial Angular contact radial Angular contact thrust Thrust Self-aligning
Roller bearing	Cylindrical radial Cylindrical thrust Needle radial Needle thrust Spherical radial Spherical thrust Tapered radial Tapered thrust
Insert bearing	Bearing only Bearing unit Housing Accessory
Combined bearing	Radial needle roller/thrust ball or Radial needle roller/thrust roller
Rolling bearing component	Ball Cylindrical roller Needle roller Thrust collar (L-shaped) Aligning seat washer (thrust ball bearing) Inner ring (special execution for needle roller bearing)
Linear bearing	a
Bearing housing and housing accessory	Housing Accessory Housing unit
Bearing accessory	Tapered sleeve Locknut and locking device
Track roller	Yoke-type Stud-type Accessory
Plain bearing	Spherical radial Spherical thrust Rod end
a International Standard in preparation.	

5 Search structure for electronic media

5.1 Ball bearings

5.1.1 Deep groove ball bearings

Noun: Ball bearing

Modifier: Deep groove radial

Attributes and attribute options: See Tables 2 to 5

Table 2

Options	Attributes and attribute options				
	Number of rows	Bore type	Cage	Filling slot	Relubrication feature
1	One	Cylindrical	Sheet metal	No	Without
2	Two	Tapered	Non-metallic	Yes	With
3			Machined metal		
4			Without		

iTeh STANDARD PREVIEW

Table 3

Options	Attributes and attribute options				
	Sealing	Seal type	Lubricant (in bearing)	Locating feature, bearing outside	Bore diameter
1	None	Contact	None	None	Value/Range
2	Seal on one side	Non-contact	Grease	Snap ring groove	
3	Shield on one side		Solid oil	Snap ring (fitted)	
4	Seal on both sides			Retaining notch	
5	Shield on both sides			Flange	
6	Seal on one side, shield on the other				

Table 4

Options	Attributes and attribute options				
	Outside diameter	Width	Matched arrangement	Radial internal clearance	Material/Treatment
1	Value/Range	Value/Range	No	Group N	Bearing steel
2			Face-to-face (X)	Group 2 (C2)	Stainless steel
3			Back-to-back (O)	Group 3 (C3)	Ceramic
4			Tandem	Group 4 (C4)	Hybrid
5				Group 5 (C5)	High temperature steel
6				Dimensionally stabilized	
7				Coated	
8			Insulated		