

SLOVENSKI STANDARD SIST EN 16246:2013

01-maj-2013

Kmetijski stroji - Nakladalnik, priključen zadaj k traktorju - Varnost

Agricultural machinery - Backhoes - Safety

Landmaschinen - Heckbaggerlader - Sicherheit

Matériel agricole - Pelles rétro SécuritéDARD PREVIEW

Ta slovenski standard je istoveten z: EN 16246:2012

SIST EN 16246:2013

https://standards.iteh.ai/catalog/standards/sist/f618be6e-d8f1-4a4a-9eb7-56831e106c48/sist-en-16246-2013

ICS:

Kmetijski traktorji in prikolice Agricultural tractors and 65.060.10

trailed vehicles

SIST EN 16246:2013 en,fr,de **SIST EN 16246:2013**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 16246:2013 https://standards.iteh.ai/catalog/standards/sist/f618be6e-d8f1-4a4a-9eb7-56831e106c48/sist-en-16246-2013

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 16246

November 2012

ICS 65.060.10

English Version

Agricultural machinery - Backhoes - Safety

Matériel agricole - Pelles rétro - Sécurité

Landmaschinen - Heckbaggerlader - Sicherheit

This European Standard was approved by CEN on 20 October 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

SIST EN 16246:2013

https://standards.iteh.ai/catalog/standards/sist/f618be6e-d8f1-4a4a-9eb7-56831e106c48/sist-en-16246-2013



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	Contents Page			
Forewo	ord	3		
Introdu	uction	4		
1	Scope	5		
2	Normative references	5		
3	Terms and definitions	6		
4	List of significant hazards	6		
5	Safety requirements and/or measures			
5.1 5.2	General Attachment to tractor – prevention of uncontrolled movement			
5.2 5.3	Controls			
5.3.1	Clearance	12		
5.3.2	Configuration, functions and marking of the controls			
5.4	Operator's work station			
5.5 5.6	Access to the operator's work station			
5.0 5.7	Electrical equipment	16 16		
5.7.1	General	16		
5.7.2	General (standards.iteh.ai)	16		
5.7.3	Fluid reservoir			
5.7.4	Pressure limit valvesSISTEN 162462013	16		
5.7.5 5.7.6	Hoses and fittings. https://standards.teh.avcatalog/standards/sist/fo18be6e-d8f1-4a4a-9eb7-Dimensioning of hydraulic cylinders. Control of movements.	17		
5.7.6 5.7.7	Control of movements	17 17		
5.8	Stability of the tractor backhoe combination			
5.8.1	General			
5.8.2	Outriggers	17		
6	Maintenance and repair	18		
7	Verification of the safety requirements or protective measures	18		
8	Information for use			
8.1	Operator's manual			
8.2	Marking	19		
Annex	A (informative) Examples of a backhoe attachment and safety locking device	21		
Annex	B (informative) Stability of the tractor/backhoe loader combination			
B.1	Effects on the stability			
B.2	Stability calculations			
B.2.1 B.2.2	Transverse stability			
	•	20		
Annex	ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	28		
Dik!!:	·			
DIDHOO	ıranhv	29		

Foreword

This document (EN 16246:2012) has been prepared by Technical Committee CEN/TC 144 "Tractors and machinery for agriculture and forestry", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2013, and conflicting national standards shall be withdrawn at the latest by May 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

(standards.iteh.ai)

<u>SIST EN 16246:2013</u> https://standards.iteh.ai/catalog/standards/sist/f618be6e-d8f1-4a4a-9eb7-56831e106c48/sist-en-16246-2013

Introduction

This document is a type-C standard as specified in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document. These hazards are specific to hydraulic backhoes.

Hazards that are common to all agricultural machines (self-propelled, mounted, semi-mounted and trailed) are dealt with in EN ISO 4254-1.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 16246:2013</u> https://standards.iteh.ai/catalog/standards/sist/f618be6e-d8f1-4a4a-9eb7-56831e106c48/sist-en-16246-2013

1 Scope

This European Standard, when used together with EN ISO 4254-1 and EN 15811, specifies the safety requirements and their verification for the design and construction of hydraulic backhoes mounted to the three point linkage of a tractor. It describes methods for the elimination or reduction of hazards arising from the intended use of these machines by one person (the operator) in the course of normal operation and service. In addition, it specifies the type of information on safe working practices (including residual risks) to be provided by the manufacturer.

When requirements of this document are different from those which are stated in EN ISO 4254-1, the requirements of this document take precedence over the requirements of EN ISO 4254-1 for machines that have been designed and built according to the provisions of this document.

This European Standard, taken together with EN ISO 4254-1, deals with all the significant hazards, hazardous situations and events (as listed in Table 1) relevant to hydraulic backhoes mounted to the three point linkage of a tractor, when they are used as intended and under the conditions of misuse foreseeable by the manufacturer.

This European Standard is not applicable to lifting operations for the movement of unit loads with hooks or other similar devices. Materials connected with excavation activities are not intended as unit loads and their movement is covered by this standard.

This European Standard does not give requirements for quick hitch devices.

NOTE 1 An amendment of EN 474-1 is under preparation to deal with this issue. It will be evaluated for inclusion in this European Standard.

(Standards iteh ai)

NOTE 2 Specific requirements related to road traffic regulations are not taken into account in this European Standard.

This European Standard is not applicable to hydraulic backhoes which are manufactured before the date of its publication as EN.

56831e106c48/sist-en-16246-2013

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 4254-1:2009, Agricultural machinery — Safety — Part 1: General requirements (ISO 4254-1:2008)

EN ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)

ISO 3600, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Operator's manuals — Content and presentation

ISO 3767-2, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Symbols for operator controls and other displays — Part 2: Symbols for agricultural tractors and machinery

ISO 3776-1, Tractors and machinery for agriculture — Seat belts — Part 1: Anchorage location requirements

ISO 3776-2, Tractors and machinery for agriculture — Seat belts — Part 2: Anchorage strength requirements

ISO 11684, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Safety signs and hazard pictorials — General principles

Terms and definitions 3

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010, EN ISO 4254-1:2009 and the following apply.

NOTE An example of the machine types covered by this standard is illustrated in Annex A.

3.1

rear-mounted hydraulic backhoe

machine with hydraulically powered arms mounted to the rear three point linkage of the tractor, used with an attachment for various operations, such as excavating, elevating, swinging, discharging

3.2

primary loading arm

loading arm located between the frame of the machine and the secondary arm

3.3

secondary loading arm

loading arm located between the primary loading arm and the attachment

3.4

telescopic arm

arm capable of being extended in a longitudinal direction

3.5

iTeh STANDARD PREVIEW

device which pivotally connects the frame with the primary loading arm, in order to let it swing about a vertical axis (standards.iteh.ai)

3.6

outriggers

SIST EN 16246:2013

device to keep the machine stable on the ground when the backhoe is in use

3.7

side shifting

device to allow horizontal movement within limits of the backhoe swing pivot

3.8

attachment

tool or interchangeable equipment that can be attached to the secondary loading arm, such as a bucket or an inverted bucket, as indicated by the manufacturer

3.9

inverted bucket

rearward facing bucket for the excavating, elevating, swinging and discharging of the material

4 List of significant hazards

Table 1 gives the significant hazard(s), the significant hazardous situation(s) and hazardous event(s) covered by this standard that have been identified by risk assessment as being significant for this type of machine, and which require specific action by the designer or manufacturer to eliminate or to reduce the risk.

Attention is drawn to the necessity to identify any additional significant hazards associated with a specific machine and to provide suitable safety measures. Such additional safety measures are not dealt with by this standard.

Table 1 — List of significant hazards associated with hydraulic backhoes

No. a	Hazard	Hazardous situation and event	Clauses/subclauses of EN ISO 4254-1:2009	Clause/subclause of this standard
A.1	Mechanical hazard	I		
A.1.1	Crushing hazard	Controls Boarding means	4.4.3; 5.1.3.2; 5.1.8; 6.1 4.5.1.1.2; 4.5.1.2.5; 4.5.2;	5.3.1 5.1, 5.5
		 — Platforms — Working tools — Service/maintenance — Shearing/pinching points — Moving the machine — Stability 	4.6 6.4 4.7 4.14.6 5.1.2.3 5.1.4	5.1, 5.4 5.7.1 6 5.1 5.2 5.2
		— Mounting of machines	6.2 6.2.2; 6.2.3; 6.3	5.2
A.1.2 A.1.6 A.1.8	Shearing hazard iT https://s Impact hazard Friction or	— Controls — Boarding means — Platforms — Working tools DARD — Service/maintenance ds.ii — Shearing/pinching points — Moving the machine 16246.2 tandstability ai/catalog/standards/sis 56831e106c48/sist-en-16 — Mounting of machines — Boarding means — Controls	4.4.3; 5.1.3.2; 5.1.8; 6.1 4.5.1.1.2; 4.5.1.2.5; 4.5.2; 4.6 4.7 4.7 4.14.6ai) 5.1.2.3 5.1.2.3 5.1.2.3 6.2 6.2.2; 6.2.3; 6.3 4.5.1.2.5 4.4.3; 5.1.3.2	5.3.1 5.1, 5.5 5.1, 5.4 5.7.1 6 5.1 5.2 5.2 5.2 5.2 5.3.1
Α.1.0	abrasion hazard	Electrical equipment Boarding means	4.9.1 4.5.1.1.2	5.6 5.4, 5.5
A.1.9	High-pressure fluid injection or ejection hazard	Hydraulic components	4.10; 6.5	5.7
A.2	Electrical hazards			
A.2.1	Contact of persons with live parts (direct contact)	— Electrical equipment	4.9; 5.3; 6.5	5.6
A.2.2	Contact of persons with parts which have become live under faulty conditions (indirect contact)	— Electrical equipment	4.9.1	-

No. a	Hazard	Hazardous situation and event	Clauses/subclauses of EN ISO 4254-1:2009	Clause/subclause of this standard	
A.2.3	Approach to live parts under high voltage	— Overhead power lines	8.1.3	8.1	
A.2.4	Thermal radiation or other phenomena such as the projection of molten particles and chemical effects from short circuits, overloads, etc.	— Electrical equipment	4.9.2; 5.3.1	5.6	
A.3	Thermal hazards		1		
	Burns, scalds and	— Operating fluids	4.12	5.7	
	other injuries by possible contact of	— Cab material	5.1.6		
	persons with	— Hot surfaces	5.5		
	objects or materials with an				
	extreme high or				
	low temperature,	iTeh STANDA	ARD PREVIE	W	
	by flames or explosions and	(standa)	rds.iteh.ai)		
	also by the	(Statitua)	assired in the interest of the		
	radiation of heat sources		<u>16246:2013</u>		
		https://standards.iteh.ai/catalog/sta	ndards/sist/f618be6e-d8f1-4a4 /sist-en-16246-2013	a-9eb7-	
A.4	Hazards generated	d by noise			
	Hearing loss (deafness), other physiological disorders (e.g. loss of balance, loss of awareness)	— Noise	4.2	5.1	
	Accidents due to interference with				
	speech communication and accoustic				
	warning signals				
Δ 5		hy materials and substances			
A.5	Hazards generated	by materials and substances	4 10: 5 4	5.7	
A.5 A.5.1		by materials and substances — Operating fluids	4.10; 5.4	5.7	
	Hazards generated Hazards from contact with, or inhalation, of harmful fluids, gases, mists, fumes and dusts				

No. a	Hazard	Hazardous situation and event	Clauses/subclauses of EN ISO 4254-1:2009	Clause/subclause of this standard	
	postures or	— Boarding means	4.5; 4.6	5.4, 5.5	
	excessive effort	— Service and maintenance	4.14.2; 4.14.4	6	
		— Operator station	5.1.1; 5.1.3; 5.1.5.2	5.4	
A.6.2	Inadequate	— Controls	4.4	5.3	
	consideration of hand-arm or foot-	— Boarding means	4.5; 4.6	5.4, 5.5	
	leg anatomy	— Operator station	5.1	5.4	
A.6.3	Neglected use of personal protective equipment	— Operator's manual	8.1.3	8.1	
A.6.5	Mental overload and under load, stress	— Controls	4.4	5.3	
A.6.6	Human error,	— Controls	4.4	5.3	
	human behaviour	— Operator's manual	8.1	8.1	
		— Signs	8.2	8.2	
A.6.7	Inadequate design, location or identification	en STANDARD	44; 513; 6,1EW	5.3	
	manual controls	(standards.it	en.ai)		
A.7		— Individual as <u>semblies</u> 16246:2 tandards.iteh.ai/catalog/standards/sis		-	
		— Operator 3 manual 48/sist-en-10	8 46-2013	8.1	
A.8	Unexpected start-up, unexpected overrun/overspeed				
A.8.1	Failure/disorder of	— Service and maintenance	4.8	5.7	
	the control system	— Electrical equipment	4.9	5.6	
			6.5	5.6	
		— Connections			
A.8.3	External influences on electrical equipment	— Cables	4.9.1	5.6	
A.8.4	Other external influences (gravity, wind, etc.)	— Stability	6.2.1.1; 6.2.1.2	5.3, 5.6	
A.8.5	Errors made by	— Controls	4.4; 6.1.2	5.3	
	the operator (due to mismatch of	— Boarding means	4.5; 4.6	5.4, 5.5	
	machinery with	Dodining media	5.1	5.4	
	macrimicity with			i	
	human	Operator station	5.2	5.8	
			5.2 6.2; 6.3	5.8 5.2	
	human characteristics and	— Operator station— Moving the machine— Mounting of machines			

No. a	Hazard	Hazardous situation and event	Clauses/subclauses of EN ISO 4254-1:2009	Clause/subclause of this standard
		— Service and maintenance		
		— Operator's manual		
A.9	Impossibility of stopping the machine in the best possible conditions	— Controls	4.4; 6.1	-
A.11	Failure of power	— Supports	4.8	5.7
	supply	— Electrical equipment	4.9 6.5	5.6
		— Connections		
A.13	Errors of fitting	— Mounting of machines	6.2; 6.3	5.2
		— Operator's manual	8.1.3	8.1
A.14	Break-up during operation	— Hydraulic components	4.10	5.7
	operation	iTeh STANDA	ARD PREVIE	\mathbf{W}
A.15	Falling or ejected objects or	— Hydraulic components dan	alo.iteh.ai)	5.7
	fluids	SIST EN https://standards.iteh.ai/catalog/star	16246:2013 dards/sist/f618be6e-d8f1-4a4	a-9eb7-
A.16	Loss of stability/overturni	— Stability	6.2	5.2, 5.8
	ng of	— Roll-over	5.1.2.3	-
	machinery			
A.17	Slip, trap and fall of persons	— Boarding means	4.5; 4.6	5.2, 5.4, 5.5
	(related to machinery)			
Addition	nal hazards, hazardo	ous situations and hazardous e	vents due to mobility	
A.19	Link to the work pe			
A.19.1	Fall of persons during access to (or at/from) the work position	— Boarding means	4.5; 4.6	5.4, 5.5
A.19.4	Mechanical hazards at the working position:	— Shearing/pinching points	4.4.3; 4.5.1.2.5; 5.1.4	-
	a) contact with			