FINAL DRAFT

INTERNATIONAL STANDARD

ISO/FDIS 21267-2

ISO/TC 10

Secretariat: SIS

Voting begins on: **2003-08-21**

Voting terminates on:

2003-10-21

Technical drawings — Railway applications —

Part 2: Parts lists

iTeh STANDAKD PAPPlications ferroviaires —
Partie 2: Listes de pièces
(standards.iteh.ai)

ISO/FDIS 21267-2

https://standards.iteh.ai/catalog/standards/sist/4d8d589f-9e39-492b-8ea3-658c0e0f1e34/iso-fdis-21267-2

Please see the administrative notes on page iii

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 21267-2:2003(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 21267-2 https://standards.iteh.ai/catalog/standards/sist/4d8d589f-9e39-492b-8ea3-658c0e0fle34/iso-fdis-21267-2

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

ISO/CEN PARALLEL PROCESSING

This final draft International Standard is a draft European Standard developed within the European Committee for Standardization (CEN) and processed under the CEN-lead mode of collaboration as defined in the Vienna Agreement. Following parallel ISO member body voting and CEN enquiry on the DIS, this final draft, established on the basis of comments received, has been transmitted by CEN to ISO for circulation for a parallel two-month FDIS vote in ISO and formal vote in CEN.

Positive votes shall not be accompanied by comments.

Negative votes shall be accompanied by the relevant technical reasons.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/FDIS 21267-2</u> https://standards.iteh.ai/catalog/standards/sist/4d8d589f-9e39-492b-8ea3-658c0e0f1e34/iso-fdis-21267-2

© ISO 2003 – All rights reserved iii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21267-2 was prepared by the European Committee for Standardization (CEN) in collaboration with Technical Committee ISO/TC 10, *Technical product documentation*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement). PREVIEW

Throughout the text of this document, read "this European Standard..." to mean "...this International Standard..."

ISO 21267 consists of the following parts, under the general title Technical drawings — Railway applications:

https://standards.iteh.ai/catalog/standards/sist/4d8d589f-9e39-492b-8ea3-

- Part 1: General principles
- 658c0e0f1e34/iso-fdis-21267-2

- Part 2: Parts lists
- Part 3: Handling of modifications of technical documents
- Part 4: Data exchange

Contents

		page
	word	
Introd	duction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Characteristic features of parts lists	6
4.1	General	6
4.2	Base	6
4.3	Size	6
4.4	Border	
4.5	Centring marks	6
4.6	Characteristics of lines and entries TANDARD PREVIEW	6
5	Specification (standards.iteh.ai)	7
5.1	Title block	7
5.2	Columns and lines	7
5.3	Data fields	7
6	Entry rules	10
Anne	x A (normative) Title block	11
Anne	x B (normative) General layout	17
Anne	ex C (informative) Example of a multilingual parts list	19
Biblic	ography	22

Foreword

This document (prEN ISO 21267-2:2003) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 10 "Technical drawings, product definition and related documentation".

This document is currently submitted to the Parallel Formal Vote.

This document has been prepared under a mandate (M024) given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

This document has been prepared under Mode 4 co-operation with CENELEC TC9X. In the event of an amendment being required to this standard, the co-op TC will be consulted before proceeding to amend this document.

Particular considerations were made to standardize the computerised transfer of the content of the documents, its output on conventional information carrier and its reproduction without loss of quality. Remarks in international standards with regard to document handling are respected and supported by this standard and if necessary adopted or completed to the well-established procedures in the European railway business.

This series of ENs "Technical drawings — Railway applications" consists of the following parts:

— prEN ISO 21267-1: General principles

(standards.iteh.ai)

- prEN ISO 21267-2: Parts lists

— prEN ISO 21267-3: Handling of modifications of technical documents.

— prEN ISO 21267-4: Data exchange 658c0e0f1e34/iso-fdis-21267-2

The annexes A and B are normative. Annex C is informative.

Introduction

In railway business, the customer very often requires, as part of a contract, technical documents in a certain form. In order to support co-operation and effective exchange of information between customers, suppliers and partners, it is necessary to have the document requirements precisely defined.

This European Standard refers to EN, ISO or IEC standards dealing with technical drawings. In cases where ISO or IEC standards are not sufficiently precise, this standard gives specific details. These additions to EN, ISO and IEC standards facilitate the exploitation and the administration of the drawings.

These requirements have been drawn up in order to accomodate:

- the large variety of users;
- ease of transfer of documents;
- any specific series of documentation related to the railway material they define.

Special consideration has been given to those producing drawings by computer or microcopying and their reproduction without loss of quality.

NOTE The range of documents covers documents such as specifications, conditions for acceptance or further technical specifications which may not be graphically represented. This is meant to highlight the difference between "graphical representation" and "verbal description".

STANDARD PREVIEW

<u>ISO/FDIS 21267-2</u> https://standards.iteh.ai/catalog/standards/sist/4d8d589f-9e39-492b-8ea3-658c0e0fl e34/iso-fdis-21267-2

1 Scope

This European Standard specifies the requirements for the preparation and reproduction of design parts lists for railway applications.

This European Standard specifies the design parts list and describes the basic principles, their structure and the minimum requirements of a design parts list.

The European Standard applies throughout the total life span of the parts list. This standard applies to all the railway organisations and partners concerned with the design parts list, and to suppliers preparing parts list on behalf of network users.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

prEN ISO 21267-1, Technical drawings — Railway applications — Part 1: General principles (ISO/FDIS 21267-1:2003).

EN ISO 216:2001, Writing paper and certain classes of printed matter — Trimmed sizes — A and B series (ISO 216:1975). (standards.iteh.ai)

EN 61355, Classification and designation of documents for plants, systems and equipment (IEC 61355:1997). ISO/FDIS 21267-2

EN ISO 10209-2, Technical product documentation star Vocabulary 58 Part 2: Terms relating to projection methods (ISO 10209-2:1993).

ISO 639, Code for the representation of languages.

ISO 1000, SI units and recommandations for the use of their multiples and of certain other units.

ISO 4882, Office machines and data processing equipment — Line spacings and character spacings.

ISO 10209-1:1992, Technical product documentation — Vocabulary — Part 1: Terms relating to technical drawings — General and types of drawings.

ISO 16016, Technical product documentation — Protection notices for restricting the use of documents and products.

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in ISO 10209-1 and EN ISO 10209-2 apply.

In contrast to the use of the term "item list" in ISO 10209-1:1992, 3.12, the term "parts list" is used in this series of standards in accordance with common practise.

The parts list is the main document to describe an object, independent of the hierarchy in which the object is situated in the product structure.

There is no difference between an assembly and detail parts list.

3.1

parts list

formally built-up list for an object, complete as regards to specific purpose and containing all the necessary documents and articles appertaining thereto, giving their name, item number, quantity and unit. Only those summaries are designated in the parts lists which relate to the quantity 1 of an object

3.2

design parts list

created in the design phase where the final product is defined

NOTE It defines the design and is neutral with respect to workshop.

4 Characteristic features of parts lists

4.1 General

A parts list can be presented as follows:

- as a separate document without drawing;
- as a separate document with relation to a drawing (separate parts list);
- entered on a drawing.

iTeh STANDARD PREVIEW

Any sheet of parts lists shall bear an identification number. When more sheets together form an entity, it shall be clearly indicated on the first sheet which and how many sheets form the entity.

All pages of the parts list should correspond with the specimen shown in annex B.

https://standards.iteh.ai/catalog/standards/sist/4d8d589f-9e39-492b-8ea3-

Requirements for copying and scanning are to be defined.4/iso-fdis-21267-2

4.2 Base

Parts list as a separate document shall preferably be printed on white paper with a minimum weight of 70 g/m². In case of entering parts lists on drawing sheets, see prEN ISO 21267-1.

4.3 Size

Separate parts lists shall be to A4 size in accordance with EN ISO 216:2001, series A.

4.4 Border

The border is shown in annex B.

4.5 Centring marks

Reference marks for centring required for the adjustment of the position of the parts list on the setting plane of the photographic copying device, appear in the margin at the locations defined in annex B.

4.6 Characteristics of lines and entries

4.6.1 Optical density

All lines and entries including those added during revision should have a contrast of at least 0,7 with respect to base according to EN ISO 6428.

4.6.2 Line wideness of separate parts lists

Printed parts lists shall fulfill the same requirements as parts lists on drawings for microcopying and scanning suitability. For fulfilling these requirements, it is recommended to use line widenesses according to Table 1.

Table 1 — Line widenesses

Dimension in millimetres

	Wideness		
Borderlines	0,7		
Main lines	0,35		
Other lines	0,25		

4.6.3 Characteristics of lettering

Separate parts lists shall be printed with lettering having height between 2,3 mm and 2,6 mm and a width of 2,5 mm to ensure microcopying and scanning legibility. The line and character spacing shall be in accordance with ISO 4882.

Entries in parts list on drawings shall be in accordance with prEN ISO 21267-1.

5 Specification

5.1 Title block iTeh STANDARD PREVIEW

A title block, intended for taking the necessary headings for identification and use, shall appear on all parts lists.

It is recommended to use the same title block formation all pages of the parts list. It is permissible to use a reduced version on the pages following/pager1; this block shall as a minimum have the same identification zone as shown in annex A.

658c0e0f1e34/iso-fdis-21267-2

The mandatory requirements of the title block are defined in annex A.

5.2 Columns and lines

The parts list consists of eight columns for the entry of various data describing the items required for analysis and interpretation of the drawing.

The columns are separated from each other by a continuous line of at least 0,35 mm wideness.

The layout of separate parts list is given in annex B.

5.3 Data fields

5.3.1 General

The data fields of the parts lists are given in Table 2 (see also annex B).

Table 2 — Data fields

Column	Column text	Character type	Text alignment	Language dependency
1	Item number	alphanumerical	right	No
2	Quantity, no. of pieces	alphanumerical	right	No
3	Unit	alphanumerical	centre	No
4	Title, designation, name of item	alphanumerical	left	Yes
5	Item number, standard code designation	alphanumerical	left	No
6	Material/ technical data	alphanumerical	left	Yes
7	Mass/unit	numerical	centre	No
8	Remark	alphanumerical	left	Yes

5.3.2 Item reference

iTeh STANDARD PREVIEW

Identical parts shown in the same assembly should have the same item reference.

The item reference is a number which is added as a serial characteristic to objects listed in parts lists and shown on drawings. The reference number shall be rising graded.

https://standards.telf.arcatalog/standards/sist/4d8d589f-9e39-492b-8ea3-

If a revision causes an item to be removed from a parts list, the remaining items retain their numbers, thus reducing the need to revise the drawing and other associated documentation.

The field "Item number" may be left empty in the parts list section for a single part.

5.3.3 Quantity, number of pieces

The column shows the total number of that particular item necessary for one complete assembly (see ISO 7573).

If reference to a document shall be given in this column, a capital cross (X) shall be entered (see annex C).

When the quantity needed cannot be specified at the design stage or if it is not necessary to specify, the capital letter N (meaning: not defined) shall be given in the field "Quantity".

5.3.4 Unit

Refers to the unit of measure for the quantity. The SI units according to ISO 1000 including their multiples shall be used.

5.3.5 Title, designation, name of item

The identification of the specified item or document, wherever possible, shall be the same as the description given on the main document for the item. When referring to standards, the standardised designation for the relevant items shall be used.