
Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) - Oddajna oprema prizemne mobilne televizije za storitev večpredstavnostnega oddajanja več sprejemnikom - 1. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE; splošne zahteve

Electromagnetic compatibility and Radio spectrum Matters (ERM) - Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service - Part 1: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive, Common requirements

(standards.iteh.ai)

[SIST EN 302 998-1 V1.1.1:2011](https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011>

Ta slovenski standard je istoveten z: EN 302 998-1 Version 1.1.1

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 302 998-1 V1.1.1:2011 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 302 998-1 V1.1.1:2011

<https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011>

ETSI EN 302 998-1 V1.1.1 (2011-05)

Harmonized European Standard

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Transmitting equipment for terrestrial mobile TV
to provide multimedia multicast service;
Part 1: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive,
Common requirements**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 302 998-1 V1.1.1:2011](https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011>



Reference

DEN/ERM-TG17WG1-004-1

Keywords

mobile, multimedia, TV**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 302 998-1 V1.1.1:2011<https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6d8e8b034d/etsi-en-302-998-1-v1-1-1-2011>**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Introduction	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	7
3.1 Definitions	7
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Technical requirements specifications	8
4.1 Environmental profile.....	8
4.2 Conformance requirements	8
4.2.1 Introduction.....	9
4.2.2 Spurious emissions	9
4.2.2.1 Definition	9
4.2.2.2 Limits	9
4.2.2.3 Conformance test	11
4.2.3 Out-of-band emissions.....	11
4.2.3.1 Definition	11
4.2.3.2 Limits	11
4.2.3.3 Conformance test	14
4.2.4 Cabinet radiation.....	15
4.2.4.1 Definition	15
4.2.4.2 Limits	15
4.2.4.2.1 Limits for radiated emissions below 1 GHz.....	15
4.2.4.2.2 Limits for radiated emissions above 1GHz.....	15
4.2.4.3 Conformance test	16
5 Testing for compliance with technical requirements.....	17
5.1 Environmental conditions for testing	17
5.2 Interpretation of the measurement results	17
5.3 Essential radio test suites.....	17
5.3.1 Spurious emissions	17
5.3.1.1 Initial conditions	18
5.3.1.2 Test procedure.....	18
5.3.1.3 Test requirements.....	18
5.3.2 Out-of-band emissions.....	18
5.3.2.1 Initial conditions	18
5.3.2.2 Test procedure.....	19
5.3.2.3 Test requirements.....	19
5.3.3 Cabinet radiation.....	19
5.3.3.1 Initial conditions	19
5.3.3.2 Test procedure.....	19
5.3.3.3 Test requirements.....	19
Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT).....	20
Annex B (informative): The EN title in the official languages	22
Annex C (informative): Bibliography.....	23
History	24

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [1].

See article 5.1 of Directive 1999/5/EC [1] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [1] are summarised in annex A.

The present document is part 1 of a multi-part deliverable covering Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service, as identified below:

- Part 1: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive, Common requirements";**
- Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive, Test Arrangements for transmitters utilizing OFDM technology".

National transposition dates	
Date of adoption of this EN:	20 May 2011
Date of latest announcement of this EN (doa):	31 August 2011
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	29 February 2012
Date of withdrawal of any conflicting National Standard (dow):	28 February 2013

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [1]. The modular structure is shown in EG 201 399 [i.2].

Other document directly associated with the present document:

- EN 301 489-14 [2].

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 302 998-1 V1.1.1:2011](https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6dbe8b03d2/sist-en-302-998-1-v1-1-1-2011>

1 Scope

The present document applies to the following radio equipment types:

- 1) Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service, with 7 MHz and 8 MHz RF channel bandwidths, operating in the CEPT or national frequency bands appropriate for this service.

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive), Article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

[SIST EN 302 998-1 V1.1.1:2011](http://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6d8b03d2/sist-en-302-998-1-v1-1-1-2011)

[https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-](https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6d8b03d2/sist-en-302-998-1-v1-1-1-2011)

[7e6d8b03d2/sist-en-302-998-1-v1-1-1-2011](https://standards.iteh.ai/catalog/standards/sist/f86bb316-6107-4057-822e-7e6d8b03d2/sist-en-302-998-1-v1-1-1-2011)

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] ETSI EN 301 489-14 (V1.2.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 14: Specific conditions for analogue and digital terrestrial TV broadcasting service transmitters".
- [3] CENELEC EN 55022 (2006 + A1:2007): "Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement".
- [4] CENELEC EN 55011 (2007 + A2:2007): "Industrial, scientific and medical (ISM) radio-frequency equipment - Electromagnetic disturbance characteristics - Limits and methods of measurement".
- [5] ETSI TR 100 028-1 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".
- [6] ETSI TR 100 028-2 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [7] CENELEC EN 55016-1-1 (2007 + A1:2007 + A2:2008): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus".

- [8] CENELEC EN 55016-4-2 (2004): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Uncertainty in EMC measurements".
- [9] ETSI EN 302 998-2 (V1.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive, Test Arrangements for transmitters utilizing OFDM technology".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.2] ETSI EG 201 399 (V2.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

antenna port: port of an apparatus which is designed, in normal operation, to be connected to an antenna using coaxial cable

carrier power: average power supplied to the antenna port by a transmitter during one radio frequency cycle taken under the condition of no modulation

class of emission: set of characteristics of an emission, designated by standard symbols, e.g. type of modulation of the main carrier, modulating signal, type of information to be transmitted, and also, if appropriate, any additional signal characteristics

dBc: decibels relative to the unmodulated carrier power of the emission

NOTE: In the cases which do not have a carrier, for example in some digital modulation schemes where the carrier is not accessible for measurement, the reference level equivalent to dBc is decibels relative to the *mean power P*.

digital signal: discretely timed signal in which information is represented by a finite number of well defined discrete values that its characteristic quantities may take in time

digital television: television in which all information is represented by a digital signal

enclosure port: physical boundary of the apparatus through which electromagnetic fields may radiate or impinge

NOTE: In the case of integral antenna equipment, this port is inseparable from the antenna port.

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

exclusion band: band of radio frequencies where no measurements are made

harmonic: component of order greater than 1 of the Fourier series of a periodic quantity

intermodulation products: unwanted frequencies resulting from intermodulation between carriers or harmonics of emission, or between any oscillations generated to produce the carrier

mean power: average power supplied to the antenna port by a transmitter during an interval of time sufficiently long compared with the lowest frequency encountered in the modulation taken under normal operating conditions

necessary bandwidth: for a given class of emission, the width of the frequency band which is sufficient to ensure the transmission of information at the rate and with the quality required under specified conditions

rated output power: power that the transmitter or transposer delivers at its output under specified conditions of operation

reference bandwidth: bandwidth in which the emission level is specified

3.2 Symbols

For the purposes of the present document, the following symbols apply:

μ Micro

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

dB	logarithmic ratio (tenths of a "Bel")
dBm	dB relative to one milliwatt
EMC	ElectroMagnetic Compatibility
EUT	Equipment Under Test
FAR	Fully Anechoic Room
GHz	Giga Hertz
kHz	kilo Hertz
LV	Low Voltage
m	metres
MHz	Mega Hertz
OATS	Open Area Test Site
OFDM	Orthogonal Frequency Division Multiplex
R&TTE	Radio and Telecommunications Terminal Equipment
W	Watt

4 Technical requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the supplier. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.2 Conformance requirements

The requirements in the present document are based on the assumption that the transmitting equipment for terrestrial mobile TV and transmitting equipment for the terrestrial digital television broadcast service (DVB-T) have compatible characteristics.

4.2.1 Introduction

To meet the essential requirement under article 3.2 of the R&TTE Directive [1] two essential parameters have been identified. Table 4.1 provides a cross reference between these two essential parameters and the corresponding three technical requirements for equipment within the scope of the present document. To fulfil an essential parameter the compliance with all the corresponding technical requirements in table 4.1 must be verified.

Table 4.1: Cross references

Essential parameter	Corresponding technical requirements
Conducted emissions from antenna port	4.2.2 Spurious emissions
	4.2.3 Out-of-band emissions
Radiated emissions from enclosure port	4.2.4 Cabinet radiation

4.2.2 Spurious emissions

4.2.2.1 Definition

Emissions on a frequency or frequencies which are outside the necessary bandwidth and the level of which may be reduced without affecting the corresponding transmission of information. These include harmonic emissions, parasitic emissions, intermodulation products and frequency conversion products but exclude out of band emissions.

For the purposes of the present document spurious emissions are emissions at frequencies outside the frequency range $f_0 \pm 14$ MHz for 7 MHz channels, $f_0 \pm 12$ MHz for 8 MHz channels, where f_0 is the centre frequency of the channel, irrespective of the number of carriers employed.

4.2.2.2 Limits

Spurious emissions shall not exceed the values set out in table 4.2 additionally shown in figures 4.1 and 4.2, for the frequency range 9 kHz to 4,5 GHz.

<https://standards.iteh.ai/catalog/standards/sist/86bb316-6107-4057-822e-sist/en/302-998-1-v1.1.1-2011>

In the case of a mobile TV transmitter supplied without an internal bandpass output filter, the manufacturer shall specify the characteristics of the filter necessary to fulfil the spurious emission limits defined in table 4.2. The manufacturer shall include this information in their test report.

Table 4.2: Spurious emission limits for mobile TV transmitters

Frequency range of the spurious emission	Limits of the spurious emission	Reference bandwidth	Figure
9 kHz to 174 MHz	-36 dBm (250 nW)	100 kHz	4.1
> 174 MHz to 400 MHz	-82 dBm, for $P \leq 25$ W -126 dBc, for 25 W < $P \leq 1$ 000 W -66 dBm, for 1 000 W < P	4 kHz	4.2
> 400 MHz to 790 MHz	-36 dBm (250 nW)	100 kHz	4.1
> 790 MHz to 862 MHz	-76 dBm, for $P \leq 25$ W -120 dBc, for 25 W < $P \leq 1$ 000 W -60 dBm, for 1 000 W < P	4 kHz	4.2
> 862 MHz to 1 000 MHz	-36 dBm (250 nW)	100 kHz	4.1
> 1 000 MHz	-30 dBm (1 μ W)	100 kHz	4.1

NOTE: P = mean power of the transmitter.