
Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) - Oddajna oprema prizemne mobilne televizije za storitev večpredstavnostnega oddajanja več sprejemnikom - 2. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE, ureditev preskušanja z uporabo tehnologije OFDM

Electromagnetic compatibility and Radio spectrum Matters (ERM) - Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service - Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive, Test Arrangements for transmitters utilizing OFDM technology

(standards.iteh.ai)

[SIST EN 302 998-2 V1.1.1:2011](https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011>

Ta slovenski standard je istoveten z: EN 302 998-2 Version 1.1.1

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 302 998-2 V1.1.1:2011

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 302 998-2 V1.1.1:2011

<https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011>

ETSI EN 302 998-2 V1.1.1 (2011-05)

Harmonized European Standard

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Transmitting equipment for terrestrial mobile TV
to provide multimedia multicast service;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive,
Test Arrangements for transmitters
utilizing OFDM technology**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 302 998-2 V1.1.1:2011](https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011>



Reference

DEN/ERM-TG17WG1-004-2

Keywords

mobile, multimedia, TV

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 302 998-2 V1.1.1:2011

<https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a524b/etsi-en-302-998-2-v1-1-1-2011>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references	5
3 Definitions, symbols and abbreviations	6
3.1 Definitions	6
3.2 Symbols	7
3.3 Abbreviations	7
4 General measuring arrangements	7
4.1 Test conditions	7
4.1.1 Test frequency range	7
4.1.2 Test modulating signal	8
4.2 Test arrangement for measurement of spurious emissions	8
4.3 Test arrangement for measurement of out-of-band emissions	9
4.4 Test arrangement for measurement of cabinet radiation	9
Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT).....	11
Annex B (informative): The EN title in the official languages	13
Annex C (informative): Bibliography	14
History	15

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [1].

See article 5.1 of Directive 1999/5/EC [1] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [1] are summarised in annex A.

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [2].

National transposition dates

Date of adoption of this EN:	20 May 2011
Date of latest announcement of this EN (doa):	31 August 2011
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	29 February 2012
Date of withdrawal of any conflicting National Standard (dow):	28 February 2013

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [1]. The modular structure is shown in EG 201 399 [i.2].

1 Scope

The present document applies to the following radio equipment types:

- 1) Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service, with 7 MHz and 8 MHz RF channel bandwidths, operating in the CEPT or national frequency bands appropriate for this service.

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive), Article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

[SIST EN 302 998-2 V1.1.1:2011](http://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/84f6c26a-08a9-42f4-b8a2-7a6dcb6a52b6/sist-en-302-998-2-v1-1-1-2011>

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] ETSI EN 302 998-1 (V1.1.1) "Electromagnetic compatibility and Radio spectrum Matters (ERM); Transmitting equipment for terrestrial mobile TV to provide multimedia multicast service; Part 1: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive, Common Requirements".
- [3] CENELEC EN 55016-1-1 (2007 + A1:2007 + A2:2008): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus".
- [4] CISPR 16-2-3 Ed. 2.0 b:2006: "Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.

- [i.2] ETSI EG 201 399 (V2.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of candidate Harmonized Standards for application under the R&TTE Directive".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

antenna port: port of an apparatus which is designed, in normal operation, to be connected to an antenna using coaxial cable

cabinet radiation: emissions from the equipment, radiated from the enclosure port, other than those present at the antenna port

carrier power: average power supplied to the antenna port by a transmitter during one radio frequency cycle taken under the condition of no modulation

class of emission: set of characteristics of an emission, designated by standard symbols, e.g. type of modulation of the main carrier, modulating signal, type of information to be transmitted, and also, if appropriate, any additional signal characteristics

dBc: decibels relative to the unmodulated carrier power of the emission

NOTE: In the cases which do not have a carrier, for example in some digital modulation schemes where the carrier is not accessible for measurement, the reference level equivalent to dBc is decibels relative to the mean power P .

enclosure port: physical boundary of the apparatus through which electromagnetic fields may radiate or impinge

NOTE: In the case of integral antenna equipment, this port is inseparable from the antenna port.

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

harmonic: component of order greater than 1 of the Fourier series of a periodic quantity

intermodulation products: unwanted frequencies resulting from intermodulation between carriers or harmonics of emission, or between any oscillations generated to produce the carrier

mean power: average power supplied to the antenna port by a transmitter during an interval of time sufficiently long compared with the lowest frequency encountered in the modulation taken under normal operating conditions

necessary bandwidth: for a given class of emission, the width of the frequency band which is sufficient to ensure the transmission of information at the rate and with the quality required under specified conditions

out-of-band emissions: emissions on a frequency or frequencies immediately outside the necessary bandwidth which results from the modulation process, but exclude spurious emissions

reference bandwidth: bandwidth in which the emission level is specified

spurious emissions: emissions on a frequency or frequencies which are outside the necessary bandwidth and the level of which may be reduced without affecting the corresponding transmission of information

NOTE: These include harmonic emissions, parasitic emissions, intermodulation products and frequency conversion products but exclude out of band emissions.

unwanted emissions: consist of spurious emissions and out-of-band emissions

3.2 Symbols

For the purposes of the present document, the following symbols apply:

μ Micro

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

dB	logarithmic ratio (tenths of a "Bel")
EMC	ElectroMagnetic Compatibility
EUT	Equipment Under Test
FFT	Fast Fourier Transform
GHz	Giga Hertz
kHz	kilo Hertz
LV	Low Voltage
MHz	Mega Hertz
M-TV	Mobile TV
OFDM	Orthogonal Frequency Division Multiplex
R&TTE	Radio and Telecommunications Terminal Equipment
RF	Radio Frequency

4 General measuring arrangements

4.1 Test conditions

4.1.1 Test frequency range

Limits on unwanted emissions for radio equipments are considered to be applicable to the range 9 kHz to 300 GHz. However, for practical measurement purposes, the frequency range of spurious emissions may be restricted. As guidance for practical purposes, the following measurement parameters in table 4.1 are recommended.

Table 4.1: Test frequency range

Transmitter fundamental frequency range	Unwanted emission frequency measurement range	
	lower frequency	upper frequency
47 MHz to 862 MHz	9 kHz	4,5 GHz

The following reference bandwidths are to be used:

For spurious emissions:

- 100 kHz between 9 kHz and 174 MHz;
- 4 kHz between 174 MHz and 400 MHz;
- 100 kHz between 400 MHz and 790 MHz;
- 4 kHz between 790 MHz and 862 MHz;
- 100 kHz between 862 MHz and 1 000 MHz;
- 100 kHz above 1 000 MHz.