



Technical Report

Electromagnetic compatibility and Radio spectrum Matters (ERM); Definition of radio parameters

STANDARD PREVIEW
(standards.iteh.ai)
Full standards list: <https://standards.iteh.ai/catalog/standards/sist/e38ce2c7-f67f-438e-95eb-bache0521f477ec/etsi-tr-103-265-v1.1.1-2013-12>

ReferenceDTR/ERM-RM-265

Keywordsradio, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references	7
3 Definitions and abbreviations.....	12
3.1 Definitions	12
3.2 Abbreviations	13
4 Presentation of the methodology used in the present document	13
4.1 TEDDI operation and its implications.....	14
4.2 The program(s) - Matlab scripts	14
5 Phase 0 manual search and comparison of definitions	15
5.1 Example of sets of definitions discussed during phase 0 of the work on this deliverable	15
5.1.1 Adjacent Channel Rejection Ratio (ACRR)	15
5.1.2 Adjacent channel selectivity	16
5.1.3 Adjacent channel selectivity and desensitization	18
5.1.4 Alternate channel selectivity and desensitization	18
5.1.5 Adjacent signal selectivity	19
5.1.6 AM suppression	19
5.1.7 Blocking.....	19
5.1.8 Radio receiver blocking case 1: owing to signals occurring at the same time but on other frequencies.....	22
5.1.9 Radio receiver blocking case 2: owing to signals occurring at a different time.....	22
5.1.10 Blocking and spurious response rejection.....	22
5.2 Conclusions	22
Annex A: Definitions of parameters found by hand	23
A.1 Parameter 1.....	23
A.2 Parameter 2.....	23
A.3 Parameter 3.....	23
A.4 Parameter 4.....	23
A.5 Parameter 5.....	23
A.6 Parameter 6.....	23
A.7 Co-channel rejection.....	24
A.7.1 Co-channel rejection.....	24
A.7.2 Co-channel rejection - TCH/FS.....	24
A.8 DAA threshold	25
A.9 Receiver desensitization with simultaneous transmission and reception	25
A.10 Receiver / Bad frame indication - TCH/FS - frequency hopping and downlink DTX.....	25
A.11 Receiver / Bad frame indication - TCH/HS - frequency hopping and downlink DTX	26
A.12 Out of band gain	26
A.13 Conducted RF immunity	27
A.14 Reference interference level.....	27

A.15	Radio receiver interference performance	27
A.16	Interference rejection and blocking immunity	27
A.17	Intermodulation	28
A.17.1	Input intermodulation	28
A.17.2	Intermodulation	28
A.17.3	Intermodulation response rejection	29
A.17.4	Receiver intermodulation performance	30
A.17.5	Intermodulation attenuation.....	30
A.17.6	Intermodulation rejection - speech channels	30
A.17.7	Intermodulation spurious response attenuation	31
A.18	Receiver / Usable receiver input level range	31
A.19	Receiver LBT threshold	32
A.20	Receiver LBT threshold and transmitter max on-time	32
A.21	Receiver opening delay	32
A.22	Sensitivity	33
A.22.1	Average usable sensitivity (digital, field strength)	33
A.22.2	Average usable sensitivity (field strength, data or messages)	33
A.22.3	Average usable sensitivity (field strength, responses)	33
A.22.4	Average usable sensitivity (field strength, speech)	34
A.22.5	Maximum usable sensitivity	34
A.22.6	Maximum usable sensitivity (analogue, conducted)	35
A.22.7	Maximum usable sensitivity (analogue, field strength)	36
A.22.8	Maximum usable sensitivity (digital, conducted)	36
A.22.9	Maximum usable sensitivity (digital, field strength)	36
A.22.10	Maximum usable sensitivity (responses, conducted)	37
A.22.11	DSC receiver maximum usable sensitivity	37
A.22.12	Receiver call sensitivity	37
A.22.13	Receiver sensitivity	37
A.22.14	Reference sensitivity	38
A.22.15	Reference sensitivity - full rate data channels in multislot configuration.....	38
A.22.16	Reference sensitivity - TCH/FS for MS supporting the R-GSM band	38
A.22.17	Multipath reference sensitivity level	39
A.22.18	Static reference sensitivity level	39
A.23	Radio receiver reference BER and FER	39
A.24	Single tone desensitization	39
A.25	Spurious emissions and radiations	40
A.25.1	Receiver conducted spurious emissions	40
A.25.2	Conducted spurious emissions when not transmitting.....	40
A.25.3	Receiver conducted spurious emissions conveyed to the antenna.....	40
A.25.4	Receiver radiated spurious emissions.....	41
A.25.5	Receiver spurious emissions.....	41
A.25.6	Receiver spurious emissions from the receiver antenna connector	44
A.25.7	Receiver spurious emissions (idle mode)	44
A.25.8	Spurious emissions when the PP has no allocated transmit channel	44
A.25.9	Receiver spurious emissions at the antenna	44
A.25.10	Receiver cabinet radiated spurious emissions	45
A.25.11	Unwanted emissions in the spurious domain.....	45
A.25.12	Unwanted emissions, conducted	45
A.25.13	Unwanted conducted emissions in reception.....	45
A.25.14	Unwanted radiated emission.....	46
A.25.15	Receiver spurious radiations.....	46
A.26	Spurious response.....	49
A.26.1	Spurious response and blocking immunity.....	49
A.26.2	Spurious response rejection	49
A.26.3	Spurious response rejection ratio.....	50

A.26.4	Spurious response rejection (with simultaneous transmission and reception).....	50
Annex B:	Results obtained by an automatic search (i.e. before analysis of the various definitions)	52
Annex C:	Code used in the Scripts	53
Annex D:	Bibliography	54
History		56

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/e38ce2c7-f67f-438e-95eb-bache0521f47/etsi-tr-103-265-v1.1.1-2013-12>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

Introduction

Many ETSI deliverables address radio parameters. In order to make these documents easy to read and practical for the user, the authors usually include the definitions of those parameters in the text corresponding to the appropriate clauses. Sometimes these definitions are not exact copies from the ETSI Terms and Definitions database "TEDDI" but are (slightly) adapted versions.

As a result many radio parameters have several different definitions being used within ETSI. The aim of the present deliverable is to trace all those definitions, which are not included in "Clause 3".

Then it may be possible to harmonize them (work to be done at a later stage).

Because there are many ETSI deliverables it is a lot of work to find all the definitions by hand. Therefore, a computer program that searches for definitions in ETSI-documents has been written. The goal of this program (or set of programs) is to assist tracing the definitions found outside of clause 3.

In the present document the results of searches by hand (clause 5 and annex A) and automatic searches (see annex B) co-exist to make verifications more easy.

Practical experience has shown that some of the outputs provided by a computer program need some further editing by hand.

1 Scope

The present document is intended to provide an overview of the various definitions of radio parameters that can be found in ETSI deliverables.

The present document addresses definitions found in ENs and TSs of TC-ERM, gathered in June 2012.

As some consolidation work in the area of Radio Definitions had already been done in the early days of ETSI, definitions in ETR 027 [i.78] (edition 1) and TR 100 027 [i.79] (V1.2.1) have also been searched "by program".

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

Not applicable.

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

NOTE: To be noted that, for practical reasons, the list below does not include the references to the ENs and TSs that were searched by program. However, as some of the ENs have been analysed both by hand and by program, some of the references to ENs, below, are also relevant to the searches done by program.

- [i.1] ITU Radio Regulations.
- [i.2] ETSI EN 301 893: "Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.3] ETSI EN 302 502: "Broadband Radio Access Networks (BRAN); 5,8 GHz fixed broadband data transmitting systems; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.4] ETSI EN 301 406: "Digital Enhanced Cordless Telecommunications (DECT); Harmonized EN for Digital Enhanced Cordless Telecommunications (DECT) covering the essential requirements under article 3.2 of the R&TTE Directive; Generic radio".
- [i.5] ETSI EN 301 908-11: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 11: CDMA Direct Spread (UTRA FDD) (Repeaters)".
- [i.6] ETSI EN 302 426: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Harmonized EN for CDMA spread spectrum Repeaters operating in the 450 MHz cellular band (CDMA450) and the 410 MHz, 450 MHz and 870 MHz PAMR bands (CDMA-PAMR) covering essential requirements of article 3.2 of the R&TTE Directive".

- [i.7] ETSI EN 300 607-1: "Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1 version 8.1.1 Release 1999)".
- [i.8] ETSI EN 300 162-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands; Part 1: Technical characteristics and methods of measurement".
- [i.9] ETSI EN 301 025-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 1: Technical characteristics and methods of measurement".
- [i.10] ETSI EN 301 178-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands (for non-GMDSS applications only); Part 1: Technical characteristics and methods of measurement".
- [i.11] ETSI EN 300 698-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Part 1: Technical characteristics and methods of measurement".
- [i.12] ETSI EN 300 720-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Ultra-High Frequency (UHF) on-board vessels communications systems and equipment; Part 1: Technical characteristics and methods of measurement".
- [i.13] ETSI EN 301 929-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF transmitters and receivers as Coast Stations for GMDSS and other applications in the maritime mobile service; Part 1: Technical characteristics and methods of measurement".
- [i.14] ETSI EN 300 086 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment with an internal or external RF connector intended primarily for analogue speech".
- [i.15] ETSI EN 300 296 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment using integral antennas intended primarily for analogue speech".
- [i.16] ETSI EN 300 341-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service (RP 02); Radio equipment using an integral antenna transmitting signals to initiate a specific response in the receiver; Part 1: Technical characteristics and methods of measurement".
- [i.17] ETSI EN 300 390-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Radio equipment intended for the transmission of data (and speech) and using an integral antenna; Part 1: Technical characteristics and test conditions".
- [i.18] ETSI EN 301 166 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector".
- [i.19] ETSI EN 302 561: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment using constant or non-constant envelope modulation operating in a channel bandwidth of 25 kHz, 50 kHz, 100 kHz or 150 kHz; Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive".
- [i.20] ETSI EN 300 113 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land mobile service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector".
- [i.21] ETSI EN 300 761-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Short Range Devices (SRD); Automatic Vehicle Identification (AVI) for railways operating in the 2,45 GHz frequency range; Part 1: Technical characteristics and methods of measurement".
- [i.22] ETSI EN 300 220-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods".

- [i.23] ETSI EN 300 330-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods".
- [i.24] ETSI EN 300 440-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 1: Technical characteristics and test methods".
- [i.25] ETSI EN 301 908-2: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)".
- [i.26] ETSI TS 125 141: "Universal Mobile Telecommunications System (UMTS); Base Station (BS) conformance testing (FDD) (3GPP TS 25.141 version 8.4.0 Release 8)".
- [i.27] ETSI EN 301 908-3: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 3: CDMA Direct Spread (UTRA FDD) Base Stations (BS)".
- [i.28] ETSI EN 301 908-4: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 4: CDMA Multi-Carrier (cdma2000) User Equipment (UE)".
- [i.29] ETSI EN 301 908-5: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 5: CDMA Multi-Carrier (cdma2000) Base Stations (BS)".
- [i.30] ETSI EN 301 908-6: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 6: CDMA TDD (UTRA TDD) User Equipment (UE)".
- [i.31] ETSI EN 301 908-7: "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 7: CDMA TDD (UTRA TDD) Base Stations (BS)".
- [i.32] ETSI EN 301 908-8: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 8: Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive".
- [i.33] ETSI EN 300 219-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Radio equipment transmitting signals to initiate a specific response in the receiver; Part 1: Technical characteristics and methods of measurement".
- [i.34] ETSI EN 300 433-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Citizens' Band (CB) radio equipment; Part 1: Technical characteristics and methods of measurement".
- [i.35] ETSI EN 301 908-9: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 9: Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive".
- [i.36] ETSI EN 300 373-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime mobile transmitters and receivers for use in the MF and HF bands; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive".
- [i.37] ETSI TS 101 087: "Digital cellular telecommunications system (Phase 2 and Phase 2+); Base Station System (BSS) equipment specification; Radio aspects (3GPP TS 11.21 version 8.9.0 Release 1999)".
- [i.38] ETSI EN 300 392-2: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 2: Air Interface (AI)".
- [i.39] ETSI EN 300 396-2: "Terrestrial Trunked Radio (TETRA); Technical requirements for Direct Mode Operation (DMO); Part 2: Radio aspects".

- [i.40] ETSI EN 300 396-4: "Terrestrial Trunked Radio (TETRA); Technical requirements for Direct Mode Operation (DMO); Part 4: Type 1 repeater air interface".
- [i.41] ETSI EN 300 396-7: "Terrestrial Trunked Radio (TETRA); Technical requirements for Direct Mode Operation (DMO); Part 7: Type 2 repeater air interface".
- [i.42] ETSI EN 300 396-5: "Terrestrial Trunked Radio (TETRA); Technical requirements for Direct Mode Operation (DMO); Part 5: Gateway air interface".
- [i.43] ETSI EN 301 908-10: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 10: Harmonized EN for IMT-2000, FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive".
- [i.44] ETSI EN 302 195-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio equipment in the frequency range 9 kHz to 315 kHz for Ultra Low Power Active Medical Implants (ULP-AMI) and accessories; Part 1: Technical characteristics and test methods".
- [i.45] ETSI EN 302 510-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio equipment in the frequency range 30 MHz to 37,5 MHz for Ultra Low Power Active Medical Membrane Implants and Accessories; Part 1: Technical characteristics and test methods".
- [i.46] ETSI EN 302 571: "Intelligent Transport Systems (ITS); Radiocommunications equipment operating in the 5 855 MHz to 5 925 MHz frequency band; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.47] ETSI TS 151 010-1: "Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 4.9.0 Release 4)".
- [i.48] ETSI EN 300 065-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Narrow-band direct-printing telegraph equipment for receiving meteorological or navigational information (NAVTEX); Part 1: Technical characteristics and methods of measurement".
- [i.49] ETSI EN 300 609-4: "Digital cellular telecommunications system (Phase 2 and Phase 2+) (GSM); Base Station System (BSS) equipment specification; Part 4: Repeaters (GSM 11.26 version 8.0.2 Release 1999)".
- [i.50] ETSI EN 301 908-12: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 12: Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (Repeaters) covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.51] ETSI EN 301 783-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Commercially available amateur radio equipment; Part 1: Technical characteristics and methods of measurement".
- [i.52] ETSI EN 301 526: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Harmonized EN for CDMA spread spectrum mobile stations operating in the 450 MHz cellular band (CDMA 450) and 410, 450 and 870 MHz PAMR bands (CDMA-PAMR) covering essential requirements of article 3.2 of the R&TTE Directive".
- [i.53] ETSI EN 300 471-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Rules for Access and the Sharing of common used channels by equipment complying with EN 300 113; Part 1: Technical characteristics and methods of measurement".
- [i.54] Recommendation ITU-T O.41: "Psophometer for use on telephone-type circuits".
- [i.55] Recommendation ITU-T P.53: "Psophometer for use on telephone-type circuits".
- [i.56] ETSI EN 302 480: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Harmonized EN for the GSM onboard aircraft system covering the essential requirements of Article 3.2 of the R&TTE Directive".

- [i.57] ETSI EN 301 449: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Harmonized EN for CDMA spread spectrum base stations operating in the 450 MHz cellular band (CDMA 450) and 410, 450 and 870 MHz PAMR bands (CDMA-PAMR) covering essential requirements of article 3.2 of the R&TTE Directive".
- [i.58] ETSI EN 300 328: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.59] ETSI EN 302 288-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 1: Technical requirements and methods of measurement".
- [i.60] ETSI EN 300 422-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 1: Technical characteristics and methods of measurement".
- [i.61] ETSI EN 301 357-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Part 1: Technical characteristics and test methods".
- [i.62] ETSI EN 301 797: "Electromagnetic compatibility and Radio Spectrum Matters (ERM); Harmonized EN for CT2 cordless telephone equipment covering essential requirements under article 3.2 of the R&TTE directive".
- [i.63] ETSI EN 302 064-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless Video Links (WVL) operating in the 1,3 GHz to 50 GHz frequency band; Part 1: Technical characteristics and methods of measurement".
- [i.64] ETSI EN 302 291-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Close Range Inductive Data Communication equipment operating at 13,56 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive".
- [i.65] ETSI EN 302 500-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz; Part 1: Technical characteristics and methods of measurement".
- [i.66] ETSI EN 302 208-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 1: Technical requirements and methods of measurement".
- [i.67] ETSI EN 302 065: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band technology (UWB) for communications purposes; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.68] CEPT Recommendation 74-01: "Spurious Emissions".
- [i.69] ETSI EN 300 674-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); Dedicated Short Range Communication (DSRC) transmission equipment (500 kbit/s / 250 kbit/s) operating in the 5,8 GHz Industrial, Scientific and Medical (ISM) band; Part 1: General characteristics and test methods for Road Side Units (RSU) and On-Board Units (OBU)".
- [i.70] ETSI EN 300 224-1: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); On-site paging service; Part 1: Technical and functional characteristics, including test methods".
- [i.71] ETSI EN 301 091-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Radar equipment operating in the 76 GHz to 77 GHz range; Part 1: Technical characteristics and test methods for radar equipment operating in the 76 GHz to 77 GHz range".

- [i.72] ETSI EN 301 839-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P) operating in the frequency range 402 MHz to 405 MHz; Part 1: Technical characteristics and test methods".
- [i.73] ETSI EN 302 537-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Ultra Low Power Medical Data Service Systems operating in the frequency range 401 MHz to 402 MHz and 405 MHz to 406 MHz; Part 1: Technical characteristics and test methods".
- [i.74] ETSI EN 302 536-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 315 kHz to 600 kHz; Part 1: Technical characteristics and test methods".
- [i.75] ETSI EN 300 135-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Citizens' Band (CB) radio equipment; Angle-modulated Citizens' Band radio equipment (PR 27 Radio Equipment); Part 1: Technical characteristics and methods of measurement".
- [i.76] ETSI EN 300 910: "Digital cellular telecommunications system (Phase 2+) (GSM); Radio transmission and reception (GSM 05.05)".
- [i.77] ETSI EG 201 015: "Methods for Testing and Specification (MTS); Standards engineering process; A Handbook of validation methods".
- [i.78] ETSI ETR 027: "Radio Equipment and Systems (RES); Methods of measurement for private mobile radio equipment".
- [i.79] ETSI TR 100 027: "ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Methods of measurement for private mobile radio equipment".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

adjacent channel selectivity: measure of the capability of the receiver to receive a wanted modulated signal without exceeding a given degradation due to the presence of an unwanted signal which differs in frequency from the wanted signal by an amount equal to the adjacent channel separation for which the equipment is intended

NOTE 1: Used in EN 300 086-1 (V1.3.1) [i.14], clause 8.4.1; EN 300 296-1 (V3.2.1) [i.15], clause 9.4.1; EN 300 341-1 (V1.3.1) [i.16], clause 9.3.1; EN 300 390-1 (V1.2.1) [i.17], clause 9.4.1.

NOTE 2: The definition for "adjacent channel selectivity" was copied from clause 5 into clause 3.1 in order to validate the Methodology proposed in the present document.

blocking: measure of the capability of the receiver to receive a wanted modulated signal without exceeding a given degradation due to the presence of an unwanted input signal at any frequency other than those of the spurious responses or of the adjacent channels

NOTE 1: Adapted from that used in EN 300 086-1 (V1.3.1) [i.14], clause 8.7.1; EN 300 390-1 (V1.2.1) [i.17], clause 9.7.1; EN 301 166-1 (V1.3.1) [i.18], clause 8.8.1; EN 302 561 (V3.2.1) [i.19], clause 8.3.1.

NOTE 2: The definition for "blocking" was copied from clause 5 into clause 3.1 in order to validate the Methodology proposed in the present document.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ATTM	Access, Terminals, Transmission and Multiplexing (ETSI Technical Committee)
CEPT	European Conference of Postal and Telecommunications Administrations
ECC	Electronic Communications Committee
IEC	International Electrotechnical Commission
ITU	International Telecommunication Union
TC-MTS or MTS	Technical Committee (TC) Methods for Testing and Specification
WG SE or SE	Working Group 'Spectrum Engineering' (of ECC)
SEAMCAT	Spectrum Engineering Advanced Monte Carlo Analysis Tool (developped by CEPT)
WG TM4 or TM4	WG TM4: Fixed Radio Systems (WG of TC-ATTM)

NOTE: It has to be noted that other abbreviations may be found in the various definitions extracted from the various deliverables, in which case clause 3.3 of the corresponding deliverables will be used, if needed.

4 Presentation of the methodology used in the present document

The purpose of the work that has led to the present document, is to encourage those writing standards to use, as much as possible, either the existing definitions - when possible - or definitions as close as possible to already existing definitions.

Such effort had already been carried out in the very first days of ETSI, but it is clear that with the evolution of technology new definitions and variants of existing ones are needed. This effort is, in particular, encouraged by the EG 201 015 [i.77] drafted by MTS (see its clauses 5.1 and 5.1.1).

It has also to be noted that, at a global level, there are a number of other potential sources of definitions (such as ITU, in particular in its "Radio Regulations" [i.1] or IEC), so that definitions used in ETSI deliverables may have a variety of roots.

As a result, the ongoing work is to be carried out in 4 phases:

- **Phase 0** where an evaluation of the situation has been done by hand, addressing receiver parameters found in ENs.
- **Phase 1** that has led to the compilation of the present document, where automatic means have also been used.
- **Phase 2** that will have to be performed "by hand", based on the warnings given by the automatic programs during **Phase 1**.
- **Phase 3** with attempts to select the "best" definitions and to offer "consolidated" material to TEDDI.

Phase 0 has led to the compilations found in annex A and to an attempt to analyse the corresponding material (the output of the corresponding work can be found in clause 5).

Phase 1 has led to the compilation of the material found in annex B.

It has to be noted that the "normal syntax" of definition found as complete clauses has the following shape:

- "The <name of the radio parameter> is the <text of the definitions>".

While in the clause 3.1 definitions should be presented as follows:

- "<name of the radio parameter>: <text of the definitions>".