

SLOVENSKI STANDARD SIST EN 14673:2007+A1:2010

01-junij-2010

Varnost strojev - Varnostne zahteve za hidravlično gnane stiskalnice prosto kovanih izkovkov za kovanje jekla in neželeznih kovin

Safety of machinery - Safety requirements for hydraulically powered open die hot forging presses for the forging of steel and non-ferrous metals

Sicherheit von Maschinen - Sicherheitsanforderungen an hydraulisch angetriebene Warm-Freiformschmiedepressen zum Schmieden von Stahl und NE-Metallen

(standards.iteh.ai)
Sécurité des machines - Exigences de sécurité pour les presses à commande hydraulique de forgeage libre pour le formage à chaud de l'acier et des métaux non ferreux https://standards.iteh.ai/catalog/standards/sist/f9c50142-af69-47de-9152-

44d90b8ab74d/sist-en-14673-2007a1-2010

Ta slovenski standard je istoveten z: EN 14673:2006+A1:2010

ICS:

13.110 Varnost strojev Safety of machinery

25.120.10 Kovaški stroji. Stiskalnice. Forging equipment. Presses.

> Škarje Shears

SIST EN 14673:2007+A1:2010 en,fr SIST EN 14673:2007+A1:2010

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 14673;2007+A1;2010</u> https://standards.iteh.ai/catalog/standards/sist/f9c50142-af69-47de-9152-44d90b8ab74d/sist-en-14673-2007a1-2010 **EUROPEAN STANDARD**

EN 14673:2006+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2010

ICS 25.120.10

Supersedes EN 14673:2006

English Version

Safety of machinery - Safety requirements for hydraulically powered open die hot forging presses for the forging of steel and non-ferrous metals

Sécurité des machines - Exigences de sécurité pour les presses à commande hydraulique de forgeage libre pour le formage à chaud de l'acier et des métaux non ferreux

Sicherheit von Maschinen - Sicherheitsanforderungen an hydraulisch angetriebene Warm-Freiformschmiedepressen zum Schmieden von Stahl und NE-Metallen

This European Standard was approved by CEN on 11 September 2006 and includes Amendment 1 approved by CEN on 28 February 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Sovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

| Cont | ents P | 'age |
|----------------|----------------------------------------------------------------------------------------|------|
| Forewo | ord | 5 |
| ntrodu | iction | е |
| 1 | Scope | - |
| • | • | |
| 2 | Normative references | |
| 3 | Terms and definitions | |
| 4 | List of significant hazards | 12 |
| 5 | Safety requirements and/or measures | 12 |
| 5.1 | General | |
| 5.1.1 | Introduction | |
| 5.1.2 | Site inspections | |
| 5.1.3 | Structural assembly | |
| 5.1.4 | Safety layout | |
| 5.1.5 | Safety devices | 13 |
| 5.1.6 | A) Guard-rails (A) | |
| 5.1.7 | Discharge of fluids | 14 |
| 5.1.8 | Discharge of fluids Personal protective equipment (PPE) | 14 |
| 5.1.9 | Warning devices and safety signs Access (Standards iteh.ai) | 14 |
| 5.1.10 | Access (standards iteh.ai) | 14 |
| 5.1.11 | Electrical equipment | 15 |
| 5.1.12 | Safety control system | 15 |
| 5.1.13 | Guards | 15 |
| 5.1.14 | https://standards.iten.arcatalog/standards/sist/19c30142-ato9-4/de-9152- | 15 |
| 5.1.15 | Operators' visibility 44d90b8ab74d/sist-en-14673-2007a1-2010 | 16 |
| 5.1.16 | A) Hydraulic, pneumatic, cooling and lubrication systems | 16 |
| 5.1.17 | Ergonomics (A) | |
| 5.1.18 | (A) Vibrations | |
| 5.1.19 | Loss of energy | |
| 5.1.20 | Linked equipment (A) | |
| 5.1.21 | Manipulators | |
| 5.1.22 | Pulpit | |
| 5.1.23 | Fire resistance | |
| 5.1.24 | | |
| 5.2 | List of significant hazards, hazardous situations, safety requirements and/or measures | |
| 5.2.1 | General requirements | |
| 5.2.2 | Process requirements | |
| 5.3 | Special safety requirements and/or measures | |
| 5.3.1 | General | |
| 5.3.2 | Accessible rotating/moving parts | |
| 5.3.3 | Hold-to-run control device | |
| 5.3.4 | Mechanical restraint devices | |
| 5.4 | Noise reduction as a safety requirement | |
| 5.4.1 | Noise reduction as a safety requirement | |
| 5.4.1 5.4.2 | Noise reduction at source by design | |
| 5.4.2 5.4.3 | Noise reduction by PPE | |
| J.4.J | • | |
| 6 | Verification of the safety requirements and/or measures | 25 |
| 7 | Information for use | 2! |
| 7.1 | General | |
| 7.2 | Location and nature of information for use | |

| 7.3 | Safety devices, warning signs and labels | |
|---------------|-----------------------------------------------------------------------------------------|----------|
| 7.3.1 | Safety devices | |
| 7.3.2 | Warning signs and labels | 26 |
| 7.4 | Marking | |
| 7.5 | Information for use manual | 26 |
| 7.5.1 | General | 26 |
| 7.5.2 | Machine declaration | 27 |
| 7.5.3 | Instructions about transport and installation | 27 |
| 7.5.4 | Information about commissioning and de-commissioning | 27 |
| 7.5.5 | Instructions about operation, including significant hazards and their remedies | 28 |
| 7.6 | Maintenance manual | |
| Annov | A (normative) Safety requirements for hydraulic, pressure water and lubrication systems | 20 |
| Aillex A.1 | Significant hazards | |
| A. 1 A.2 | Safety requirements and/or measures | 3U |
| | | 30 |
| Annex | B (normative) A Safety requirements and/or measures for electrical equipment and | |
| | control systems for hydraulically powered open die hot forging presses (41 | 36 |
| B.1 | General | 36 |
| B.2 | Special requirements for controls | |
| B.3 | Special requirements for shut-down equipment | 36 |
| Annex | C (normative) Noise test code | 40 |
| C.1 | Introduction | |
| C.2 | A Determination of A-weighted sound power level (△) | |
| C.2.1 | General method | |
| C.2.2 | Method for large machines/plants | |
| C.3 | Determination of A-weighted emission sound pressure level | 41 11 |
| C.4 | Measurement uncertainty | 41 41 |
| C.5 | Measurement uncertainty | 41 41 |
| C.6 | Information to be recorded and reported | |
| C.7 | Declaration and verification of noise emission values | 42 |
| Annov | D (informative) 4 De commissioning og/standards/sist/19c50142-af69-47de-9152- | |
| | 44d90b8ab74d/sist-en-14673-2007a1-2010 | |
| Annex | ZA (informative) Relationship between this European Standard and the Essential | |
| | Requirements of EU Directive 2006/42/EC 街 | 46 |
| Biblio | graphy | 47 |
| -121106 | 7. ~ k : | 71 |

Figures

| - | |
|------------------------------------------------------------------------------------------------------------|----|
| Figure A.1 — Detail of the hydraulic diagram for limitation of set-up speed | 32 |
| Figure C.1 — Example of measuring points for noise measurement (location of permanent and to workstations) | |
| | |
| Tables | |
| Table 1 — Significant Hazards, Hazardous Situations, Safety Requirements and/or Measures | 19 |
| Table A.1 — Significant Hazards, hazardous situations, safety requirements and/or measures | 32 |
| A) Table B.1 — Stop functions for hydraulically powered open die hot forging presses 4 | 38 |
| Table C.1 — Example of declared dual-number noise emission values | 44 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 14673:2007+A1:2010</u> https://standards.iteh.ai/catalog/standards/sist/f9c50142-af69-47de-9152-44d90b8ab74d/sist-en-14673-2007a1-2010

Foreword

This document (EN 14673:2006+A1:2010) has been prepared by Technical Committee CEN/TC 322 "Equipments for making and shaping of metals - Safety requirements", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2010, and conflicting national standards shall be withdrawn at the latest by October 2010.

This document includes Amendment 1, approved by CEN on 2010-02-28.

This document supersedes EN 14673:2006.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A] (A)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard was elaborated by CEN/TC 322/WG5, comprising experts from the following countries: France, Germany, Sweden and United Kingdom.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards and hazardous situations and events are covered are indicated in the scope of this European Standard.

Where for clarity an example of a preventative measure is given in the text, this should not be considered as the only possible solution. Any other solution leading to the same risk reduction is permissible if an equivalent level of safety is achieved.

This European Standard assumes that the equipment is operated and maintained by trained personnel.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 14673:2007+A1:2010</u> https://standards.iteh.ai/catalog/standards/sist/f9c50142-af69-47de-9152-44d90b8ab74d/sist-en-14673-2007a1-2010

1 Scope

This European Standard applies to:

- hydraulically powered open die forging presses for hot working;
- handling and cooling equipment connected with the control system of the forging line, e. g., manipulators, rotating type handling devices, die shifting devices, table devices and tool changing devices;
- handling equipment designed specifically to be used within the forging line, e. g., material manipulation devices, turnover or handling devices attached to fork lift trucks or cranes etc.

It specifies the health and safety requirements at all stages in the life of the equipment, its design, ordering, construction, use and disposal.

This European Standard specifies requirements to be met by the manufacturer to ensure the health and safety of persons during construction, transport, commissioning, operation, maintenance and de-commissioning, as well as in the event of foreseeable faults as malfunctions which may occur in the equipment.

This European Standard deals with all significant hazards, hazardous situations and events relevant to hydraulically powered open die hot forging presses when they are used as intended and under conditions foreseeable by the manufacturer (see Clause 4) PREVIEW

This European Standard does not (Standards.iteh.ai)

- hydraulically controlled closed die forging presses for hot working;
 - SIST EN 14673:2007+A1:2010
- mechanically powered not forging presses; tandards/sist/f9c50142-af69-47de-9152-44d90b8ab74d/sist-en-14673-2007a1-2010
- mobile manipulators as defined in 3.4.2;
- standard transport and lifting equipment modified for use with material manipulation devices, turnover and handling devices such as for fork lift trucks and cranes.

This European Standard is not applicable to machinery which was manufactured before the date of publication of this standard by CEN.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

A1) deleted text (A1)

EN 349, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body

A₁) deleted text (A₁

EN 614-1, Safety of machinery — Ergonomic design principles — Part 1: Terminology and general principles

♠ EN 614-2, Safety of machinery — Ergonomic design principles — Part 2: Interactions between the design of machinery and work tasks ♠

EN 626-1, Safety of machinery — Reduction of risks to health from hazardous substances emitted by machinery — Part 1: Principles and specifications for machinery manufacturers

A1) deleted text (A1)

EN 842, Safety of machinery — Visual danger signals — General requirements, design and testing

EN 894-1, Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 1: General principles for human interactions with displays and control actuators

EN 894-2, Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 2: Displays

EN 894-3, Safety of machinery — Ergonomics requirements for the design of displays and control actuators - Part 3: Control actuators

EN 953:1997, Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards

A1) deleted text (A1)

EN 981:1996, Safety of machinery — System of auditory and visual danger and information signals

EN 982:1996, Safety of machinery — Safety requirements for fluid power systems and their components — Hydraulics

iTeh STANDARD PREVIEW

EN 983:1996, Safety of machinery — Safety requirements for fluid power systems and their components — Pneumatics (standards.iteh.ai)

EN 999, Safety of machinery — The positioning of protective equipment in respect of approach speeds of parts of the human body

https://standards.iteh.ai/catalog/standards/sist/f9c50142-af69-47de-9152-

EN 1037:1995, Safety of machinery — Prevention of unexpected start-up

A₁) deleted text (A₁

EN 1088, Safety of machinery — Interlocking devices associated with guards - Principles for design and selection

EN 1299, Mechanical vibration and shock — Vibration isolation of machines — Information for the application of source isolation

EN 1591-1, Flanges and their joints — Design rules for gasketed circular flange connections — Part 1: Calculation method

A EN 1837, Safety of machinery — Integral lighting of machines 🔄

EN 10204, Metallic products — Types of inspection documents

EN 12198-3, Safety of machinery — Assessment and reduction of risks arising from radiation emitted by machinery — Part 3: Reduction of radiation by attenuation or screening (4)

EN 13480-1, Metallic industrial piping — Part 1: General

EN 13480-2, Metallic industrial piping — Part 2: Materials

EN 13480-3:2002, Metallic industrial piping — Part 3: Design and calculation

EN 13480-4:2002, Metallic industrial piping — Part 4: Fabrication and installation

EN 13480-5:2002, Metallic industrial piping — Part 5: Inspection and testing

EN 13861, Safety of machinery — Guidance for the application of ergonomics standards in the design of machinery

EN 14253, Mechanical vibration — Measurement and calculation of occupational exposure to whole-body vibration with reference to health — Practical guidance

EN 50171, Central power supply systems (A)

EN 60073:2002, Basic and safety principles for man-machine interface, marking and identification — Coding principles for indicators and actuators (IEC 60073:2002) (A)

EN 60204-1:2006, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2005)

🖹 EN 60447, Basic and safety principles for man-machine interface — Marking and identification — Actuating principles 🔄

(IEC 60825-1:2007) Safety of laser products — Part 1: Equipment classification and requirements

EN 61310-1, Safety of machinery — Indication, marking and actuation — Part 1: Requirements for visual, auditory and tactile signals (IEC 61310-1:1995) A R D PREVIEW

EN 61310-2, Safety of machinery Indication, marking and actuation — Part 2: Requirements for marking (IEC 61310-2:1995)

EN 61496-1, Safety of machinery — Electro-sensitive protective equipment — Part 1: General requirements and tests (IEC 61496-1:2004, modified), and tests (IEC 61496-1:2004, modified).

EN ISO 3744, Acoustics — Determination of sound power levels of noise sources using sound pressure — Engineering method in an essentially free field over a reflecting plane (ISO 3744:1994)

EN ISO 3746, Acoustics — Determination of sound power levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane (ISO 3746:1995)

EN ISO 3747, Acoustics — Determination of sound power levels of noise sources using sound pressure — Comparison method for use in situ (ISO 3747:2000)

EN ISO 7731, Ergonomics — Danger signals for public and work areas — Auditory danger signals (ISO 7731:2003)

EN ISO 9614-1, Acoustics — Determination of sound power levels of noise sources using sound intensity — Part 1: Measurement at discrete points (ISO 9614-1:1993)

EN ISO 9614-2, Acoustics — Determination of sound power levels of noise sources using sound intensity — Part 2: Measurement by scanning (ISO 9614-2:1996)

EN ISO 11064-1, Ergonomic design of control centres — Part 1: Principles for the design of control centres (ISO 11064-1:2000)

EN ISO 11202, Acoustics — Noise emitted by machinery and equipment — Measurement of emission sound pressure levels at a work station and at other specified positions — Survey method in situ (ISO 11202:1995)

⚠ EN ISO 11203, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions from the sound power level (ISO 11203:1995) 🔄

EN ISO 11688-1, Acoustics — Recommended practice for the design of low-noise machinery and equipment — Part 1: Planning (ISO/TR 11688-1:1995)

EN ISO 12100-1:2003, Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology (ISO 12100-1:2003)

EN ISO 12100-2:2003, Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles (ISO 12100-2:2003)

EN ISO 13732-1, Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 1: Hot surfaces (ISO 13732-1:2006)

EN ISO 13849-1:2008, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2006) [A]

♠ EN ISO 13850:2006, Safety of machinery — Emergency stop — Principles for design (ISO 13850:2006) ♠

EN ISO 13857, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2008) [4]

A EN ISO 14121-1:2007, Safetye of Smachinery A Risk Passessment → Part 1: Principles (ISO 14121-1:2007) (Standards.iteh.ai)

EN ISO 14122-1, Safety of machinery — Permanent means of access to machinery — Part 1: Choice of fixed means of access between two levels (ISO 14122-1:2001).

EN ISO 14122-2, Safety of machinery — Permanent means of access to machinery — Part 2: Working platforms and walkways (ISO 14122-2:2001)

EN ISO 14122-3, Safety of machinery — Permanent means of access to machinery — Part 3: Stairs, stepladders and guard-rails (ISO 14122-3:2001)

ISO 3795, Road vehicles, and tractors and machinery for agriculture and forestry — Determination of burning behaviour of interior materials

ISO 3864-1, Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs in workplaces and public areas

ISO 7000, Graphical symbols for use on equipment — Index and synopsis

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100-1:2003 and the following apply.

NOTE Definitions used in EN and ISO standards referred to in this European Standard are also valid for this European Standard.

3.1

hydraulically powered open die hot forging press

machine, which is hydraulically powered and which is used for the mechanical forming of hot metals between flat or shaped dies where flow of the metal is not completely restricted

3.2

manufacturer

body responsible for the final installation and commissioning of equipment within the scope of this standard and which issues the declaration of conformity

3.3

foreseeable risk

hazardous event which may occur during installation, commissioning, operation, maintenance and decommissioning (with the manufacturer's instructions) of the equipment

3.4

manipulator

device to supply and handle material for the forging process

3.4.1

rail-bound manipulator

manipulator guided by rails to supply and handle material for the forging process. It is controlled by the control system of the forging press or manually

mobile manipulator

free moving manipulator operated by a driver to supply and handle material for the forging process

This specifically excludes cranes and its manual operated handling equipment, mobile manipulators, fork lift trucks with specific handling equipment, tongs and other similar manual handling devices

iTeh STANDARD PREVIEW

3.5

maintenance

maintenance (standards.iteh.ai) maintenance in this standard includes maintenance, inspection, servicing, repair, lubrication, adjustment and replacement of the equipment in accordance with the manufacturer's instructions

SIST EN 14673:2007+A1:2010

3.6

https://standards.iteh.ai/catalog/standards/sist/f9c50142-af69-47de-9152-

site inspection

44d90b8ab74d/sist-en-14673-2007a1-2010

any inspection carried out in order to gather information relevant to the design and construction of the equipment

3.7

safety layout

description, e. g., by drawings, of plant-related equipment with safety functions which either impedes access or having another plant-related safety function

3.8

pulpit

enclosed room in which the control desk and monitoring facilities for a machine or equipment are located and the whole operating process can be controlled

3.9

trained personnel

persons with the knowledge of systems, background, experience and ability to operate and/or maintain the intended use and proper operation of the equipment

3.10

unauthorised person

person not permitted to enter certain areas or to perform certain actions in the area of the forging press in relation with the operation and/or maintenance equipment, because not having the required specific knowledge and skill, and/or not being properly equipped, in order to avoid the related hazards