INTERNATIONAL STANDARD

ISO 3063

Second edition 2004-11-15

Oil of ylang-ylang [*Cananga odorata* (Lam.) Hook. f. et Thomson forma *genuina*]

Huile essentielle d'ylang-ylang [Cananga odorata (Lam.) Hook. f. et Thomson forma genuina]

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 3063:2004</u> https://standards.iteh.ai/catalog/standards/sist/ce589011-0004-414d-b39a-3f852254190e/iso-3063-2004



Reference number ISO 3063:2004(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 3063:2004</u> https://standards.iteh.ai/catalog/standards/sist/ce589011-0004-414d-b39a-3f852254190e/iso-3063-2004

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Page

Forewo	ord	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4 4.1 4.2 4.3 4.4 4.5	Requirements Appearance Colour Odour Physical and chemical requirements Chromatographic profile	1 1 1 1 1
4.6	Flashpoint	
5 6	Sampling Test methods	
6.1	Relative density at 20 °C d_{20}^{20}	2
6.2 6.3 6.4	Refractive index at 20 °C TANDARD PREVIEW. Optical rotation at 20 °C	2 2 2
6.5 6.6	Ester value Chromatographic profile	2 2
7	Packaging, labelling marking and storage sister 289011-0004-414d-b39a-	2
Annex	A (informative) Typical chromatograms of the analysis by gas chromatography of oil of ylang-ylang [Cananga odorata (Lam.) Hook. f. et Thomson forma genuina]	6
Annex	B (informative) Flashpoint	11
Bibliog	raphy	12

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3063 was prepared by Technical Committee ISO/TC 54, Essential oils.

This second edition cancels and replaces the first edition (ISO 3063:1983), which has been technically revised.

(standards.iteh.ai)

<u>ISO 3063:2004</u> https://standards.iteh.ai/catalog/standards/sist/ce589011-0004-414d-b39a-3f852254190e/iso-3063-2004

Oil of ylang-ylang [Cananga odorata (Lam.) Hook. f. et Thomson forma genuina]

3

1 Scope

This International Standard specifies certain characteristics of the oil of ylang-ylang [Cananga odorata (Lam.) Hook. f. et Thomson forma genuina] from Madagascar, Mayotte and Comores, in order to facilitate assessment of its quality.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 210, Essential oils - General rules for packaging, conditioning and storage

NOTE 2 For information on the CAS number, see ISO 3063:2004 ISO/TR 21092

ISO/TR 211, Essential oils — General rules for Jabelling and marking of containers 31852254190e/iso-306 iso-3063-2004 labelling and marking of containers

ISO 212, Essential oils — Sampling

ISO 279, Essential oils - Determination of relative density at 20 °C — Reference method

ISO 280, Essential oils - Determination of refractive index

ISO 592, Essential oils — Determination of optical rotation

ISO 709, Essential oils - Determination of ester value

ISO 1242, Essential oils — Determination of acid value

ISO 11024-1, Essential oils — General guidance on chromatographic profiles - Part 1: Preparation of chromatographic profiles for presentation in standards

ISO 11024-2, Essential oils — General guidance on chromatographic profiles - Part 2: Utilization of chromatographic profiles of samples of essential oils

terms and definitions apply.

Terms and definitions

3.1 oil of ylang-ylang

essential oil obtained by steam distillation of the fresh flowers of Cananga odorata (Lam.) Hook. f. et Thomson forma genuina, of the Annonaceae family, growing mainly in Madagascar, Mayotte and Comores

For the purposes of this document, the following

NOTE 1 This volatile product is not generally collected as a whole oil, but in five successive fractions during the course of distillation. These five fractions, known respectively as "Extra super", "Extra", "First", "Second" and **standards.it** third are the oils usually found in the trade.

Requirements 4

4.1 Appearance

Liquid.

4.2 Colour

Pale yellow to dark yellow.

4.3 Odour

Characteristic, floral and recalling jasmine.

4.4 Physical and chemical requirements

See Table 1.

4.5 Chromatographic profile

Analysis of the essential oil shall be carried out by gas chromatography. In the chromatogram obtained, the representative and characteristic components shown in Table 2 shall be identified. The proportions

of these components, indicated by the integrator, shall be as shown in Table 2. This constitutes the chromatographic profile of the essential oil.

4.6 Flashpoint

Information on the flashpoint is given in Annex B.

5 Sampling

See ISO 212.

Minimum volume of test sample: 25 ml

NOTE This volume allows each of the tests specified in this International Standard to be carried out at least once.

6 Test methods

6.1 Relative density at 20 °C d_{20}^{20}

See ISO 279.

6.2 Refractive index at 20 °C

See ISO 280.

6.3 Optical rotation at 20 °C

See ISO 592.

6.4 Acid value

See ISO 1242.

6.5 Ester value

See ISO 709.

6.6 Chromatographic profile

See ISO 11024-1 and ISO 11024-2.

7 Packaging, labelling, marking and storage DARD PREVIEW

iTeh STANDARD PREVIEW See ISO/TR 210 and ISO/TR 211. (standards.iteh.ai)

<u>ISO 3063:2004</u> https://standards.iteh.ai/catalog/standards/sist/ce589011-0004-414d-b39a-3f852254190e/iso-3063-2004

	Fractions									
Characteristics	Extra super	Ex	ra First			Second		Third		
	Comores and Mayotte	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	
Relative density at 20 °C d_{20}^{20}										
Min.	0,970	0,955	0,950	0,938	0,933	0,925	0,922	0,906	0,906	
Max.	0,990	0,976	0,965	0,960	0,949	0,945	0,942	0,925	0,925	
Refractive index at 20 °C										
Min.	1,497	1,498	1,493	1,501	1,495	1,502	1,496	1,503	1,502	
Max.	1,505	1,506	1,509	1,509	1,510	1,511	1,511	1,513	1,513	
Optical rotation at 20 °C	iTeh	STA	NDAI	RD P]	REVI	EW				
Min.	– 33°	-40°	42°	s −46° h	- 46°	- 60°	– 58°	– 72°	- 70°	
Max.	– 12,5°	– 20°	– 20°	– 25°	– 24°	– 35°	- 30°	- 45°	– 45°	
1	11 . 1		<u>ISO 306</u>	1 / 1 / 1 / 50	0011 0004	4141100				
Acid value	s://standaro < 2	1s.iteh.avcat < 2 3f85	alog/standar 2.2.54190e/i	as/sist/ce58 so-3063-20	9011-0004 04 < 2 04	< 2	< 2	< 2	< 2	
Ester value										
Min.	160	140	125	100	90	75	65	45	40	
Max.	200	185	160	160	125	115	95	75	70	

	Fractions										
Component	Extra Extra		First		Second		Third				
	Comores and Mayotte	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar		
Prenyl acetate											
Min.	1,5	1,0	0,6	0,3	0,2	0,2	0,1	0,1	traces		
Max.	3,2	2,3	2,2	1,8	1,0	0,9	0,5	0,2	0,2		
<i>p</i> -Cresyl methyl ether											
Min.	7,0	5,0	7,0	3,0	5,0	2,0	1,0	0,1	0,1		
Max.	13,0	13,0	16,0	8,5	10,0	5,0	4,6	1,0	1,4		
Methyl benzoate											
Min.	4,5	4,0	4,5	1,5	3,0	1,0	1,0	0,1	0,1		
Max.	8,0	6,5	9,0	5,5	5,0	3,5	3,0	0,8	0,9		
Linalool											
Min.	8,0	7,0 oh	15,0	3,0	12,0 DT	2,0 //	4,0 /	0,1	0,6		
Max.	13,0	12,0	24,0	10,0	19,0	6,0	9,5	2,0	4,0		
Benzyl acetate			(stan	aara	s.iten.	ai)					
Min.	14,0	11,0	5,5	6.0 306	2804	4,0	0,5	0,5	0,1		
Max.	20,0 htt	0 1:7 :5andarc			13/0i/0/ce589	08,80004-	15,Q1-b39a-	3,0	2,2		
	_0,0 Int	757/ Barriare	3f852		0-3063-200	4		0,0	_,_		
Geraniol											
Min.	0,1	0,1	1,3	0,1	1,6	0,1	0,7	traces	0,2		
Max.	0,7	0,5	3,0	0,3	2,6	0,3	2,4	0,1	0,8		
Geranyl acetate											
Min.	2,0	2,5	7,0	2,0	8,0	1,7	5,6	0,4	1,0		
Max.	6,0	6,0	14,0	5,0	15,0	6,0	12,0	3,0	6,6		
E-Cinnamyl acetate											
Min.	4,0	3,0	0,5	2,2	0,5	2,0	0,4	0,5	0,1		
Max.	6,0	6,5	3,0	5,0	2,0	4,8	2,2	2,5	2,0		
β-Caryophyllene											
Min.	2,0	2,5	2,5	4,0	5,5	4,8	10,0	5,0	12,0		
Max.	6,0	8,0	8,5	10,0	12,0	14,0	17,0	15,0	19,0		
D-Germacrene											
Min.	9,0	14,0	5,0	10,0	9,5	16,0	13,0	20,0	15,0		
Max.	15,0	20,0	15,0	24,0	18,0	28,0	28,0	35,0	34,0		
(<i>E,E</i>)-α-Farnesene											
Min.	2,0	6,5	1,0	7,0	3,0	14,0	5,0	12,0	9,0		
Max.	6,0	15,0	5,0	18,0	8,0	21,0	11,5	29,0	25,0		

Table 2 — Chromatographic profile

	Fractions									
Component	Extra super	Extra		First		Second		Third		
Component	Comores and Mayotte	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	Comores and Mayotte	Mada- gascar	
(<i>E</i> , <i>E</i>)-Farnesol										
Min.	0,8	0,8	0,5	0,8	0,1	0,8	1,2	0,8	1,2	
Max.	1,5	1,6	3,0	2,0	2,5	3,0	3,5	3,0	4,0	
Benzyl benzoate										
Min.	3,0	4,0	3,5	4,2	4,5	4,5	6,0	4,0	4,8	
Max.	6,0	6,0	8,0	9,2	8,0	7,8	10,0	8,0	8,5	
(<i>E,E</i>)- Farnesyl acetate										
Min.	1,0	1,0	0,5	1,0	1,0	1,0	1,2	1,5	1,7	
Max.	3,0	3,0	3,0	4,0	2,0	3,5	3,5	5,0	5,0	
Benzyl salicylate										
Min.	1,5 0	2 ,0 7	1,2 DA	2,0	16 E V	2,0 V	1,8	2,5	2,0	
Max.	3,5	3,8	4,0	4,0	4,0	4,0	4,0	4,8	5,0	

Table 2 (continued)

<u>ISO 3063:2004</u> https://standards.iteh.ai/catalog/standards/sist/ce589011-0004-414d-b39a-3f852254190e/iso-3063-2004