

---

---

**Acceptance tests for Nd:YAG laser beam  
welding machines — Machines with  
optical fibre delivery —**

**Part 1:  
Laser assembly**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

*Essais de réception pour les machines de soudage par faisceau laser  
Nd:YAG — Machines avec transport de faisceau par fibre optique —*

*Partie 1: Ensemble laser*

[ISO 22827-1:2005](https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005)

[https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-  
e88e96f8223c/iso-22827-1-2005](https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005)



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 22827-1:2005](https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005>

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions.....	2
4 Environmental conditions and operating conditions of acceptance tests.....	2
4.1 Installation environment .....	2
4.2 Power supply.....	2
4.3 Cooling system .....	2
4.4 Pumping light source .....	2
4.5 Shielding and assist gas .....	2
4.6 Operating instruction for users .....	2
5 Acceptance test .....	3
5.1 General.....	3
5.2 Check of parts .....	3
5.3 Acceptance tests for laser power and optical system.....	3
5.4 Test for laser beam safety .....	4
5.5 Test of pressures and flow rates of assist and shielding gases .....	5
6 Welding test.....	5
7 Records of test results.....	5
Annex A (informative) Example of a test report form.....	6
Annex B (informative) Optional parameters .....	8
Bibliography .....	9

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22827-1 was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 10, *Unification of requirements in the field of metal welding*.

ISO 22827 consists of the following parts, under the general title *Acceptance tests for Nd:YAG laser beam welding machines — Machines with optical fibre delivery*:

— Part 1: *Laser assembly*

— Part 2: *Moving mechanism*

[ISO 22827-1:2005](https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005>

## Introduction

Requests for official interpretations of any aspect of this part of ISO 22827 should be sent to the Secretariat of ISO/TC 44/SC 10 via the member body in the user's country, a complete listing of which can be found at [www.iso.org](http://www.iso.org).

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 22827-1:2005](https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 22827-1:2005

<https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005>

# Acceptance tests for Nd:YAG laser beam welding machines — Machines with optical fibre delivery —

## Part 1: Laser assembly

### 1 Scope

This part of ISO 22827 specifies basic requirements and test methods for acceptance testing of high-power (average power more than 100 W), lamp-pumped or laser-diode-pumped Nd:YAG laser beam welding machines for seam welding with optical fibre delivery systems.

The requirements can also be applied as a part of verification testing as part of maintenance, as appropriate.

If modifications are made to a laser beam machine (rebuilding, repairs, modifications to the operating conditions, etc.) that have an effect on the acceptance testing, a repeat test may be necessary to cover the machine parameters affected by such modifications.

This part of ISO 22827 applies to the beam generating system, the optical delivery system and the devices for shielding and assist gases.

NOTE The moving mechanism is covered by ISO 22827-2.

This part of ISO 22827 can be applied as a part of the acceptance conditions for the delivery of the optic laser beam welding cell.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11553-1, *Safety of machinery — Laser processing machines — Part 1: General safety requirements*

ISO 11554, *Optics and photonics — Lasers and laser-related equipment — Test methods for laser beam power, energy and temporal characteristics*

ISO 15614-11, *Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 11: Electron and laser beam welding*

ISO 17662, *Welding — Calibration, verification and validation of equipment used for welding, including ancillary activities*

ISO 22827-2, *Acceptance tests for Nd:YAG laser beam welding machines — Machines with optical fibre delivery — Part 2: Moving mechanism*

IEC 60204-1, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 60825-1, *Safety of laser products — Part 1: Equipment classification, requirements and user's guide*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

**3.1 laser assembly**  
laser device together with specific, normally optical, mechanical and/or electrical components for beam handling and forming

[ISO 11145:2001, 3.27]

### 4 Environmental conditions and operating conditions of acceptance tests

#### 4.1 Installation environment

Laser beam welding machines shall be installed in welding cells, which also include moving mechanisms for the welding head and/or the component to be welded.

The laser beam machine shall be erected and installed in such a way that the processing operation is not disturbed by environmental factors, e.g. vibrations, large temperature variations, contaminated atmosphere. The conditions specified by the laser system manufacturer shall be fulfilled during erection and installation.

#### 4.2 Power supply

The electricity supply shall be sufficient to power the laser beam welding machine and cooling system. Voltage fluctuations shall be within  $\pm 10\%$  of the voltage specified by the laser beam welding machine manufacturer.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[ISO 22827-1:2005](https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005)

#### 4.3 Cooling system

<https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005>

The temperature, flow rate, water pressure and quality of water used in the cooling system shall be in accordance with the requirements of the laser beam welding machine manufacturer.

When industrial water or ground water is used for cooling, installation of a particle filter or other system may be necessary to prevent impurities from entering the cooling system and to obtain the required water quality.

Low-quality cooling water may result in contamination of the inner surfaces of hoses, pipes and heat exchangers, which can reduce water flow rates and diminish the efficiency of heat exchangers. This can result in overheating and failure of the laser beam machine.

#### 4.4 Pumping light source

Replacement of the pumping light sources (lamps or laser diodes) is a major maintenance operation which can necessitate renewed testing of beam power, in particular if the replacement light sources do not comply with the original specification.

#### 4.5 Shielding and assist gas

If a shielding gas or assist gas is used, they shall be in accordance with the relevant welding procedure specification and of the required quality.

#### 4.6 Operating instruction for users

Technical information necessary for operation, maintenance and control of the Nd:YAG laser beam welding machines, and at least the minimum information related to the safety of laser processing machines, shall be provided by the supplier.



## 5 Acceptance test

### 5.1 General

Acceptance testing of laser machines shall include at least the tests as specified in 5.2 to 5.5 and a test of accuracy of the moving mechanism (see ISO 22827-2).

### 5.2 Check of parts

It shall be checked that all specified parts of the equipment are available and properly installed.

### 5.3 Acceptance tests for laser power and optical system

#### 5.3.1 Testing of laser power

##### 5.3.1.1 Laser power

The laser power shall be measured in accordance with ISO 11554.

##### 5.3.1.2 Testing of stability of laser power

The stability of the laser power is classified as follows:

A: Very high stability

B: High stability

C: Ordinary stability

D: Low stability

**STANDARD PREVIEW**  
(standards.iteh.ai)  
<https://standards.iteh.ai/catalog/standards/sist/1469891b-04cc-49e4-8bfc-e88e96f8223c/iso-22827-1-2005>

The laser power stability shall be measured in accordance with ISO 11554. However, the stability shall only be measured only after a warm-up period of at least 30 min and during a time interval of 20 min at maximum and minimum power, respectively in accordance with Table 1.

**Table 1 — Range of stability of laser power**

Item	Acceptance criteria for class			
	A	B	C	D
Stability at the maximum rated power	± 1,5 %	± 2,5 %	± 5,0 %	± 10 %
Stability at the minimum rated power	± 1,5 %	± 2,5 %	± 5,0 %	± 10 %

Measurement of the stability of the laser power shall be made at the laser beam output port of the laser device. However, when measurement at the laser beam output port of the laser device is not possible, measurements may be taken on the processing surface after optical fibre beam delivery.

#### 5.3.2 Acceptance criteria for optical system

The beam power shall be measured before and after the optical system at maximum beam power. The optical system includes the fibre and also the final processing optics, if specified. The power loss of the optical system shall be within the value specified.

However, if measurement of the beam power before the optical system is not possible, measurement of power loss can be omitted.