TECHNICAL REPORT



First edition 2003-12-01

Information technology — Programming languages, their environments and system software interfaces — Object finalization for programming language COBOL

iTeh ST Technologies de l'information — Langages de programmation, leurs environnements et interfaces logiciel système — Finalisation d'objet S pour le langage de programmation COBOL

ISO/IEC TR 19755:2003 https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51c0e2767b06ee/iso-iec-tr-19755-2003



Reference number ISO/IEC TR 19755:2003(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC TR 19755:2003 https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51c0e2767b06ee/iso-iec-tr-19755-2003

© ISO/IEC 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forewo	ord	. iv
Introdu	ction	v
1	Scope	1
2	Normative references	1
3	Conformance to this Technical Report	1
4	Terms and definitions	1
5	Description techniques	1
6 6.1 6.2 6.3 6.4 6.5 6.6 6.7	Changes to ISO/IEC 1989:2002 Changes to 7, Compiler directing facility Changes to 8, Language fundamentals Changes to 9, I-O, objects, and user-defined functions Changes to 10, Structured compilation group Changes to 11, Identification division Changes to 14, Procedure division Changes to 16, Standard classes, D. A.R.D. P.R.E.V. I.E.W.	2 2 4 4 5
Annex	A (normative) Language element lists	8
Annex	A (normative) Language element lists	9
Annex	C (informative) Concepts <u>ISO/TEC TR 19755-2003</u> raphy	10

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

In exceptional circumstances, the joint technical committee may propose the publication of a Technical Report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
 iTeh STANDARD PREVIEW
- type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard;
- type 3, when the joint technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example).^{8024-4173-8e51-} c0e2767b06ee/iso-iec-tr-19755-2003

Technical Reports of types 1 and 2 are subject to review within three years of publication, to decide whether they can be transformed into International Standards. Technical Reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TR 19755:2003, which is a Technical Report of type 2, was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*, in collaboration with INCITS Technical Committee J4, *Programming language COBOL*.

This document is being issued in the Technical Report (type 2) series of publications (according to the Procedures for the technical work of ISO/IEC JTC 1) as a "prospective standard for provisional application" in the field of object finalization in COBOL because there is an urgent need for guidance on how standards in this field should be used to meet an identified need.

This document is not to be regarded as an "International Standard". It is proposed for provisional application so that information and experience of its use in practice may be gathered. Comments on the content of this document should be sent to the ISO Central Secretariat.

A review of this Technical Report (type 2) will be carried out not later than three years after its publication with the options of: extension for another three years; conversion into an International Standard; or withdrawal.

Introduction

This Technical Report specifies a feature for finalizing objects in COBOL. The feature is considered to be immature and not ready for standardization. The decision was made to publish the specification in a Type 2 Technical Report so that implementations can be undertaken on an experimental basis. The experience gained is expected to result in an improved specification that can progress to standardization.

In order to provide as much stability as possible to implementors and users, ISO/IEC JTC 1 Subcommittee 22 intends that the syntax and semantics be changed for purposes of standardization only as necessary to address issues arising in implementation or use of the feature for finalizing objects.

The purpose of object finalization is to free resources that will not otherwise be freed by the normal garbage collection process. Examples include files that are open, temporary work files, database connections, TCP/IP socket interfaces, and network connections.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC TR 19755:2003 https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51c0e2767b06ee/iso-iec-tr-19755-2003

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC TR 19755:2003 https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51c0e2767b06ee/iso-iec-tr-19755-2003

Information technology — Programming languages, their environments and system software interfaces — Object finalization for programming language COBOL

1 Scope

This Technical Report specifies the syntax and semantics for object finalization in COBOL. The purpose of this Technical Report is to promote a high degree of portability in implementations of object finalization, even though some elements are subject to trial before completion of a final design suitable for standardization.

This specification builds on the syntax and semantics defined in ISO/IEC 1989:2002.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies results.

ISO/IEC 1989:2002, Information technology — Programming languages — COBOL

<u>ISO/IEC TR 19755:2003</u>

https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51-

3 Conformance to this Technical Report tr-19755-2003

Conformance to this Technical Report requires conformance to ISO/IEC 1989:2002 as specified in Clause 3, Conformance to this International Standard, and the normative specifications of this Technical Report.

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

auto-method

A special kind of method that is invoked only by the runtime system. An auto-method has the characteristics of a method with certain specified exceptions.

4.2

finalizer

A kind of auto-method that is invoked by the runtime system before the resources of an instance object are reclaimed by garbage collection.

5 Description techniques

Description techniques and language fundamentals are the same as those described in ISO/IEC 1989:2002.

6 Changes to ISO/IEC 1989:2002

These changes refer to Clause and rule numbers in ISO/IEC 1989:2002.

6.1 Changes to 7, Compiler directing facility

[a] Add the following sentence to the end of general rule 1) of 7.2.17.3, General rules:

Automatic propagation of exception conditions from a finalizer is always disabled.

6.2 Changes to 8, Language fundamentals

[a] Add a new reserved word to 8.9, Reserved words:

AUTO-METHOD

[b] Add a new context-sensitive word to 8.10, Context-sensitive words:

FINALIZER AUTO-METHOD paragraph

6.3 Changes to 9, I-O, objects, and user-defined functions

[a] Replace 9.3.14.1, Life cycle for factory objects, which says:

"A factory object is created before it is first referenced by a run unit. EVIEW

A factory object is destroyed after it is last referenced by a run unit 21

with

ISO/IEC TR 19755:2003

"A factory object is created before it is first referenced by a run unit. The state of a created factory object is reachable.

A factory object is destroyed after it has been placed in unreachable state."

[b] Replace 9.3.14.2, Life cycle for instance objects, which says:

"An instance object is created as the result of the NEW method being invoked on a factory object.

An instance object is destroyed either when it is determined that the object cannot take part in the continued execution of the run unit, or when the run unit terminates, whichever occurs first.

The timing of and algorithm for the mechanism that determines whether or not an instance object can take part in the continued execution of the run unit is implementor defined.

NOTE The process of determining whether or not an instance object can take part in continued execution and reclaiming resources unique to the object is generally referred to as garbage collection."

with

"An instance object is created as the result of the NEW method being invoked on a factory object. The object returned is in reachable state. An object created in the range of finalization immediately transitions to finalizable state.

An instance object is destroyed after it has been placed in unreachable state. The resources allocated for the object may be reclaimed when it is destroyed.

The timing of and algorithm for the reclamation of resources are implementor defined.

NOTE The process of reclaiming resources unique to the object is generally referred to as garbage collection."

[c] Insert 9.3.14.3, Object finalization, and 9.3.14.4, State transitions of objects, after 9.3.14.2, Life cycle for instance objects:

9.3.14.3 Object finalization

An auto-method, finalizer, of an object is invoked by the runtime system before the object is destroyed and the resources of an instance object are reclaimed. The execution of finalizers on an object is called finalization of the object. The range of execution of finalization includes all statements executed from the invocation of a finalizer auto-method until its termination.

NOTE This may include the execution of statements in runtime elements outside the finalizer auto-method.

If more than one finalizer is defined in a class inheritance hierarchy of an object, each finalizer shall be invoked after all finalizers that are defined in subclasses within that hierarchy have been invoked. There may be more than one possible order of invocation. The order in which the finalizers are invoked is undefined, except that no finalizer of a given class is invoked until finalizers of all its subclasses have completed. Each finalizer associated with an object shall be invoked at most once for that object. During execution of a finalizer, no other finalizers shall be invoked.

The finalization of an object is completed when control is returned to the runtime system after all associated finalizers have been executed on the object. During finalization of an object, no other objects shall be under finalization. The order of finalization among the objects is undefined.

During execution of the run unit, the timing of finalizer invocation is undefined.

NOTE Finalizer invocations may cause side effects within the COBOL run unit.

9.3.14.4 State transitions of objects and ards.iteh.ai)

The object life cycle consists of four states: reachable, finalizable, finalizable, and unreachable. The state transitions occur in the following order: <u>ISU/IEC IK 197552005</u> https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51-

c0e2767b06ee/iso-iec-tr-19755-2003

1) Reachable

> An object is reachable when it has been created in the reachable state and has not yet been determined as finalizable. Reachable objects may be referenced during the finalization of finalizable objects.

2) Finalizable

An object is finalizable when it is determined that it can no longer participate in the continued execution of the run unit outside of finalization. The timing of and algorithm for recognizing finalizable objects is implementor-defined and may be affected by invoking the InvokeFinalizers method defined in the standard class BASE. If no finalizer is associated with an object in this state, the state of the object transitions to the finalized state. If one or more finalizers are associated with an object in this state, the finalizers are invoked by the runtime system on the object. Finalizable objects may be referenced during the finalization of other finalizable objects.

3) Finalized

All finalizers associated with the object have been invoked and completed. One or more finalizable objects reference this object directly or indirectly through one or more finalized objects. Finalized objects may be referenced during the finalization of finalizable objects.

4) Unreachable

The object has been finalized and no other finalizable object references this object directly or indirectly. This state indicates that the object may be destroyed and its resources reclaimed by garbage collection. The implementor shall define the time at which an object in unreachable state is destroyed.

NOTE An object reference to a finalizable object or a finalized object is not allowed to be implicitly or explicitly assigned to a data item defined in a runtime element that is not part of finalization. Therefore, neither finalizable objects nor finalized objects can become reachable again.

The state transitions that occur at the time a run unit is terminating are described in 14.5.10, Run unit termination, and 14.5.11, Abnormal run unit termination.

6.4 Changes to 10, Structured compilation group

[a] Add a new auto-method format to 10.5.1, General format:

where auto-method-definition is:

[IDENTIFICATION DIVISION.] AUTO-METHOD. FINALIZER. [options-paragraph] [environment-division] [data-division] [procedure-division] END AUTO-METHOD.

[b] Add the new end marker END AUTO-METHOD to the end markers specified in 10.6.1, End markers, General format.

6.5 Changes to 11, Identification division DARD PREVIEW

- [a] Add the new auto-method-paragraph to 11.1.1, General format.
- [b] Add the following auto-method-paragraph specification to 11, Identification division: <u>ISO/IEC TR 19755:2003</u>

11.6a AUTO-METHOD paragraph ls.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51-

c0e2767b06ee/iso-iec-tr-19755-2003

The AUTO-METHOD paragraph indicates that this identification division is introducing an auto-method definition.

11.6a.1 General format

Format 1 (finalizer):

AUTO-METHOD. FINALIZER.

11.6a.2 Syntax rules

- 1) The finalizer auto-method may be specified only in the object definition of a class definition.
- 2) The finalizer auto-method may be specified only once in a class definition.

11.6a.3 General rules

- 1) An auto-method has the characteristics of a method with the following exceptions:
 - [a] An auto-method may be invoked only by the runtime system.
 - [b] An auto-method definition is not included in the interface of the object.
 - [c] An auto-method definition is not inherited from a superclass.
 - NOTE More than one auto-method definition may be specified in a class inheritance hierarchy.

- 2) The FINALIZER clause specifies that this auto-method definition is a finalizer.
- 3) A finalizer for an object shall be invoked as described in 9.3.14.3, Object finalization, and in 9.3.14.4, State transitions of objects.

6.6 Changes to 14, Procedure division

- [a] Add a new syntax rule to 14.1.2, Syntax rules, under FORMATS 1 AND 2:
 - 1a) The USING, RETURNING, and RAISING phrases shall not be specified in an auto-method definition.
- [b] Change the 7th paragraph under 14.5.3, Explicit and implicit transfers of control, in part to read:

"... the execution of an EXIT AUTO-METHOD, EXIT FUNCTION, ..."

- [c] Replace item 4) under 14.5.10, Normal run unit termination, which says:
 - "4) All instance objects are destroyed.
 - NOTE Any open files in an object are closed before the object is deleted."

with

- "4) All reachable instance objects are placed into finalizable state and all instance objects are finalized and become unreachable. Then all factory objects become unreachable. If the finalization in this rule causes abnormal termination of the run unit, the rules for abnormal run unit termination apply.
- 4a) All objects are destroyed and the resources allocated for objects is reclaimed.
 - NOTE Any open files in an object are closed before the object is deleted."
 - https://standards.iteh.ai/catalog/standards/sist/aeec5101-8024-4173-8e51-
- [d] Replace 14.5.11, Abnormal run unit termination, which says:03

"When abnormal run unit termination occurs, the runtime system attempts to perform the operations of normal termination as specified in 14.5.10, Normal run unit termination. The circumstances of abnormal termination may be such that execution of some or all of these operations is not possible. The runtime system performs all operations that are possible.

The operating system shall indicate an abnormal termination of the run unit if such a capability exists within the operating system."

with

"When abnormal run unit termination occurs, all objects are placed in the unreachable state and finalizers are not invoked. The runtime system then attempts to perform the operations of normal termination as specified in 14.5.10, Normal run unit termination. The circumstances of abnormal termination may be such that execution of some or all of these operations is not possible. The runtime system performs all operations that are possible.

The operating system shall indicate an abnormal termination of the run unit if such a capability exists within the operating system."

- [e] Add EXIT AUTO-METHOD to the list of items that result in normal completion of a declarative procedure in 14.5.12.1.1, Normal completion of a declarative procedure, item 1.
- [f] Add the following new exception to Table 14, Exception-names and exception conditions, under 14.5.12.1.5, Exception-names and exception conditions: