



**SLOVENSKI STANDARD**  
**kSIST FprEN ISO 23611-4:2011**  
**01-april-2011**

---

**[Not translated]**

Soil quality - Sampling of soil invertebrates - Part 4: Sampling, extraction and identification of soil-inhabiting nematodes (ISO 23611-4:2007)

Bodenbeschaffenheit - Probenahme von Wirbellosen im Boden - Teil 4: Probenahme, Extraktion und Bestimmung von Boden bewohnenden Nematoden (ISO 23611-4:2007)

Qualité du sol - Prélèvement des invertébrés du sol - Partie 4: Prélèvement, extraction et identification des nématodes du sol (ISO 23611-4:2007)

**Ta slovenski standard je istoveten z: FprEN ISO 23611-4**

SIST EN ISO 23611-4:2012

<https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-en-iso-23611-4-2012>

**ICS:**

13.080.30      Biološke lastnosti tal      Biological properties of soils

**kSIST FprEN ISO 23611-4:2011**      **en,fr,de**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**FINAL DRAFT**  
**FprEN ISO 23611-4**

December 2010

ICS 13.080.30; 13.080.05

English Version

**Soil quality - Sampling of soil invertebrates - Part 4: Sampling,  
extraction and identification of soil-inhabiting nematodes (ISO  
23611-4:2007)**

Qualité du sol - Prélèvement des invertébrés du sol - Partie  
4: Prélèvement, extraction et identification des nématodes  
du sol (ISO 23611-4:2007)

Bodenbeschaffenheit - Probenahme von Wirbellosen im  
Boden - Teil 4: Probenahme, Extraktion und Bestimmung  
von Boden bewohnenden Nematoden (ISO 23611-4:2007)

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 345.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
Foreword.....	<b>3</b>

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[SIST EN ISO 23611-4:2012](https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-en-iso-23611-4-2012)

<https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-en-iso-23611-4-2012>

## Foreword

The text of ISO 23611-4:2007 has been prepared by Technical Committee ISO/TC 190 “Soil quality” of the International Organization for Standardization (ISO) and has been taken over as FprEN ISO 23611-4:2010 by Technical Committee CEN/TC 345 “Characterization of soils” the secretariat of which is held by NEN.

This document is currently submitted to the Unique Acceptance Procedure.

### Endorsement notice

The text of ISO 23611-4:2007 has been approved by CEN as a FprEN ISO 23611-4:2010 without any modification.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[SIST EN ISO 23611-4:2012](https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-en-iso-23611-4-2012)

<https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-en-iso-23611-4-2012>



INTERNATIONAL  
STANDARD

ISO  
23611-4

First edition  
2007-11-15

---

---

**Soil quality — Sampling of soil  
invertebrates —**

Part 4:

**Sampling, extraction and identification of  
soil-inhabiting nematodes**

*Qualité du sol — Prélèvement des invertébrés du sol —*

*Partie 4: Prélèvement, extraction et identification des nématodes du sol*

*iteh Standards*  
(<https://standards.iteh.ai>)  
Document Preview

SIST EN ISO 23611-4:2012

<https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-cn-iso-23611-4-2012>



Reference number  
ISO 23611-4:2007(E)

© ISO 2007

**ISO 23611-4:2007(E)****PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

# iTeh Standards (<https://standards.iteh.ai>) Document Preview

[SIST EN ISO 23611-4:2012](https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-cn-iso-23611-4-2012)

<https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-cn-iso-23611-4-2012>

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland



## Contents

Page

Foreword.....	iv
Introduction .....	v
1 Scope .....	1
2 Terms and definitions.....	1
3 Principle.....	2
4 Reagents .....	3
5 Apparatus .....	3
5.1 Sampling.....	4
5.2 Extraction .....	4
5.3 Counting .....	4
5.4 Fixation and preparation of mass slides .....	5
5.5 Identification.....	5
6 Procedure .....	5
6.1 General.....	5
6.2 Sampling.....	5
6.3 Extraction .....	6
6.4 Counting .....	7
6.5 Fixation and preparation of mass slides .....	7
6.6 Identification.....	8
7 Data assessment.....	8
8 Study report.....	9
Annex A (informative) Figures of equipment and methods for nematological research.....	10
Annex B (informative) Information about the availability of the Oostenbrink elutriator.....	13
Annex C (informative) Information about the Baermann funnel/tray extraction method .....	15
Bibliography .....	17

**ISO 23611-4:2007(E)****Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 23611-4 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological methods*.

ISO 23611 consists of the following parts, under the general title *Soil quality — Sampling of soil invertebrates*:

- *Part 1: Hand-sorting and formalin extraction of earthworms*
- *Part 2: Sampling and extraction of micro-arthropods (Collembola and Acarina)*
- *Part 3: Sampling and soil extraction of enchytraeids*
- *Part 4: Sampling, extraction and identification of soil-inhabiting nematodes*

[SIST EN ISO 23611-4:2012](https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-cn-iso-23611-4-2012)

<https://standards.iteh.ai/catalog/standards/sist/2a1589bc-bb18-4daa-8cbd-5d9bda29a6af/sist-cn-iso-23611-4-2012>

## Introduction

This part of ISO 23611 has been drawn up since there is a growing need for the standardization of terrestrial zoological field methods. Such methods, mainly covering the sampling, extraction and handling of soil invertebrates, are necessary for the following purposes:

- biological classification of soils including soil quality assessment [15],[17],[28];
- terrestrial bio-indication and long-term monitoring [9],[10],[13],[24];
- evaluation of the effects of chemicals on soil animals (ISO 11268-3).

Data for these purposes are gained by standardized methods since they can form the basis for far-reaching decisions (e.g. whether a given site should be remediated or not). In fact, the lack of such standardized methods is one of the most important reasons why bio-classification and bio-assessment in terrestrial (i.e. soil) habitats has so far been relatively rarely used in comparison to aquatic sites.

Nematodes are an important and major part of the soil fauna. Some authors estimate that this group is probably the most dominant one of the multicellular organisms (Metazoa) on earth. Nematodes occur from the Antarctic to the tropics and from deep sea sediments to mountain regions. They are active in every place with sufficient water and organic material. The species diversity and functional variety are impressive. Nematodes are commonly known as parasites of animals and plants, but the major part of the nematode fauna participates in decomposition processes by feeding on bacteria and fungi.

Nematodes occur in high numbers [(5 000 to 100 000)/kg fresh soil] and with a high (20 to 100) species diversity in almost every soil sample. Moreover, there is a broad ecological spectrum of feeding types and food web relations among the nematodes such as bacterivores, fungivores, herbivores, predators and omnivores [27],[28]. These factors make the group highly suitable as indicators for ecological soil quality, but standardization of methods is urgently needed for comparison and combination of results.

In the past 100 years, nematology has developed strongly from the viewpoint of agriculture, advisory sampling and phytosanitary regulations because some terrestrial nematodes cause a lot of damage in crops. With respect to methods, there are several "schools" in different parts of the world with their own history, practical advantages and disadvantages. A comprehensive overview is given by Oostenbrink [14] and Southey [22],[23]. The more recently described methods (or variants) are often developed with special interest to certain plant-parasitic species.

Since Bongers [4] introduced the Maturity Index, the use of nematodes in bio-indication for soil quality has increased rapidly. Nematodes are now used for ecological soil research and monitoring in several countries all over the world. Monitoring activities make special demands on methodology, for instance, that a large number of soil samples is processed on a routine basis against reasonable costs. Some of the methods originally developed for advisory sampling in agriculture are very suitable for ecological research. They form the basis for specific variants described in this document.