

SLOVENSKI STANDARD SIST ETS 300 504 E2:2003

01-december-2003

9 j fcdg_]'X][]HU'b]'WY'] b]'HY'Y_ca i b]_UW]'g_]'g]ghYa 'fZUnU'&L'Ë'H]d]'a cV]`b]\ 'dcgHU^fA GL'fI, GA '\$&'\$* L

European digital cellular telecommunications system (Phase 2); Types of Mobile Stations (MS) (GSM 02.06)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten SIST ETS 300 504 Edition 2

f7b7b6c2af78/sist-ets-300-504-e2-2003

ICS:

33.070.50 Globalni sistem za mobilno Global System for Mobile

telekomunikacijo (GSM) Communication (GSM)

SIST ETS 300 504 E2:2003 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 504 E2:2003



EUROPEAN TELECOMMUNICATION

ETS 300 504

September 1995

Second Edition

Source: ETSI TC-SMG Reference: RE/SMG-010206P

ICS: 33.060.50

Key words: European digital cellular telecommunications system, Global System for Mobile communications

(GSM)

iTeh STANDARD PREVIEW
European digital cellular telecommunications system (Phase 2);

Types of Mobile Stations (MS)

https://standards.iteh.ai/catalog(GSMsi02x06)5826-4ee0-accb-

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - Internet: secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Page 2

ETS 300 504: September 1995 (GSM 02.06 version 4.3.0)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ETS 300 504 E2:2003</u> https://standards.iteh.ai/catalog/standards/sist/5f386d63-5826-4ee0-accb-f7b7b6c2af78/sist-ets-300-504-e2-2003

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

ETS 300 504: September 1995 (GSM 02.06 version 4.3.0)

Contents

Foreword				
1	Introduction			
	1.1	Scope	7	
	1.2	Normative references	7	
	1.3	Definitions and abbreviations	7	
2	General		7	
3	Mobile Station attributes			
	3.1	MS service access configuration	7	
	3.2	MS access capability	8	
		3.2.1 Frequency Bands	8	
		3.2.2 Full Rate/Half Rate Services	8	
	3.3	Definition of a hand-held MS	8	
	3.4	Definition of a vehicular mounted MS	8	
4	Mobile station output and power control			
5	Configuration possibilities			
Hioto	m.,	Tob CTANDADD DDEVIEW	4.0	
HistoryiTeh STANDARD PREVIEW10				
(standards.iteh.ai)				
(Standards.itcm.ar)				

SIST ETS 300 504 E2:2003

Page 4

ETS 300 504: September 1995 (GSM 02.06 version 4.3.0)

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 504 E2:2003

ETS 300 504: September 1995 (GSM 02.06 version 4.3.0)

Foreword

This European Telecommunication Standard (ETS) has been produced by the Special Mobile Group (SMG) Technical Committee (TC) of the European Telecommunications Standards Institute (ETSI).

This ETS defines typical attributes of different types of Mobile Stations (MS) used with GSM and DCS1800 PLMNs within the European digital cellular telecommunications system (Phase 2). This ETS corresponds to GSM technical specification GSM 02.06 version 4.3.0.

The specification from which this ETS has been derived was originally based on CEPT documentation, hence the presentation of this ETS may not be entirely in accordance with the ETSI/PNE rules.

Reference is made within this ETS to GSM-TSs (NOTE).

NOTE:

TC-SMG has produced documents which give the technical specifications for the implementation of the European digital cellular telecommunications system. Historically, these documents have been identified as GSM Technical Specifications (GSM-TSs). These TSs may have subsequently become I-ETSs (Phase 1), or ETSs (Phase 2), whilst others may become ETSI Technical Reports (ETRs). GSM-TSs are, for editorial reasons, still referred to in GSM ETSs.

Transposition dates

Date of adoption of this ETS:

30 September 1995

Date of latest announcement of this ETS (doa): PREVIEW December 1995

Date of latest publication of new National Standard or endorsement of this ETS (dop/e).

30 June 1996

Date of withdrawal of any conflicting National Standard (dow):

30 June 1996

Page 6

ETS 300 504: September 1995 (GSM 02.06 version 4.3.0)

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 504 E2:2003

1 Introduction

1.1 Scope

The purpose of this ETS is to describe typical attributes of different types of Mobile Stations (MS) to be used on GSM and DCS 1800 PLMNs.

Manufacturers and customers may choose any appropriate combination of these attributes in order to fulfil their need while utilizing the services offered through a GSM or a DCS 1800 PLMN. This is not an exhaustive list of attributes or types of Mobile Station. Type approval of Mobile Stations is addressed in GSM 11.10.

1.2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

[1]	GSM 01.04 (ETR 100): "European digital cellular telecommunication system (Phase 2); Abbreviations and acronyms".
[2]	GSM 04.03 (ETS 300 552): "European digital cellular telecommunication system (Phase 2); Mobile Station - Base Station System (MS-BSS) interface Channel structures and access capabilities".
[3]	GSM 04.08 (ETS 300 557): "European digital cellular telecommunication system (Phase 2); Mobile radio interface layer 3 specification".
[4]	(standards.iteh.ai) GSM 05.05 (ETS 300 577): "European digital cellular telecommunication system (Phase 2); Radio transmission and reception".
[5]	https://stands.ich.co.f. (ETS 300 607); "European digital cellular telecommunication system (Phase 2); Mobile Station (MS) conformity specification".

1.3 Definitions and abbreviations

Abbreviations used in this document are listed in GSM 01.04.

2 General

The term Mobile Station is taken to mean equipment necessary to access GSM PLMN telecommunication services. It includes the mobile termination and also may include Terminal Equipments and Terminal Adaptors. Some of the characteristics of the configuration in use at any time will be reflected in the Mobile Station Class Mark (see GSM 04.08). A Mobile Station is characterised by a set of attributes defined in Section 3.

3 Mobile Station attributes

The list of Mobile Station attributes is as follows:

- MS service access configuration;
- MS access capability;
- Modes of Use.

3.1 MS service access configuration

Service access configuration must suit the requirements of the customer and will depend on the combination of tele-, bearer and supplementary services to be used. The actual configuration will depend on the manufactuers' implementation and may comprise a single unit or a mobile termination unit with additional Terminal Equipment and/or Terminal Adaptors.