TECHNICAL SPECIFICATION



First edition 2002-10-15

Health informatics — Public key infrastructure —

Part 2: Certificate profile

iTeh Shformatique de santé — Infrastructure de clé publique — Partie 2: Profil de certificat (standards.iteh.ai)

ISO/TS 17090-2:2002 https://standards.iteh.ai/catalog/standards/sist/46b6bf2e-93ab-4216-a51cbcfea8f10975/iso-ts-17090-2-2002



Reference number ISO/TS 17090-2:2002(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 17090-2:2002 https://standards.iteh.ai/catalog/standards/sist/46b6bf2e-93ab-4216-a51cbcfea8f10975/iso-ts-17090-2-2002

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.ch Web www.iso.ch Printed in Switzerland

Contents

Forew	vord	iv
Introd	duction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviations	2
5 5.1 5.2 5.3 5.4	Healthcare CPs Certificate types required for healthcare CA certificates Cross/Bridge certificates End entity certificates	
6 6.1 6.2 6.3 6.4	General certificate requirements Certificate compliance Common fields for each certificate type Specifications for common fields A. N. D. A. R. D. P. R. E. V. L. E. V. Requirements for each healthcare certificate type	
7 7.1 7.2 7.3 7.4 7.5	Use of certificate extensions (standards.iteh.ai) Introduction General extensions Special subject directory attributes and grand add start 46666 De-93ab-4216-451c- Qualified certificate statements extension (so-ts-17090-2-2002) Requirements for each health industry certificate type	
Anne	x A (informative) Certificate profile examples	18
Biblio	ography	25

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote h STANDARD PREVIEW
- an ISO Technical Specification (ISO/T\$) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

ISO/TS 17090-2:2002

An ISO/PAS or ISO/TS is reviewed after three years with a view to deciding whether it should be confirmed for a further three years, revised to become an International Standard, or withdrawn. In the case of a confirmed ISO/PAS or ISO/TS, it is reviewed again after six years at which time it has to be either transposed into an International Standard or withdrawn.

Attention is drawn to the possibility that some of the elements of this part of ISO/TS 17090 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 17090-2 was prepared by Technical Committee ISO/TC 215, Health informatics.

ISO/TS 17090 consists of the following parts, under the general title Health informatics — Public key infrastructure:

- Part 1: Framework and overview
- Part 2: Certificate profile
- Part 3: Policy management of certification authority

Annex A of this part of ISO/TS 17090 is for information only.

Introduction

The healthcare industry is faced with the challenge of reducing costs by moving from paper-based processes to automated electronic processes. New models of healthcare delivery are emphasizing the need for patient information to be shared among a growing number of specialist healthcare providers and across traditional organizational boundaries.

Healthcare information concerning individual citizens is commonly interchanged by means of electronic mail, remote database access, electronic data interchange and other applications. The Internet provides a highly costeffective and accessible means of interchanging information, but is also an insecure vehicle that demands additional measures be taken to maintain the privacy and confidentiality of information. Threats to the security of health information through unauthorized access (either inadvertent or deliberate) are increasing. It is essential to have available to the healthcare system reliable information security services that minimize the risk of unauthorized access.

How does the healthcare industry provide appropriate protection for the data conveyed across the Internet in a practical, cost-effective way? Public key infrastructure (PKI) technology seeks to address this challenge.

PKI is a blend of technology, policy and administrative processes that enable the exchange of sensitive data in an unsecured environment by the use of "public key cryptography" to protect information in transit and "certificates" to confirm the identity of a person or entity. In healthcare environments, PKI uses authentication, encipherment and digital signatures to facilitate confidential access to, and movement of, individual health records to meet both clinical and administrative needs. The services offered by a PKI (including encipherment, information integrity and digital signatures) are able to address many of these security issues. This is especially the case if PKI is used in conjunction with an accredited information security standard. Many individual organizations around the world have started to apply PKI for this purpose.

https://standards.iteh.ai/catalog/standards/sist/46b6bf2e-93ab-4216-a51c-

Interoperability of PKI technology and supporting policies, procedures and practices is of fundamental importance if information is to be exchanged between organizations and between jurisdictions in support of healthcare applications (for example between a hospital and a community physician working with the same patient).

Achieving interoperability between different PKI schemes requires the establishment of a framework of trust, under which parties responsible for protecting an individual's information rights may rely on the policies and practices and, by extension, the validity of digital certificates issued by other established authorities.

Many countries are adopting PKIs to support secure communications within their national boundaries. Inconsistencies will arise in policies and procedures between the certification authorities (CAs) and registration authorities (RAs) of different countries if PKI standards development activity is restricted to within national boundaries.

PKI technology is still rapidly evolving in certain aspects that are not specific to healthcare. Important standardization efforts and, in some cases, supporting legislation are ongoing. On the other hand, healthcare providers in many countries are already using or planning to use PKI. This Technical Specification seeks to address the need for guidance of these rapid international developments.

This three-part document is being issued in the Technical Specification series of publications (according to the ISO/IEC Directives, Part 1, 3.1.1.1) as a prospective standard for the use of PKI in the field of healthcare because there is an urgent need for guidance on how standards in this field should be used to meet an identified need. This document is not to be regarded as an International Standard. It is proposed for provisional application so that information and experience of its use in practice may be gathered. ISO/TC 215 intends to revise it into a full International Standard after a three-year period.

This Technical Specification describes the common technical, operational and policy requirements that need to be addressed to enable PKI to be used in protecting the exchange of healthcare information within a single domain, between domains and across jurisdictional boundaries. Its purpose is to create a platform for global interoperability.

It specifically supports PKI enabled communication across borders, but could also provide guidance for the establishment of healthcare PKIs nationally or regionally. The Internet is increasingly used as the vehicle of choice to support the movement of healthcare data between healthcare organizations and is the only realistic choice for cross-border communication in this sector.

This Technical Specification should be approached as a whole, with the three parts all making a contribution to defining how PKIs can be used to provide security services in the health industry, including authentication, confidentiality, data integrity and the technical capacity to support the quality of digital signature.

ISO/TS 17090-1 defines the basic concepts of a healthcare public key infrastructure (PKI) and provides a scheme of interoperability requirements to establish a PKI enabled secure communication of health information.

ISO/TS 17090-2 provides healthcare specific profiles of digital certificates based on the International Standard X.509 and the profile of this specified in IETF/RFC 2459 for different types of certificates.

ISO/TS 17090-3 deals with management issues involved in implementing and operating a healthcare PKI. It defines a structure and minimum requirements for certificate policies (CPs) and a structure for associated certification practice statements. This part is based on the recommendations of the IETF/RFC 2527 Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework and identifies the principles needed in a healthcare security policy for cross border communication. It also defines the minimum levels of security required, concentrating on the aspects unique to healthcare.

Comments on the content of this document, as well as comments, suggestions and information on the application of these technical specifications may be forwarded to the ISO/TC 215 secretariat: <u>tsandler@astm.org</u> and the WG4 secretariat <u>w4sec215@medis.or.jp</u>.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 17090-2:2002 https://standards.iteh.ai/catalog/standards/sist/46b6bf2e-93ab-4216-a51cbcfea8f10975/iso-ts-17090-2-2002

Health informatics — Public key infrastructure —

Part 2: Certificate profile

1 Scope

This part of ISO/TS 17090 specifies the certificate profiles required to interchange healthcare information within a single organization, between different organizations and across jurisdictional boundaries. It details the use made of public key infrastructure (PKI) digital certificates in the health industry and focuses, in particular, on specific healthcare issues relating to certificate profiles.

2 Normative references ch STANDARD PREVIEW

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/TS 17090. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/TS 17090 are encouraged to investigate the possibility of applying the most recent/editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards! 7090-2-2002

ISO/TS 17090-1:2002, Health informatics — Public key infrastructure — Part 1: Framework and overview

ISO/TS 17090-3:2002, Health informatics — Public key infrastructure — Part 3: Policy management of certification authority

IETF/RFC 2459, Internet X.509 Public Key Infrastructure Certificate and CRL Profile

IETF/RFC 2527, Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework

IETF/RFC 3039, Internet X.509 Public Key Infrastructure Qualified Certificates Profile

INTERNET-DRAFT October 1999 4.1, X.509 Attribute Certificate

3 Terms and definitions

For the purposes of this part of ISO/TS 17090, the terms and definitions given in ISO/TS 17090-1:2002 apply.

4 Abbreviations

- AA attribute authority
- AC attribute certificate
- CA certification authority
- CP certificate policy
- CPS certification practice statement
- CRL certificate revocation list
- PKC public key certificate
- PKI public key infrastructure
- RA registration authority
- TTP trusted third party

5 Healthcare CPs

5.1 Certificate types required for healthcare (standards.iteh.ai)

Identity certificates shall be issued to:

ISO/TS 17090-2:2002

- individuals (regulated health, professionals, onn-regulated health, professionals, sponsored healthcare providers, supporting organization employees and patients/consumers);
- organizations (healthcare organizations and supporting organizations);
- devices;
- applications.

The roles of individuals and organizations are to be captured; either in the identity certificate itself (in a certificate extension) or in an associated AC. The different kinds of certificates and the way they interrelate are shown in Figure 1.


5.2 CA certificates

5.2.1 Root CA certificates

Root CA certificates are used when the subject of the certificate is itself a CA, they are self-signed and are used in a healthcare PKI to issue certificates to relying parties, including subordinate CAs. The basic constraints field indicates whether the certificate is a CA, as well as the maximum allowable depth of a certification path through that CA.

5.2.2 Subordinate CA certificates

Subordinate CA certificates are issued for a CA that is in itself certified by another CA higher up in the hierarchy to be able to issue certificates for either other CAs lower down the hierarchy or for end entities.



Public key infrastructure

iTeh Healthcare certificate types Figure 1 standards.iteh.ai)

5.3 **Cross/Bridge certificates**

ISO/TS 17090-2:2002

In an Internet environment, it is not feasible to rexpect the health industry in cross border and jurisdictional situations to trust a top level CA. Instead, "islands of trust" are to be provided in each health industry domain, based on speciality, jurisdiction, setting or geography that trust a particular CA. Each central root CA for each "island of trust" can then cross-certify another root. In these situations, a group of CAs may agree on a minimum set of standards to be embodied in their policies and associated practice statements. When this occurs, a relying party may accept a certificate from a CA outside its own domain. This could be particularly useful for organizations such as state or provincial health authorities to enable the transfer of information across boundaries.

Cross/Bridge certificates are certificate types that cross-certify different CA domains. This supports the large-scale deployment of public key applications, such as secure electronic mail and others required in the health industry.

5.4 End entity certificates

End entity certificates are issued to entities that may include individuals, organizations, applications or devices. They are called end entity certificates because there are no further entities beneath them relying on that certificate.

5.4.1 Individual identity certificates

Individual identity certificates are a particular subtype of end entity certificates that are issued to individual persons for the purpose of authentication. The following five types of healthcare actors are recognized as being individuals:

- regulated health professional: a)
 - each certificate holder is a health professional who, in order to practice his/her profession requires a license or registration from a government body (see 5.1 of ISO/TS 17090-1:2002). These certificates may be qualified certificates (see 8.2 of ISO/TS 17090-1:2002 and 7.3 below);

- b) non-regulated health professional:
 - each certificate holder is a health professional who is not subject to registration or licensing from a government body (see 5.1 of ISO/TS 17090-1:2002). These certificates may be qualified certificates;
- c) sponsored healthcare provider:
 - each certificate holder is an individual who is active in his/her healthcare community and is sponsored by a regulated healthcare organization or professional. These certificates may be qualified certificates;
- d) supporting organization employee:
 - each certificate holder is an individual who is active in his/her community and is sponsored by a regulated healthcare organization or professional. These certificates may be qualified certificates;
- e) patient/consumer:
 - each certificate holder is an individual person who, at some stage, is about to receive, is receiving or has received the services of a regulated or non-regulated health professional. These may be qualified certificates.

5.4.2 Organization identity certificate

Device identity certificate

An organization that is involved in the health industry may hold a certificate to identify itself or to use for encryption purposes. In accordance with IETF/REC 2527, provision is made in this part of ISO/TS 17090 for an organizational unit name.

(standards.iteh.ai)

A device can be a computer server, medical machine, such as a radiology machine, a vital signs monitoring device or a prosthetic device that needs to be individually identified and authenticated.

5.4.4 Application certificate

An application is a computer information system, such as a hospital patient administration system, that needs to be individually identified and authenticated.

This part of ISO/TS 17090 concentrates on the providers, but recognizes that patients/consumers will increasingly require the services of a PKI in managing their own healthcare.

5.4.5 AC

5.4.3

An AC is a digitally signed (or certified) set of attributes. An AC is a structure similar to a PKC; the main difference being that it contains no public key. An AC may contain attributes that specify group membership, role, security clearance and other information associated with the AC holder that could be used for access control. The AC shall be in accordance with the specifications given in INTERNET-DRAFT October 1999 4.1, *X.509 Attribute Certificate*.

Within the health industry context, ACs can fulfil the valuable role of communicating authorization information. Authorization information is distinct from information on healthcare roles or licences, which may be appropriately included in a PKC. Role or licence implies an authorization level, but they are not necessarily authorization information in themselves. It is important to note that the detailed specification for ACs is still evolving and that this Technical Specification still needs to be more widely implemented in the software industry.

The syntax of an AC is specified in X.509:

AttributeCertificate ::= SIGNED { AttributeCertificateInfo }

AttributeCertificateInfo ::= SEQUENCE { version Version DEFAULT v1, owner SEQUENCE { baseCertificateId [0] IssuerSerial OPTIONAL, entityName [1] GeneralNames OPTIONAL, objectDigestInfo [2] ObjectDigestInfo OPTIONAL }, issuer SEQUENCE { baseCertificateId IssuerSerial OPTIONAL, issuerName [0] GeneralNames OPTIONAL }, signature AlgorithmIdentifier, serialNumber CertificateSerialNumber, attCertValidityPeriod AttCertValidityPeriod, attributes SEQUENCE OF Attribute, issuerUniqueID UniqueIdentifier OPTIONAL }		
Version ::= INTEGER { v1(0), v2(1) }		
IssuerSerial ::= SEQUENCE { issuer GeneralNames, serialNumber CertificateSerialNumber, issuerUID UniqueIdentifier OPTIONAL }		
CertificateSerialNumber ::= INTEGER TANDARD PREVIEW		
Uniqueldentifier ::= BIT STRING (standards.iteh.ai)		
ATTRIBUTE ::= CLASS { &id OBJECT IDENTIFIER UNIQUE, ISO/TS 17090-2:2002 &singleValued BOODEAN DEFAULT FALSE and ards/sist/46b6bf2e-93ab-4216-a51c- &Syntax } bcfea8f10975/iso-ts-17090-2-2002		
Attribute ::= SEQUENCE { attrTypeATTRIBUTE.&id ({SupportedAttrs}), attrValues ATTRIBUTE.&Syntax ({SupportedAttrs} {@attrType}) }		
ObjectDigestInfo ::= SEQUENCE { digestAlgorithm AlgorithmIdentifier, objectDigest OCTET STRING }		
AttCertValidityPeriod ::= SEQUENCE { notBefore GeneralizedTime, notAfterGeneralizedTime }		

The components of the AC are used as follows.

The version number differentiates between different versions of the AC. If objectDigestInfo is present or if issuer is identified with baseCertificateID, version shall be v2.

The **owner** field conveys the identity of the AC's holder. Use of the issuer name and serial number of a specific PKC is required; use of the general name(s) is optional and use of the object digest is prohibited. There is a risk with use of **GeneralNames** by itself to identify the holder, in that there is insufficient binding of a name to a public key to enable the authentication process of the owner's identity to be bound to the use of an AC. In addition, some of the options in **GeneralNames** (e.g. **IPAddress**) are inappropriate for use in naming an AC holder which is a role rather than an individual entity. General name forms should be restricted to distinguished name, RFC 822 (electronic mail) address, and (for role names) object identifiers.

The **issuer** field conveys the identity of the AA that issued the certificate. Use of the issuer name and serial number of a specific PKC is required, and use of the general name(s) is optional.

The signature identifies the cryptographic algorithm used to digitally sign the AC.

The serialNumber is the serial number that uniquely identifies the AC within the scope of its issuer.

The **attrCertValidityPeriod** field conveys the time period during which the AC is considered valid, expressed in **GeneralizedTime** format.

The attributes field contains the certificate holder's attributes that are being certified (e.g. the privileges).

The **issuerUniqueID** may be used to identify the issuer of the AC in instances where the issuer name is not sufficient.

The extensions field allows addition of new fields to the AC.

Details on the use of ACs in healthcare are specified in 8.3 of ISO/TS 17090-1:2002.

5.4.6 Role certificates

A user's AC may contain a reference to another AC that contains additional privileges. This provides an efficient mechanism for implementing privileged roles.

Many environments that have authorization requirements require the use of role-based privileges (typically in conjunction with identity-based privileges) for some aspect of their operation. Thus, a claimant may present something to the verifier demonstrating only that the claimant has a particular role (e.g. "manager" or "purchaser"). The verifier may know *a priori*, or may have to discover by some other means, the privileges associated with the asserted role in order to make a pass/fail authorization decision.

ISO/TS 17090-2:2002

The following are all possible; //standards.iteh.ai/catalog/standards/sist/46b6bf2e-93ab-4216-a51c-

- any number of roles can be defined by any AA;
- the role itself and the members of a role can be defined and administered separately, by separate AAs;
- the privileges assigned to a given role may be placed into one or more ACs;
- a member of a role may be assigned only a subset of the privileges associated with a role, if desired;
- role membership may be delegated; and
- roles and membership may be assigned any suitable lifetime.

An entity is assigned an AC containing an attribute asserting that the entity occupies a certain role. That certificate has an extension pointing to another AC that defines the role (i.e. this role certificate specifies the role as holder and contains a list of privileges assigned to that role). The issuer of the entity certificate may be independent of the issuer of the role certificate and these may be administered (expired, revoked and so on) entirely separately.

Not all forms of **GeneralName** are appropriate for use as role names. The most useful choices are object identifiers and distinguished names.

6 General certificate requirements

6.1 Certificate compliance

The following requirements shall apply for all certificates specified in this part of ISO/TS 17090.

a) Certificates shall be X.509 version 3 certificates.