

**SLOVENSKI STANDARD
SIST EN ISO 12567-1:2010/AC:2011
01-marec-2011**

Toplotne lastnosti oken in vrat - Ugotavljanje toplotne prehodnosti z metodo komorne naprave - 1. del: Celotna okna in vrata - Tehnični popravek 1 (ISO 12567-1:2010/Cor 1:2010)

Thermal performance of windows and doors - Determination of thermal transmittance by the hot-box method - Part 1: Complete windows and doors - Technical Corrigendum 1 (ISO 12567-1:2010/Cor 1:2010)

iTeh STANDARD PREVIEW
Einführendes Element - Haupt-Element - Teil 1: Ergänzendes Element (ISO 12567-1:2010/Cor 1:2010)
[standards.iteh.ai](http://standards.iteh.ai/standards/iso/12567-1:2010/cor1)

[SIST EN ISO 12567-1:2010/AC:2011](http://standards.iteh.ai/standards/iso/12567-1:2010/cor1)
Isolation thermique des fenêtres et portes - Détermination de la transmission thermique par la méthode à la boîte chaude - Partie 1: Fenêtres et portes complètes - Rectificatif technique 1 (ISO 12567-1:2010/Cor 1:2010)

Ta slovenski standard je istoveten z: EN ISO 12567-1:2010/AC:2010

ICS:

91.060.50	Vrata in okna	Doors and windows
91.120.10	Toplotna izolacija stavb	Thermal insulation

SIST EN ISO 12567-1:2010/AC:2011 en,fr,de

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 12567-1:2010/AC:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/d474f9a4-2848-4dc2-9121-bafc199061a6/sist-en-iso-12567-1-2010-ac-2011>

**EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM**

EN ISO 12567-1:2010/AC

November 2010
Novembre 2010
November 2010

ICS 91.060.50; 91.120.10

English version
Version Française
Deutsche Fassung

Thermal performance of windows and doors - Determination of thermal transmittance by the hot-box method - Part 1: Complete windows and doors - Technical Corrigendum 1 (ISO 12567-1:2010/Cor 1:2010)

Isolation thermique des fenêtres et portes -
Détermination de la transmission thermique
par la méthode à la boîte chaude - Partie 1:
Fenêtres et portes complètes - Rectificatif
technique 1 (ISO 12567-1:2010/Cor
1:2010)

iTeh STANDARD PREVIEW

This corrigendum becomes effective on 1 November 2010 for incorporation in the three official language versions of the EN. (standards.iteh.ai)

Ce corrigendum prendra effet le 1 novembre 2010 pour incorporation dans les trois versions linguistiques officielles de la EN.
<http://standards.iteh.ai/catalog/standards/sist/d4749a4-2848-4dc2-9121-bafc199061a6/sist-en-iso-12567-1-2010-ac-2011>

Die Berichtigung tritt am 1.November 2010 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 12567-1:2010/AC:2010 (E)

Contents

	Page
Foreword.....	3

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 12567-1:2010/AC:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/d474f9a4-2848-4dc2-9121-bafc199061a6/sist-en-iso-12567-1-2010-ac-2011>

Foreword

This document (EN ISO 12567-1:2010/AC:2010) has been prepared by Technical Committee ISO/TC 163 "Thermal performance and energy use in the built environment" in collaboration with Technical Committee CEN/TC 89 "Thermal performance of buildings and building components" the secretariat of which is held by SIS.

Endorsement notice

The text of ISO 12567-1:2010/Cor 1:2010 has been approved by CEN as a EN ISO 12567-1:2010/AC:2010 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 12567-1:2010/AC:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/d474f9a4-2848-4dc2-9121-bafc199061a6/sist-en-iso-12567-1-2010-ac-2011>

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 12567-1:2010/AC:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/d474f9a4-2848-4dc2-9121-bafc199061a6/sist-en-iso-12567-1-2010-ac-2011>



**INTERNATIONAL STANDARD ISO 12567-1:2010
TECHNICAL CORRIGENDUM 1**

Published 2010-11-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Thermal performance of windows and doors — Determination of thermal transmittance by the hot-box method —

**Part 1:
Complete windows and doors**

TECHNICAL CORRIGENDUM 1

Isolation thermique des fenêtres et portes — Détermination de la transmission thermique par la méthode à la boîte chaude —

iTeh STANDARD PREVIEW

Partie 1: Fenêtres et portes complètes

(standards.iteh.ai)

RECTIFICATIF TECHNIQUE 1

[SIST EN ISO 12567-1:2010/AC:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/d474f9a4-2848-4dc2-9121-bafc199061a6/sist-en-iso-12567-1-2010-ac-2011>

Technical Corrigendum 1 to ISO 12567-1:2010 was prepared by Technical Committee ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 1, *Test and measurement methods*.

Page 3, Table 2

Replace the lower case subscript “in” with upper case “IN”.

Page 14, 6.2.2.2

Replace Equation (1) with the following:

$$R_{s,t} = \frac{\Delta\theta_{n,cal} - \Delta\theta_{s,cal}}{q_{cal}}$$

ICS 91.060.50; 91.120.10

Ref. No. ISO 12567-1:2010/Cor.1:2010(E)

ISO 12567-1:2010/Cor.1:2010(E)

Page 17, 6.4

Replace Equation (14) with the following:

$$U_{st} = \left[U_m^{-1} - R_{s,t} + R_{(s,t),st} \right]^{-1}$$

Page 20, A.3

Replace Equation (A.2) with the following:

$$\theta_r = \theta_b$$

Page 20, A.3

In Equations (A.6) and (A.7), replace the italicized parentheses with upright parentheses.

Pages 48 to 50, F.9.1 to F.9.2

Renumber Equation (F.12) as Equation (F.15), and then renumber the subsequent equations accordingly.
iTech STANDARD PREVIEW
(standards.itech.ai)

Page 49, F.9.1

[SIST EN ISO 12567-1:2010/AC:2011](#)

<https://standards.itech.ai/catalog/standards/sist/d4749a4-2848-4dc2-9121-0a1c9901e694/en/iso-12567-1-1004ac-001>
In the eighth paragraph, replace “This flanking heat transfer for a given thickness surround panel can be obtained by Equation (F.14)” with “This flanking heat transfer for a given thickness surround panel can be obtained by Equation (F.17)”.

Page 49, F.9.1

Replace the last paragraph with the following:

The difference between Equations (F.18) and (F.19) are due to the different metering and climatic temperatures used in ASTM C 1199 and this part of ISO 12567.

Page 49, F.9.1

Replace Equation (F.15) with the following:

$$\phi_{FL,sp;ASTM} = 40,798 - 0,847 \cdot 5d_{sp} + 0,004 \cdot 4d_{sp}^2 \dots (0 < d_{sp} < 102,2 \text{ mm})$$

Page 50, F.9.2

In the fourth paragraph, replace “This value is within the experimental uncertainty range [1,505 to 1,691 W/(m²·K)] given in Equation (F.18) and is only 0,16 % from the measured value.” with “This value is within the experimental uncertainty range [1,505 to 1,691 W/(m²·K)] given in Equation (F.20) and is only 0,16 % from the measured value.”