



## DRAFT INTERNATIONAL STANDARD ISO/IEC DIS 25063.2

ISO/IEC JTC 1

Secretariat: ANSI

Voting begins on  
2012-08-17

Voting terminates on  
2012-10-17

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОММИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

# Systems and software engineering — Systems and software product Quality Requirements and Evaluation (SQuaRE) — Common Industry Format (CIF) for usability: Context of use description

*Ingénierie des systèmes et du logiciel — Exigences de qualité et évaluation des systèmes et du logiciel (SQuaRE) — Format industriel commun (CIF) pour l'utilisabilité: Description du contexte d'utilisation*

ICS 35.080

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b666bcc3-515b-4f6f-832f-75cee1d828fc/iso-iec-25063-2014>

**To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.**

**Pour accélérer la distribution, le présent document est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectué au Secrétariat central de l'ISO au stade de publication.**

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b666bcc3-515b-4f6f-832f-75cee1d828fc/iso-iec-25063-2014>

### Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

**Contents**

Page

Foreword .....	4
Introduction.....	5
1 Scope .....	7
2 Conformance .....	7
3 Terms and Definitions .....	7
4 Purposes and types of context of use descriptions.....	11
4.1 General.....	11
4.2 Initial outline of the context of use.....	11
4.3 Detailed description of the context of use.....	11
4.3.1 Current context of use.....	11
4.3.2 Intended context of use.....	12
4.3.3 Context of use specified as part of user requirements.....	12
4.3.4 Context of use of the implemented system.....	12
4.3.5 Context of use of the deployed system .....	12
4.4 Context of use for evaluation.....	13
4.5 Context of use information included in a product description.....	13
5 Elements of a context of use description.....	13
5.1 General.....	13
5.1.1 Overview of requirements and recommendations.....	13
5.1.2 Scope of the context of use .....	15
5.2 Subject of the context of use description.....	15
5.2.1 System, product or service and purpose .....	15
5.2.2 Preconditions and constraints .....	15
5.3 User population.....	16
5.3.1 Users and other stakeholder groups .....	16
5.3.2 The characteristics of each user group.....	16
5.4 Goals and responsibilities of the user group and the organization.....	18
5.4.1 User group goals.....	18
5.4.2 Organizational goals and policies.....	19
5.4.3 Responsibilities.....	19
5.5 Tasks of the users.....	19
5.5.1 Task attributes.....	19
5.5.2 Task representations .....	20
5.6 Environment(s) of the user .....	20
5.6.1 General.....	20
5.6.2 Technical and technological environment .....	20
5.6.3 Social/organizational environment.....	21
5.6.4 Physical environment.....	21
5.7 Problems.....	22
5.7.1 General.....	22
5.7.2 Problems.....	22
5.7.3 Deficiencies in effectiveness, efficiency or satisfaction.....	22
Annex A (informative) Context of use as part of human-centred design .....	24
A.1 Context of use in relation to Human-Centred Design and other CIFs.....	24
A.2 Initial outline of the context of use .....	25
A.3 Scope of the context of use.....	26
A.4 Generic procedure for developing context of use descriptions during design and development .....	27
Annex B (informative) Users of the context of use.....	30

Annex C (informative) Relationship to ISO/IEC 25010 quality characteristics..... 32  
Annex D (informative) Example of a context of use checklist..... 33  
Bibliography ..... 42

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b666bcc3-515b-4f6f-832f-75cee1d828fc/iso-iec-25063-2014>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In exceptional circumstances, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide by a simple majority vote of its participating members to publish a Technical Report. A Technical Report is entirely informative in nature and does not have to be reviewed until the data it provides are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO **shall** not be held responsible for identifying any or all such patent rights.

ISO/IEC 25063 was prepared by Technical Committee ISO/TC JTC1, *Information Technology*, Subcommittee SC SC7, *Software and System Engineering in conjunction with ISO/TC 159 Ergonomics SC 4 Human-System Interaction*.

PRE-VIEW  
Full standard:  
https://standards.iteh.ai/catalog/standards/iso/iec-25063-2/515b-4f6f-832f-75cee1d828f5

## Introduction

The human-centred design approach of ISO 9241-210 is well established and focuses specifically on making systems usable. Usability can be achieved by applying human-centred design and testing throughout the lifecycle. In order to enable a human-centred approach to be adopted, it is important that all the relevant types of information related to usability (information items) are identified and communicated. This identification and communication enables the usability of a system to be designed and tested.

This International Standard provides a framework and consistent terminology for describing the context of use of an interactive system. It is intended to assist developers in documenting and communicating usability-related information through the system development life cycle.


The elements of the context of use are a useful framework for defining, describing and thinking about the boundary of a system, and addressing influences and affects across this boundary.

The Common Industry Format (CIF) for Usability family of International Standards is described in ISO TR 25060 and is part of the SQuARE series (ISO/IEC 25000 – ISO/IEC 25099) of standards on systems and software product quality requirements and evaluation.

The CIF family of standards uses definitions that are consistent with the ISO 9241 series of standards (Ergonomics of human system interaction), as this is the terminology that is normally used for this subject matter.

CIF standards are planned for the following information items:

- Context of use description (ISO/IEC 25063);
- User needs report (ISO/IEC 25064);
- User requirements specification;
- User interaction specification;
- User interface specification;
- Usability evaluation report;
- Field data report;



**Figure 1 Relationship of CIF documents to user centred design in ISO 924-210 and system lifecycle processes in ISO/IEC 15288**

Figure 1 illustrates the interdependence of these information items with the human-centred design activities described in ISO 9241-210 as well as the corresponding System Life Cycle processes described in ISO/IEC 15288. The figure depicts the activities as a set of intersecting areas. The circles overlap to represent that the activities are not separate, but rather, overlapping in time and scope and the outcome of each activity provides the input to one or more other activities. As each human-centred design activity can provide input to any other, there is no starting point, no endpoint, or linear process intended.

Human-centred design relies on user needs that are first identified based on the Context of Use analysis. User needs are documented in the User Needs Report (ISO/IEC 25064), which is an intermediate deliverable that links the Context of Use Description (ISO/IEC 25063) that contains Information about the users, their tasks and the organizational and physical environment, to the user requirements. These items are developed during the Stakeholders Requirements Definition Process described in ISO/IEC 15288.

The “Produce design solutions” activity focuses on designing user interaction that meets user requirements. This activity takes place during the Architectural Design, Implementation, and Integration processes described in ISO/IEC 15288 and produces the information items “User Interaction Specification” and the “User Interface Specification”.

The “Evaluate” activity starts at the earliest stages in the project, evaluating design concepts to obtain a better understanding of the user needs. Design solutions can be evaluated multiple times as the interactive system is being developed, and can produce various types of evaluation report, and usability data such as that described in ISO/IEC 25062 can support the ISO/IEC 15288 validation process that confirms that the system complies with the stakeholders requirements.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b666bcc3-515b-4f6f-832f-75cee1d828fc/iso-iec-25063-2014>



# Systems and software engineering — Systems and software product Quality Requirements and Evaluation (SQuRE) — Common Industry Format (CIF) for Usability: Context of Use Description

## 1 Scope

This International Standard specifies the contents of both high-level and detailed descriptions of context of use for an existing, intended, designed or implemented system.

The context of use description is applicable to software and hardware systems, products or services (excluding generic products, such as a display screen or keyboard). The description of the context of use is intended to be used as part of system-level documentation resulting from development processes such as those in ISO 9241-210 and ISO/IEC JTC 1/SC 7 process standards.

This International Standard does not prescribe any kind of method, lifecycle or process. To ensure that this information item can be used within the broadest range of process models and used in combination with other information items, the descriptions uses the classification in ISO/IEC 15289 and ISO/IEC 15504-6.

The context of use information item can be integrated into any type of process models.

**NOTE** For the purpose of establishing process models, ISO/IEC 24774 and ISO/IEC 15504-2 specify the format and conformance requirements for process models respectively. In addition ISO/IEC 15289 defines the types and content of information items developed and used in process models for system and software lifecycle management. ISO/IEC 15504-5 and -6 define work products, including information items, for the purpose of process capability assessment. Process models and associated information items for human-centred design of interactive systems are contained in ISO TR 18529 and ISO TS 18152 respectively.

This International Standard also describes the rationale to generate context of use descriptions, and identifies the intended users of context of use descriptions. An exemplary procedure to create context of use descriptions is given in A.4.

This International Standard does not recommend any specific format for documenting the context of use.

## 2 Conformance

A description of the context of use conforms to this International Standard if it contains all the required elements specified in clause 5. An explanation of the basis for the judgements made in 5.1, 5.3.2.2, 5.3.2.3, 5.3.2.4, 5.4.2, 5.4.3, 5.5.1, 5.6.2, 5.6.3 and 5.6.4 **shall** be provided.

## 3 Terms and Definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **accessibility**

extent to which products, systems, services, environments and facilities can be used by people from a population with the widest range of characteristics and capabilities to achieve a specified goal in a specified context of use

Note to entry: Context of use includes direct use or use supported by assistive technologies.

[SOURCE: ISO 26800:2011, 2.1]

**3.2**  
**context of evaluation**  
users, tasks, equipment (hardware, software and materials), and the physical and social environments in which a product is evaluated

[SOURCE: ISO 20282-2:2006, 4.3]

**3.3**  
**context of use**  
users, tasks, equipment (hardware, software and materials), and the physical and social environments in which a system, product or service is used

[SOURCE: ISO 9241-11:1998, 3.5, with "product" replaced by " system, product or service".]

**3.4**  
**effectiveness**  
accuracy and completeness with which users achieve specified goals

[SOURCE: ISO 9241-11:1998, 3.2]

**3.5**  
**efficiency**  
resources expended in relation to the accuracy and completeness with which users achieve goals

[SOURCE: ISO 9241-11:1998, 3.3]

**3.6**  
**goal**  
intended outcome

[SOURCE: ISO 9241-11:1998, 3.8]

**3.7**  
**human-centred design**  
approach to system design and development that aims to make interactive systems more usable by focussing on the use of the system; applying human factors, ergonomics and usability knowledge and techniques

Note 1 to entry: The term "human-centred design" is used rather than "user-centred design" in order to emphasize that this standard also addresses impacts on a number of stakeholders, not just those typically considered as users. However, in practice, these terms are often used synonymously.

Note 2 to entry: Usable systems can provide a number of benefits including improved productivity, enhanced user wellbeing, avoidance of stress, increased accessibility, and reduced risk of harm.

[SOURCE: ISO 9241-210:2010, 2.7]

**3.8**  
**information item**  
a separately identifiable body of information that is produced and stored for human use during a system or software life cycle

[SOURCE: ISO/IEC 15289:2006, 5.11]

**3.9**  
**interactive system**  
combination of hardware, software and /or services that receives input from and communicates output to users

Note to entry: This includes, where appropriate, packaging, branding, user documentation, on-line help, support and training.

[SOURCE: ISO 9241-210:2010, 2.8]

### **3.10 persona**

representation of a type of user that includes a concise summary of the characteristics of the user that are most informative to the design or illustrative of specific user requirements

Note to entry: A persona typically includes behaviour patterns, goals, skills, attitudes, and environment, with a few fictional personal details to make the persona a realistic character.

### **3.11 requirement**

a condition or capability that must be met or possessed by a system, system component, product, or service to satisfy an agreement, standard, specification, or other formally imposed documents

Note to entry: Requirements include the quantified and documented needs, wants, and expectations of the sponsor, customer, and other stakeholders.

[SOURCE: ISO/IEC 24765:2010, 3.2506]

### **3.12 satisfaction**

freedom from discomfort, and positive attitudes towards the use of the product

[SOURCE: ISO 9241-11:1998, 3.4]

### **3.13 stakeholder**

individual or organization having a right, share, claim, or interest in a system or in its possession of characteristics that meet their needs and expectations

[SOURCE: ISO/IEC 15288:2008, 4.29]

### **3.14 system**

combination of interacting elements organized to achieve one or more stated purposes

Note 1 to entry: A system may be considered as a product or as the services it provides.

Note 2 to entry: In practice, the interpretation of its meaning is frequently clarified by the use of an associative noun, e.g. aircraft system. Alternatively the word system may be substituted simply by a context dependent synonym, e.g. aircraft, though this may then obscure a system principles perspective.

[SOURCE: ISO/IEC 15288:2008, 4.31]

### **3.15 task**

activities required to achieve a goal

[SOURCE: ISO 9241-11:1998, 3.9]

### **3.16 usability**

extent to which a system, product or service can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use

[SOURCE: ISO 9241-210, 2.13]

### 3.17

#### **user**

person who interacts with a system, product or service

Note to entry: A person who uses the output or service provided by a system, such as a bank customer who visits a branch, receives a paper statement, or carries out telephone banking using a call centre, can be considered a user.

[SOURCE: ISO 26800:2011, 2.10]

### 3.18

#### **user experience**

a person's perceptions and responses that result from the use and/or anticipated use of a product, system or service

Note 1 to entry: User experience includes all the users' emotions, beliefs, preferences, perceptions, physical and psychological responses, behaviours and accomplishments that occur before, during and after use.

Note 2 to entry: User experience is a consequence of brand image, presentation, functionality, system performance, interactive behaviour, and assistive capabilities of the interactive system; the user's internal and physical state resulting from prior experiences, attitudes, skills and personality; and the context of use.

Note 3 to entry: Usability, when interpreted from the perspective of the users' personal goals, can include the kind of perceptual and emotional aspects typically associated with user experience. Usability criteria can be established so as to assess aspects of user experience.

[SOURCE: ISO 9241-210:2010, 2.15]

### 3.19

#### **user interface**

all components of an interactive system (software or hardware) that provide information and controls for the user to accomplish specific tasks with the interactive system

[SOURCE: ISO 9241-110:2006, 3.9]

### 3.20

#### **user need**

prerequisite identified as necessary for a user, or a set of users, to achieve an intended outcome, implied or stated within a specific context of use

[SOURCE: ISO DIS 25064]

### 3.21

#### **user requirements**

usage requirements

requirements for use that provide the basis for design and evaluation of interactive systems to meet identified user needs

Note 1 to entry: User requirements are derived from user needs and capabilities in order to make use of the system in an effective, efficient, safe and satisfying manner.

Note 2 to entry: User requirements specify the extent to which user needs and capabilities are to be met when using the system. They are not requirements on the users.

Note 3 to entry: In software-engineering terms, user requirements comprise both "functional" and "non-functional" requirements based on user needs and capabilities.

[SOURCE: ISO/IEC TR 25060:2010, 2.21]