



**SLOVENSKI STANDARD**  
**SIST ISO/IEC 9995-4:2008**

01-oktober-2008

---

Information technology -- Keyboard layouts for text and office systems -- Part 4: Numeric section

Technologies de l'information -- Disposition des claviers conçus pour la bureautique -- Partie 4: Module numérique

**STANDARD PREVIEW**

Technologies de l'information -- Disposition des claviers conçus pour la bureautique -- Partie 4: Module numérique

[SIST ISO/IEC 9995-4:2008](https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-9468085cb2d/sist-iso-iec-9995-4-2008)

Ta slovenski standard je istoveten z: **ISO/IEC 9995-4:2002**

---

**ICS:**

35.180	Terminalska in druga periferna oprema IT	IT Terminal and other peripheral equipment
--------	--	--

**SIST ISO/IEC 9995-4:2008**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ISO/IEC 9995-4:2008

<https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008>

---

---

**Information technology — Keyboard  
layouts for text and office systems —**

**Part 4:  
Numeric section**

*Technologies de l'information — Disposition des claviers conçus pour la  
bureautique —*  
*Partie 4: Module numérique*

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST ISO/IEC 9995-4:2008](https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008)

<https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008>

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO/IEC 9995-4:2008](https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008)

<https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008>

© ISO/IEC 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 9995 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9995-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 35, *User interfaces*.

This second edition cancels and replaces the first edition (ISO/IEC 9995-4:1994) which has been technically revised.

ISO/IEC 9995 consists of the following parts, under the general title *Information technology — Keyboard layouts for text and office systems*:

- *Part 1: General principles governing keyboard layouts*
- *Part 2: Alphanumeric section*
- *Part 3: Complementary layouts of the alphanumeric zone of the alphanumeric section*
- *Part 4: Numeric section*
- *Part 5: Editing section*
- *Part 6: Function section*
- *Part 7: Symbols used to represent functions*
- *Part 8: Allocation of letters to the keys of a numeric keypad*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ISO/IEC 9995-4:2008

<https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008>

# Information technology — Keyboard layouts for text and office systems —

## Part 4: Numeric section

### 1 Scope

Within the general scope described in part 1 of ISO/IEC 9995 this part of ISO/IEC 9995 specifies the numeric section of a keyboard and the division of that section into zones. It specifies the arrangement, the number, and the location of the keys in the numeric zone ZN0 and in the function zones ZN1 to ZN6 of the numeric section, as well as the allocation of functions to the keys.

The numeric zone ZN0 is to be used in keyboards for applications such as text and data processing; general office environment; banking; point of sales (POS); telematic services; telephony apparatus; home electronic systems; numerical control of machinery and equipment; input of personal identification number (PIN); etc.

The function zones ZN1 to ZN6 are to be used in keyboards for applications such as data entry, text and data processing, general office environment, etc.

NOTE Certain of these applications are under the responsibility of the ITU-T.

<https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008>

### 2 Conformance

Equipment is in conformance with this part of ISO/IEC 9995 if it meets the requirements of Clause 5, 6, 7, 8, 9, 10 and either 8.1, 8.2.

### 3 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 9995. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/IEC 9995 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 9995-1:1994, *Information technology — Keyboard layouts for text and office systems — Part 1: General principles governing keyboard layouts*

ITU-T Recommendation E.161, *Arrangement of figures, letters and symbols on telephones and other devices that can be used for gaining access to a telephone network*

### 4 Terms and definitions

For the purposes of this part of ISO/IEC 9995, the terms and definitions given in ISO/IEC 9995-1 apply.

## 5 Arrangement and location

The numeric section is generally a rectangular arrangement of keys located to the right of the alphanumeric section and the editing section and below a part of the function section, see ISO/IEC 9995-1.

## 6 Division into zones

The numeric section is divided into zones as illustrated in Figure 1.




Figure 1 — Division of the numeric section into zones

ZN0 is the numeric zone of the numeric section. The arrangement, the number, and the locations of the keys as well as the allocation of functions to the keys are specified in Clauses 7, 8.

ZN1 to ZN6 are the function zones of the numeric section. The arrangement, the number, and the location of the keys as well as the allocation of functions to the keys are specified in Clause 9.

## 7 Arrangement, location and functions of the keys in the numeric zone

The keys shall be arranged in the numeric zone ZN0 and be located as illustrated in Figure 2.

The functions to be allocated to the keys of the numeric zone are the digits zero to nine, the decimal separator, and two telematic functions.



Not drawn to scale — all lines are only indicative




Figure 2 — Arrangement and location of the keys in the numeric zone

<https://standards.iteh.ai/catalog/standards/sist/4fecedec-61e5-4aa0-8a4e-94680085eb2d/sist-iso-iec-9995-4-2008>

## 8 Allocation of functions to the keys of the numeric zone

The ten digits zero to nine shall be allocated to ten keys of the numeric zone ZN0 in one of two ways: The “1-2-3” layout (see 8.1) or the “7-8-9” layout (see 8.2). The “1-2-3” layout is preferred.

The decimal separator and the telematic functions shall be allocated as defined in 8.1, 8.2.

### 8.1 The “1-2-3” layout

This layout is primarily intended for general office applications, text and data processing, and other applications such as telematic services, telephony apparatus, home electronic systems, numerical control of machinery and equipment. It is also recommended for combined voice/data terminal equipment. The allocation of the functions of the 1-2-3 layout shall be as indicated in Table 1; see also Figure 3.